



Missouri Department of
MENTAL HEALTH

- [Online Services](#)

- [MO.gov](#)
- [Governor Jay Nixon](#)
- [Find an Agency](#)

Search



YouTube



Follow Us



Like Us

Missouri Student Survey County Reports

[Adair County](#) 

[Andrew County](#) 

[Atchison County](#) 

[Audrain County](#) 

[Barry County](#) 

[Barton County](#) 

[Bates County](#) 

[Benton County](#) 

[Bollinger County](#) 

[Boone County](#) 

[Buchanan County](#) 

[Butler County](#) 



Caldwell County 

Callaway County 

Camden County 

Cape Girardeau County 

Carroll County 

Carter County 

Cass County 

Cedar County 

Chariton County 

Christian County 

Clark County 

Clay County 

Clinton County 

Cole County 

Cooper County 

Crawford County 

Dade County 

Dallas County 

Daviess County 

DeKalb County 

Dent County 

Douglas County 

Dunklin County 

Franklin County 

Gasconade County 

Gentry County 

Greene County 

Grundy County 

Harrison County 

Henry County 

Hickory County 

Holt County 

Howard County 

Howell County 

Iron County 

Jackson County 

Jasper County 

Jefferson County 

Johnson County 

Knox County 

Laclede County 

Lafayette County 

Lawrence County 

Lewis County 

Lincoln County 

Linn County 

Livingston County 

McDonald County 

Macon County 

Madison County 

Maries County 

Marion County 

Mercer County 

Miller County 

Mississippi County 

Moniteau County 

Monroe County 

Montgomery County 

Morgan County 

New Madrid County 

Newton County 

Nodaway County 

Oregon County 

Osage County 

Ozark County 

Pemiscot County 

Perry County 

Pettis County 

Phelps County 

Pike County 

Platte County 

Polk County 

Pulaski County 

Putnam County 

Ralls County 

Randolph County 

Ray County 

Reynolds County 

Ripley County 

Saint Charles County 

Saint Clair County 

Sainte Genevieve County 

Saint Francois County 

Saint Louis County 

Saline County 

Schuyler County 

Scotland County 

Scott County 

Shannon County 

Shelby County 

Stoddard County 

Stone County 

Sullivan County 

Taney County 

Texas County 

Vernon County 

Warren County 

Washington County 

Wayne County 

Webster County 

Worth County 

Wright County 

Saint Louis City 

Alcohol & Drug Abuse

- **About Us**
- **How & Where to Get Help**
- **Programs & Services**
- **Information for Providers**
- **Alcohol & Drug Fact Sheets**
- **Bulletins**
- **Helpful Links**
- **State Advisory Council**
- **MO Behavioral Health Epidemiology Workgroup**
- **Behavioral Health Data Tool**
- **Reports & Statistics**
- **Organization & Personnel**

Related Information

- [Substance Abuse Traffic Offender Program \(SATOP\)](#)
- [Missouri Credentialing Board](#) 

About Mental Health

[The Department](#)

[Publications](#)

[Strategic Directions](#) 

[News Releases](#)

[Budget Information](#)

[Topics A-Z](#)

[DMH Job Opportunitites](#)

[CIMOR](#)

[Contact Us](#)

Mental Health Services

[Deaf Services](#)

[Constituent Services](#)

[Employment Services](#)

[Children's Office](#)

[Housing](#)

[Disaster Services](#)

[Resources for Libraries](#)

[Suicide Prevention Lifeline](#)

1-800-273-talk (8355)

[Civil Involuntary Detention](#)

For Your Information

Fact Sheets:

[Alcohol and Drug Abuse](#)

[Mental Illness](#)

[Developmental Disabilities Publications](#)

[FAQ's - Frequently Asked Questions](#)

[Employee Disqualification Information](#)

[Department Operating Regulations \(DORs\)](#)

[HIPAA Security Training](#) 

[HIPAA Notice of Privacy - English](#) 

[HIPAA Notice of Privacy - Spanish](#) 

Abbreviations and Acronyms 

Ready in 3

Stay Connected



Governor
Jeremiah (Jay) Nixon

MO.gov



Director
Keith Schafer

[Privacy Policy](#)

[Accessibility](#)

[Contact Us](#)

[Proposed Rules](#)

[State Agencies](#)

2014 Missouri Student Survey Adair County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	87	66,629	358
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.5%	14.8%	11.4%
2. Grade level. 7th Grade	6.7%	14.3%	7.3%
2. Grade level. 8th Grade	8.9%	15.2%	25.6%
2. Grade level. 9th Grade	15.4%	21.3%	40.0%
2. Grade level. 10th Grade	19.5%	12.2%	0.0%
2. Grade level. 11th Grade	17.5%	12.6%	15.7%
2. Grade level. 12th Grade	18.5%	9.6%	0.0%
3. Male	39.5%	47.7%	47.0%
4. Hispanic or Latino	2.9%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	4.5%
5. Race, alone or in combination. White	98.1%	85.5%	97.4%
5. Race, alone or in combination. Other	1.2%	1.6%	2.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	26.0%	22.7%	45.1%
48b. Used electronic cigarettes	20.3%	16.0%	n/a
49b. Used hookahs or water pipes	13.8%	11.3%	n/a
50c. Used alcohol	41.8%	33.3%	48.1%
51b. Used marijuana	12.6%	15.2%	21.8%
52a. Used inhalants	3.9%	2.9%	6.3%
53a. Used RX not prescribed for you by a doctor	4.6%	7.4%	6.1%
54a. Used `OTC` drugs for non-medical reasons	1.7%	2.9%	1.1%
56a. Used cocaine or `crack`	1.0%	1.1%	5.4%
56b. Used heroin or `smack`	0.0%	0.3%	5.2%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.0%	1.9%	5.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	5.6%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	5.2%
56g. Used steroids not prescribed for you by a doctor	0.5%	0.9%	5.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	32.6%	26.1%	26.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.0%	4.9%	1.1%
25. Carried a weapon such as a gun, knife or club on school property	5.1%	4.5%	6.9%
50b. Rode with someone who was drinking alcohol	19.3%	16.0%	25.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.0%	3.8%	0.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	15.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	30.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.7%	31.2%	43.3%
26a. Were in a physical fight	17.9%	19.1%	21.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.2%	6.3%	12.0%
35. Considered suicide	14.2%	11.7%	17.6%
36. Planned suicide	9.4%	8.6%	11.4%
37. Attempted suicide	2.2%	5.0%	10.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	0.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	62.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	59.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.7%	93.2%	92.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	70.5%	81.6%	78.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.3%	92.6%	94.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	52.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	39.8%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	28.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.3%	8.5%	2.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	22.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.3%	14.1%	9.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Atchison County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	116	66,629	111
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	20.3%	14.8%	11.5%
2. Grade level. 7th Grade	10.9%	14.3%	6.4%
2. Grade level. 8th Grade	14.1%	15.2%	16.7%
2. Grade level. 9th Grade	20.3%	21.3%	33.3%
2. Grade level. 10th Grade	17.2%	12.2%	9.0%
2. Grade level. 11th Grade	6.3%	12.6%	15.4%
2. Grade level. 12th Grade	10.9%	9.6%	7.7%
3. Male	47.7%	47.7%	44.3%
4. Hispanic or Latino	1.5%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	100.0%	85.5%	98.8%
5. Race, alone or in combination. Other	0.0%	1.6%	1.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	15.4%	22.7%	26.3%
48b. Used electronic cigarettes	9.2%	16.0%	n/a
49b. Used hookahs or water pipes	0.0%	11.3%	n/a
50c. Used alcohol	23.1%	33.3%	36.7%
51b. Used marijuana	3.1%	15.2%	8.9%
52a. Used inhalants	4.6%	2.9%	3.8%
53a. Used RX not prescribed for you by a doctor	6.1%	7.4%	5.1%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	2.5%
56a. Used cocaine or `crack`	0.0%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	2.6%
56g. Used steroids not prescribed for you by a doctor	1.5%	0.9%	1.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	15.4%	26.1%	13.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	2.5%
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	0.0%
50b. Rode with someone who was drinking alcohol	14.1%	16.0%	21.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.1%	3.8%	0.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	10.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	23.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	35.9%	31.2%	34.6%
26a. Were in a physical fight	14.5%	19.1%	24.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.7%	6.3%	5.0%
35. Considered suicide	6.2%	11.7%	13.9%
36. Planned suicide	3.1%	8.6%	11.4%
37. Attempted suicide	3.1%	5.0%	6.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	4.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	7.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	1.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	81.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.9%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	98.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	96.9%	93.2%	87.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	89.2%	81.6%	78.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.4%	92.6%	92.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.4%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	35.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	26.6%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.6%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	10.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	0.0%	8.5%	3.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	6.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	10.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	4.7%	14.1%	8.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Audrain County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	45	66,629	376
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	34.9%
2. Grade level. 7th Grade	0.0%	14.3%	0.0%
2. Grade level. 8th Grade	0.0%	15.2%	5.5%
2. Grade level. 9th Grade	71.5%	21.3%	17.2%
2. Grade level. 10th Grade	0.0%	12.2%	13.9%
2. Grade level. 11th Grade	27.1%	12.6%	28.5%
2. Grade level. 12th Grade	1.4%	9.6%	0.0%
3. Male	40.1%	47.7%	45.3%
4. Hispanic or Latino	2.5%	2.5%	0.7%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	6.0%
5. Race, alone or in combination. White	95.1%	85.5%	92.8%
5. Race, alone or in combination. Other	0.7%	1.6%	2.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	38.7%	22.7%	27.4%
48b. Used electronic cigarettes	12.7%	16.0%	n/a
49b. Used hookahs or water pipes	9.9%	11.3%	n/a
50c. Used alcohol	46.5%	33.3%	40.2%
51b. Used marijuana	10.2%	15.2%	12.9%
52a. Used inhalants	2.5%	2.9%	5.5%
53a. Used RX not prescribed for you by a doctor	3.2%	7.4%	7.6%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	4.5%
56a. Used cocaine or `crack`	0.0%	1.1%	2.4%
56b. Used heroin or `smack`	0.0%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.9%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.0%
56f. Used `club drugs` such as ecstasy	1.4%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.0%	26.1%	26.5%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	5.8%
25. Carried a weapon such as a gun, knife or club on school property	20.4%	4.5%	2.9%
50b. Rode with someone who was drinking alcohol	16.6%	16.0%	19.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.4%	3.8%	2.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	12.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	12.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.9%	31.2%	33.9%
26a. Were in a physical fight	26.4%	19.1%	16.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	14.8%	6.3%	6.7%
35. Considered suicide	3.2%	11.7%	11.2%
36. Planned suicide	3.2%	8.6%	9.1%
37. Attempted suicide	3.2%	5.0%	5.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	2.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	5.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	59.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	63.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.7%	93.2%	90.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	72.2%	81.6%	76.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.6%	92.6%	95.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	54.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	28.6%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	39.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.4%	8.5%	9.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	24.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	19.0%	14.1%	18.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Barry County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	301	66,629	1203
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	14.8%	14.8%	4.2%
2. Grade level. 7th Grade	16.7%	14.3%	16.8%
2. Grade level. 8th Grade	18.3%	15.2%	18.8%
2. Grade level. 9th Grade	20.0%	21.3%	31.3%
2. Grade level. 10th Grade	11.3%	12.2%	15.5%
2. Grade level. 11th Grade	13.4%	12.6%	4.3%
2. Grade level. 12th Grade	5.6%	9.6%	9.1%
3. Male	51.5%	47.7%	47.2%
4. Hispanic or Latino	6.2%	2.5%	1.0%
5. Race, alone or in combination. Black or African Am.	0.5%	13.0%	0.5%
5. Race, alone or in combination. White	96.4%	85.5%	98.1%
5. Race, alone or in combination. Other	1.7%	1.6%	1.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	37.1%	22.7%	32.4%
48b. Used electronic cigarettes	15.3%	16.0%	n/a
49b. Used hookahs or water pipes	5.2%	11.3%	n/a
50c. Used alcohol	39.7%	33.3%	36.0%
51b. Used marijuana	14.3%	15.2%	14.4%
52a. Used inhalants	4.7%	2.9%	7.3%
53a. Used RX not prescribed for you by a doctor	6.9%	7.4%	7.6%
54a. Used `OTC` drugs for non-medical reasons	3.8%	2.9%	4.8%
56a. Used cocaine or `crack`	1.2%	1.1%	1.3%
56b. Used heroin or `smack`	0.2%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.2%	1.9%	3.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.2%	0.5%	1.5%
56f. Used `club drugs` such as ecstasy	0.5%	1.5%	1.9%
56g. Used steroids not prescribed for you by a doctor	0.5%	0.9%	1.1%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	29.7%	26.1%	22.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.2%	4.9%	3.8%
25. Carried a weapon such as a gun, knife or club on school property	10.5%	4.5%	6.0%
50b. Rode with someone who was drinking alcohol	21.0%	16.0%	14.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.5%	3.8%	2.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	12.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	19.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.9%	31.2%	30.0%
26a. Were in a physical fight	21.6%	19.1%	17.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.0%	6.3%	5.9%
35. Considered suicide	10.7%	11.7%	11.2%
36. Planned suicide	8.9%	8.6%	7.0%
37. Attempted suicide	4.5%	5.0%	4.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	65.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	67.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.1%	93.2%	91.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.0%	81.6%	82.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.5%	92.6%	95.4%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.4%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	50.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	38.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.1%	8.5%	5.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	6.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	14.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.1%	14.1%	11.7%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Barton County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	234	66,629	391
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.8%	14.8%	20.4%
2. Grade level. 7th Grade	11.8%	14.3%	5.6%
2. Grade level. 8th Grade	19.7%	15.2%	23.6%
2. Grade level. 9th Grade	19.7%	21.3%	50.0%
2. Grade level. 10th Grade	7.2%	12.2%	0.0%
2. Grade level. 11th Grade	7.9%	12.6%	0.0%
2. Grade level. 12th Grade	15.8%	9.6%	0.5%
3. Male	48.7%	47.7%	49.5%
4. Hispanic or Latino	1.3%	2.5%	0.9%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	0.9%
5. Race, alone or in combination. White	97.4%	85.5%	97.2%
5. Race, alone or in combination. Other	1.3%	1.6%	3.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.3%	22.7%	22.9%
48b. Used electronic cigarettes	15.8%	16.0%	n/a
49b. Used hookahs or water pipes	6.6%	11.3%	n/a
50c. Used alcohol	28.7%	33.3%	27.5%
51b. Used marijuana	8.6%	15.2%	7.3%
52a. Used inhalants	1.3%	2.9%	4.1%
53a. Used RX not prescribed for you by a doctor	14.4%	7.4%	10.1%
54a. Used `OTC` drugs for non-medical reasons	4.0%	2.9%	5.5%
56a. Used cocaine or `crack`	0.7%	1.1%	0.9%
56b. Used heroin or `smack`	0.7%	0.3%	1.9%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.3%	1.9%	1.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.5%	1.8%
56f. Used `club drugs` such as ecstasy	2.0%	1.5%	0.9%
56g. Used steroids not prescribed for you by a doctor	1.3%	0.9%	3.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	19.1%	26.1%	25.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.6%	4.9%	5.6%
25. Carried a weapon such as a gun, knife or club on school property	10.5%	4.5%	8.3%
50b. Rode with someone who was drinking alcohol	11.8%	16.0%	16.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.7%	3.8%	4.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.5%	31.2%	37.7%
26a. Were in a physical fight	19.5%	19.1%	19.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.9%	6.3%	7.3%
35. Considered suicide	9.2%	11.7%	9.6%
36. Planned suicide	7.3%	8.6%	8.3%
37. Attempted suicide	6.6%	5.0%	4.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	16.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	7.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	79.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	82.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.4%	93.2%	91.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.7%	81.6%	83.6%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.0%	92.6%	95.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	40.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	25.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.2%	8.5%	5.6%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	7.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.5%	14.1%	13.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Bates County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	192	66,629	273
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	29.1%	14.8%	16.4%
2. Grade level. 7th Grade	2.9%	14.3%	2.2%
2. Grade level. 8th Grade	23.3%	15.2%	19.1%
2. Grade level. 9th Grade	20.9%	21.3%	5.8%
2. Grade level. 10th Grade	5.8%	12.2%	0.9%
2. Grade level. 11th Grade	16.0%	12.6%	44.0%
2. Grade level. 12th Grade	1.9%	9.6%	11.6%
3. Male	48.8%	47.7%	47.1%
4. Hispanic or Latino	1.5%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	0.5%	13.0%	0.8%
5. Race, alone or in combination. White	98.5%	85.5%	98.5%
5. Race, alone or in combination. Other	0.5%	1.6%	1.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	24.9%	22.7%	32.7%
48b. Used electronic cigarettes	13.1%	16.0%	n/a
49b. Used hookahs or water pipes	4.0%	11.3%	n/a
50c. Used alcohol	30.9%	33.3%	41.2%
51b. Used marijuana	11.1%	15.2%	11.2%
52a. Used inhalants	2.9%	2.9%	3.9%
53a. Used RX not prescribed for you by a doctor	11.3%	7.4%	9.3%
54a. Used `OTC` drugs for non-medical reasons	2.9%	2.9%	2.3%
56a. Used cocaine or `crack`	1.4%	1.1%	1.2%
56b. Used heroin or `smack`	0.0%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.5%	1.9%	2.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	0.4%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.6%
56g. Used steroids not prescribed for you by a doctor	1.0%	0.9%	0.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	22.9%	26.1%	28.5%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.8%	4.9%	2.7%
25. Carried a weapon such as a gun, knife or club on school property	5.8%	4.5%	7.3%
50b. Rode with someone who was drinking alcohol	15.5%	16.0%	12.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.4%	3.8%	1.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.5%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	23.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.2%	31.2%	33.3%
26a. Were in a physical fight	15.5%	19.1%	15.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.8%	6.3%	5.0%
35. Considered suicide	17.4%	11.7%	14.4%
36. Planned suicide	7.8%	8.6%	10.5%
37. Attempted suicide	4.8%	5.0%	4.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	15.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	9.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	74.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	84.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.7%	93.2%	81.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.7%	81.6%	63.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.6%	92.6%	97.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.6%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	29.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.8%	8.5%	10.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.0%	14.1%	11.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Benton County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	286	66,629	134
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	3.6%	14.8%	0.0%
2. Grade level. 7th Grade	11.9%	14.3%	26.5%
2. Grade level. 8th Grade	34.7%	15.2%	19.6%
2. Grade level. 9th Grade	7.8%	21.3%	20.8%
2. Grade level. 10th Grade	20.2%	12.2%	15.5%
2. Grade level. 11th Grade	4.1%	12.6%	16.7%
2. Grade level. 12th Grade	17.6%	9.6%	0.8%
3. Male	49.0%	47.7%	49.2%
4. Hispanic or Latino	1.1%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	0.5%	13.0%	0.8%
5. Race, alone or in combination. White	98.9%	85.5%	99.6%
5. Race, alone or in combination. Other	0.5%	1.6%	1.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	37.9%	22.7%	34.0%
48b. Used electronic cigarettes	16.1%	16.0%	n/a
49b. Used hookahs or water pipes	9.9%	11.3%	n/a
50c. Used alcohol	50.3%	33.3%	44.3%
51b. Used marijuana	17.7%	15.2%	17.1%
52a. Used inhalants	3.7%	2.9%	7.0%
53a. Used RX not prescribed for you by a doctor	13.2%	7.4%	10.2%
54a. Used `OTC` drugs for non-medical reasons	2.1%	2.9%	3.3%
56a. Used cocaine or `crack`	1.6%	1.1%	1.3%
56b. Used heroin or `smack`	1.1%	0.3%	1.2%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.1%	1.9%	4.1%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.6%	0.5%	1.2%
56f. Used `club drugs` such as ecstasy	2.6%	1.5%	4.1%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.9%	26.1%	20.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.6%	4.9%	2.9%
25. Carried a weapon such as a gun, knife or club on school property	4.1%	4.5%	5.8%
50b. Rode with someone who was drinking alcohol	16.8%	16.0%	24.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.6%	3.8%	1.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	19.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	28.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	36.8%	31.2%	29.5%
26a. Were in a physical fight	24.0%	19.1%	19.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	11.5%	6.3%	6.5%
35. Considered suicide	16.2%	11.7%	13.2%
36. Planned suicide	14.7%	8.6%	7.0%
37. Attempted suicide	11.5%	5.0%	2.0%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	63.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.9%	93.2%	88.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	71.4%	81.6%	74.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.5%	92.6%	95.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.6%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	48.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	37.2%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.8%	8.5%	3.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	7.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.0%	14.1%	13.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Bollinger County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	577	66,629	394
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	15.1%	14.8%	29.1%
2. Grade level. 7th Grade	12.3%	14.3%	7.7%
2. Grade level. 8th Grade	19.9%	15.2%	3.8%
2. Grade level. 9th Grade	17.8%	21.3%	29.7%
2. Grade level. 10th Grade	14.4%	12.2%	7.7%
2. Grade level. 11th Grade	14.4%	12.6%	18.7%
2. Grade level. 12th Grade	6.2%	9.6%	3.3%
3. Male	49.0%	47.7%	42.0%
4. Hispanic or Latino	0.7%	2.5%	2.8%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.6%
5. Race, alone or in combination. White	99.3%	85.5%	92.3%
5. Race, alone or in combination. Other	0.0%	1.6%	5.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	31.5%	22.7%	37.6%
48b. Used electronic cigarettes	11.6%	16.0%	n/a
49b. Used hookahs or water pipes	2.1%	11.3%	n/a
50c. Used alcohol	34.9%	33.3%	37.6%
51b. Used marijuana	9.7%	15.2%	10.5%
52a. Used inhalants	2.1%	2.9%	5.0%
53a. Used RX not prescribed for you by a doctor	7.6%	7.4%	9.4%
54a. Used `OTC` drugs for non-medical reasons	2.1%	2.9%	4.4%
56a. Used cocaine or `crack`	0.7%	1.1%	1.1%
56b. Used heroin or `smack`	0.7%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.7%	1.9%	1.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.5%	1.7%
56f. Used `club drugs` such as ecstasy	0.7%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	1.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.2%	26.1%	26.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	4.9%	3.9%
25. Carried a weapon such as a gun, knife or club on school property	8.8%	4.5%	7.7%
50b. Rode with someone who was drinking alcohol	15.1%	16.0%	18.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.4%	3.8%	3.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	19.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	29.5%	31.2%	26.9%
26a. Were in a physical fight	17.9%	19.1%	16.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.8%	6.3%	4.4%
35. Considered suicide	8.8%	11.7%	10.4%
36. Planned suicide	6.8%	8.6%	7.2%
37. Attempted suicide	2.7%	5.0%	4.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	68.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	75.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	84.9%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.9%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.6%	93.2%	89.4%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.9%	81.6%	83.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.4%	92.6%	93.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.0%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	37.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.2%	8.5%	4.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.5%	14.1%	11.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Boone County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	59	66,629	762
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	12.6%
2. Grade level. 7th Grade	0.0%	14.3%	3.7%
2. Grade level. 8th Grade	0.0%	15.2%	16.4%
2. Grade level. 9th Grade	57.5%	21.3%	28.3%
2. Grade level. 10th Grade	1.2%	12.2%	8.2%
2. Grade level. 11th Grade	30.2%	12.6%	25.6%
2. Grade level. 12th Grade	11.1%	9.6%	5.2%
3. Male	52.7%	47.7%	53.5%
4. Hispanic or Latino	9.7%	2.5%	2.0%
5. Race, alone or in combination. Black or African Am.	8.6%	13.0%	8.5%
5. Race, alone or in combination. White	77.1%	85.5%	93.4%
5. Race, alone or in combination. Other	16.4%	1.6%	1.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	34.7%	22.7%	32.6%
48b. Used electronic cigarettes	22.1%	16.0%	n/a
49b. Used hookahs or water pipes	9.8%	11.3%	n/a
50c. Used alcohol	37.2%	33.3%	47.2%
51b. Used marijuana	15.4%	15.2%	19.3%
52a. Used inhalants	3.4%	2.9%	5.0%
53a. Used RX not prescribed for you by a doctor	5.6%	7.4%	10.4%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	6.0%
56a. Used cocaine or `crack`	1.2%	1.1%	2.1%
56b. Used heroin or `smack`	0.0%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	1.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	1.9%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	40.1%	26.1%	25.5%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.1%	4.9%	3.6%
25. Carried a weapon such as a gun, knife or club on school property	4.7%	4.5%	9.3%
50b. Rode with someone who was drinking alcohol	12.8%	16.0%	16.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	5.9%	3.8%	3.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	21.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	20.1%	31.2%	29.1%
26a. Were in a physical fight	18.7%	19.1%	17.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.7%	6.3%	6.3%
35. Considered suicide	5.3%	11.7%	9.2%
36. Planned suicide	6.3%	8.6%	7.6%
37. Attempted suicide	0.0%	5.0%	4.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.9%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.1%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	76.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	68.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.0%	93.2%	89.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	77.8%	81.6%	76.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.6%	92.6%	94.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	60.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	47.2%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	20.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	40.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	12.8%	8.5%	7.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	26.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.1%	14.1%	15.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Buchanan County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	2026	66,629	2142
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.6%	14.8%	20.4%
2. Grade level. 7th Grade	5.8%	14.3%	19.6%
2. Grade level. 8th Grade	22.9%	15.2%	0.1%
2. Grade level. 9th Grade	52.6%	21.3%	48.3%
2. Grade level. 10th Grade	0.3%	12.2%	8.2%
2. Grade level. 11th Grade	0.6%	12.6%	3.5%
2. Grade level. 12th Grade	0.1%	9.6%	0.0%
3. Male	48.5%	47.7%	47.9%
4. Hispanic or Latino	3.5%	2.5%	0.9%
5. Race, alone or in combination. Black or African Am.	5.6%	13.0%	4.7%
5. Race, alone or in combination. White	93.3%	85.5%	95.0%
5. Race, alone or in combination. Other	1.9%	1.6%	2.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	21.0%	22.7%	25.1%
48b. Used electronic cigarettes	14.9%	16.0%	n/a
49b. Used hookahs or water pipes	6.4%	11.3%	n/a
50c. Used alcohol	24.0%	33.3%	31.9%
51b. Used marijuana	12.7%	15.2%	14.2%
52a. Used inhalants	3.2%	2.9%	5.8%
53a. Used RX not prescribed for you by a doctor	5.9%	7.4%	7.0%
54a. Used `OTC` drugs for non-medical reasons	2.3%	2.9%	4.7%
56a. Used cocaine or `crack`	0.7%	1.1%	1.2%
56b. Used heroin or `smack`	0.2%	0.3%	0.2%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.9%	1.9%	1.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.5%	0.3%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	1.2%
56g. Used steroids not prescribed for you by a doctor	0.6%	0.9%	0.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	24.3%	26.1%	23.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	4.9%	4.3%
25. Carried a weapon such as a gun, knife or club on school property	2.7%	4.5%	2.8%
50b. Rode with someone who was drinking alcohol	10.8%	16.0%	15.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.5%	3.8%	3.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.2%	31.2%	30.9%
26a. Were in a physical fight	20.0%	19.1%	20.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.5%	6.3%	6.7%
35. Considered suicide	12.3%	11.7%	10.5%
36. Planned suicide	9.5%	8.6%	7.5%
37. Attempted suicide	5.6%	5.0%	5.0%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	15.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	82.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	83.4%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.9%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.1%	93.2%	94.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	89.3%	81.6%	86.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.5%	92.6%	94.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.0%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	38.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.2%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	34.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.4%	8.5%	7.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.3%	14.1%	12.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Butler County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	1276	66,629	1038
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	22.0%	14.8%	21.2%
2. Grade level. 7th Grade	9.8%	14.3%	22.1%
2. Grade level. 8th Grade	16.0%	15.2%	5.6%
2. Grade level. 9th Grade	20.8%	21.3%	16.8%
2. Grade level. 10th Grade	18.0%	12.2%	0.9%
2. Grade level. 11th Grade	4.3%	12.6%	31.9%
2. Grade level. 12th Grade	9.3%	9.6%	1.5%
3. Male	48.3%	47.7%	46.4%
4. Hispanic or Latino	1.1%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	4.9%	13.0%	5.3%
5. Race, alone or in combination. White	94.0%	85.5%	94.6%
5. Race, alone or in combination. Other	1.1%	1.6%	2.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.9%	22.7%	32.6%
48b. Used electronic cigarettes	13.4%	16.0%	n/a
49b. Used hookahs or water pipes	6.0%	11.3%	n/a
50c. Used alcohol	30.0%	33.3%	39.6%
51b. Used marijuana	13.4%	15.2%	18.7%
52a. Used inhalants	2.8%	2.9%	5.1%
53a. Used RX not prescribed for you by a doctor	7.7%	7.4%	13.3%
54a. Used `OTC` drugs for non-medical reasons	3.0%	2.9%	6.1%
56a. Used cocaine or `crack`	0.4%	1.1%	2.5%
56b. Used heroin or `smack`	0.4%	0.3%	2.1%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.6%	1.9%	3.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.5%	1.9%
56f. Used `club drugs` such as ecstasy	0.9%	1.5%	3.4%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	30.9%	26.1%	26.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.4%	4.9%	5.0%
25. Carried a weapon such as a gun, knife or club on school property	3.0%	4.5%	6.1%
50b. Rode with someone who was drinking alcohol	14.5%	16.0%	19.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.8%	3.8%	3.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	38.4%	31.2%	27.0%
26a. Were in a physical fight	21.6%	19.1%	21.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.9%	6.3%	8.9%
35. Considered suicide	12.3%	11.7%	15.9%
36. Planned suicide	10.0%	8.6%	10.7%
37. Attempted suicide	5.1%	5.0%	6.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	12.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	24.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	18.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.9%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.1%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.7%	93.2%	89.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.6%	81.6%	79.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.9%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.3%	92.6%	93.9%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.7%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	33.6%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	21.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	12.6%	8.5%	6.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	13.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	17.8%	14.1%	13.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Caldwell County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	165	66,629	285
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.0%	14.8%	8.2%
2. Grade level. 7th Grade	12.8%	14.3%	6.9%
2. Grade level. 8th Grade	15.6%	15.2%	29.6%
2. Grade level. 9th Grade	13.8%	21.3%	22.6%
2. Grade level. 10th Grade	18.3%	12.2%	6.9%
2. Grade level. 11th Grade	15.6%	12.6%	20.8%
2. Grade level. 12th Grade	12.8%	9.6%	5.0%
3. Male	48.6%	47.7%	49.4%
4. Hispanic or Latino	1.8%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	0.9%	13.0%	0.6%
5. Race, alone or in combination. White	98.1%	85.5%	98.8%
5. Race, alone or in combination. Other	0.9%	1.6%	1.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	28.4%	22.7%	32.5%
48b. Used electronic cigarettes	11.0%	16.0%	n/a
49b. Used hookahs or water pipes	3.6%	11.3%	n/a
50c. Used alcohol	37.0%	33.3%	38.8%
51b. Used marijuana	4.6%	15.2%	8.8%
52a. Used inhalants	0.9%	2.9%	3.1%
53a. Used RX not prescribed for you by a doctor	6.4%	7.4%	6.9%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	3.8%
56a. Used cocaine or `crack`	0.9%	1.1%	1.3%
56b. Used heroin or `smack`	0.0%	0.3%	1.9%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.9%	1.9%	1.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	0.9%	1.5%	0.6%
56g. Used steroids not prescribed for you by a doctor	0.9%	0.9%	0.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	22.9%	26.1%	20.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.7%	4.9%	5.0%
25. Carried a weapon such as a gun, knife or club on school property	6.4%	4.5%	8.1%
50b. Rode with someone who was drinking alcohol	12.8%	16.0%	20.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	5.5%	3.8%	3.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	20.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	36.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	25.5%	31.2%	28.8%
26a. Were in a physical fight	20.9%	19.1%	21.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.5%	6.3%	7.5%
35. Considered suicide	15.9%	11.7%	13.8%
36. Planned suicide	5.5%	8.6%	7.0%
37. Attempted suicide	5.6%	5.0%	5.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	27.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	5.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	67.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.0%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	88.9%	93.2%	91.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	74.3%	81.6%	79.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	87.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.4%	92.6%	95.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.4%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	49.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.1%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	18.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	18.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.4%	8.5%	7.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	5.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.0%	14.1%	10.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Callaway County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	443	66,629	876
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	6.0%	14.8%	14.7%
2. Grade level. 7th Grade	14.8%	14.3%	14.8%
2. Grade level. 8th Grade	19.5%	15.2%	6.9%
2. Grade level. 9th Grade	5.8%	21.3%	29.3%
2. Grade level. 10th Grade	11.9%	12.2%	17.9%
2. Grade level. 11th Grade	31.0%	12.6%	4.3%
2. Grade level. 12th Grade	10.9%	9.6%	12.2%
3. Male	50.4%	47.7%	50.3%
4. Hispanic or Latino	1.1%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	4.0%	13.0%	4.6%
5. Race, alone or in combination. White	95.4%	85.5%	95.4%
5. Race, alone or in combination. Other	0.9%	1.6%	2.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	26.0%	22.7%	32.3%
48b. Used electronic cigarettes	14.1%	16.0%	n/a
49b. Used hookahs or water pipes	8.5%	11.3%	n/a
50c. Used alcohol	42.0%	33.3%	43.6%
51b. Used marijuana	18.8%	15.2%	19.2%
52a. Used inhalants	2.6%	2.9%	5.1%
53a. Used RX not prescribed for you by a doctor	7.0%	7.4%	10.3%
54a. Used `OTC` drugs for non-medical reasons	2.2%	2.9%	6.2%
56a. Used cocaine or `crack`	1.3%	1.1%	1.9%
56b. Used heroin or `smack`	0.4%	0.3%	1.1%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.0%	1.9%	3.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.5%	1.6%
56f. Used `club drugs` such as ecstasy	0.7%	1.5%	2.4%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	1.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.2%	26.1%	25.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	4.9%	7.1%
25. Carried a weapon such as a gun, knife or club on school property	8.0%	4.5%	8.3%
50b. Rode with someone who was drinking alcohol	18.1%	16.0%	20.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.5%	3.8%	3.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.3%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.5%	31.2%	29.5%
26a. Were in a physical fight	16.2%	19.1%	19.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.0%	6.3%	5.7%
35. Considered suicide	10.6%	11.7%	14.8%
36. Planned suicide	9.6%	8.6%	10.9%
37. Attempted suicide	4.2%	5.0%	6.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	29.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	63.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	70.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	85.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.3%	93.2%	87.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	72.3%	81.6%	73.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.1%	92.6%	92.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	91.7%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	49.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	45.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	7.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.7%	14.1%	14.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Camden County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	105	66,629	1058
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	12.5%	14.8%	20.9%
2. Grade level. 7th Grade	19.1%	14.3%	20.2%
2. Grade level. 8th Grade	18.9%	15.2%	2.2%
2. Grade level. 9th Grade	10.0%	21.3%	27.3%
2. Grade level. 10th Grade	12.3%	12.2%	2.9%
2. Grade level. 11th Grade	14.5%	12.6%	22.4%
2. Grade level. 12th Grade	12.7%	9.6%	4.2%
3. Male	46.7%	47.7%	47.9%
4. Hispanic or Latino	1.5%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.5%	13.0%	0.7%
5. Race, alone or in combination. White	98.8%	85.5%	98.7%
5. Race, alone or in combination. Other	0.7%	1.6%	1.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	37.0%	22.7%	31.8%
48b. Used electronic cigarettes	23.4%	16.0%	n/a
49b. Used hookahs or water pipes	7.4%	11.3%	n/a
50c. Used alcohol	43.1%	33.3%	40.0%
51b. Used marijuana	19.4%	15.2%	17.5%
52a. Used inhalants	1.2%	2.9%	5.4%
53a. Used RX not prescribed for you by a doctor	10.2%	7.4%	9.1%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	6.4%
56a. Used cocaine or `crack`	1.0%	1.1%	1.5%
56b. Used heroin or `smack`	0.0%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.2%	1.9%	3.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.2%
56f. Used `club drugs` such as ecstasy	2.4%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	0.2%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	32.2%	26.1%	28.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.8%	4.9%	5.1%
25. Carried a weapon such as a gun, knife or club on school property	1.2%	4.5%	5.7%
50b. Rode with someone who was drinking alcohol	14.4%	16.0%	19.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.0%	3.8%	4.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	8.5%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.0%	31.2%	36.8%
26a. Were in a physical fight	21.1%	19.1%	19.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.1%	6.3%	7.7%
35. Considered suicide	10.1%	11.7%	11.3%
36. Planned suicide	5.6%	8.6%	8.6%
37. Attempted suicide	3.2%	5.0%	5.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	27.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	23.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	70.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	67.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.0%	93.2%	88.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.1%	81.6%	80.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.0%	92.6%	91.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.2%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	11.2%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	45.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	9.7%	8.5%	7.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	23.4%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.9%	14.1%	13.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Cape Girardeau County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	240	66,629	952
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	14.9%	14.8%	24.7%
2. Grade level. 7th Grade	16.6%	14.3%	4.8%
2. Grade level. 8th Grade	10.5%	15.2%	1.6%
2. Grade level. 9th Grade	21.5%	21.3%	34.4%
2. Grade level. 10th Grade	15.7%	12.2%	3.6%
2. Grade level. 11th Grade	0.0%	12.6%	30.6%
2. Grade level. 12th Grade	20.9%	9.6%	0.3%
3. Male	46.9%	47.7%	46.0%
4. Hispanic or Latino	0.8%	2.5%	0.7%
5. Race, alone or in combination. Black or African Am.	4.8%	13.0%	7.2%
5. Race, alone or in combination. White	94.9%	85.5%	93.2%
5. Race, alone or in combination. Other	0.6%	1.6%	1.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	29.8%	22.7%	27.9%
48b. Used electronic cigarettes	12.6%	16.0%	n/a
49b. Used hookahs or water pipes	4.9%	11.3%	n/a
50c. Used alcohol	40.3%	33.3%	39.2%
51b. Used marijuana	9.0%	15.2%	12.2%
52a. Used inhalants	5.3%	2.9%	3.8%
53a. Used RX not prescribed for you by a doctor	7.5%	7.4%	6.6%
54a. Used `OTC` drugs for non-medical reasons	4.5%	2.9%	5.7%
56a. Used cocaine or `crack`	1.5%	1.1%	1.3%
56b. Used heroin or `smack`	0.0%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.8%	1.9%	3.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.4%
56f. Used `club drugs` such as ecstasy	1.0%	1.5%	1.6%
56g. Used steroids not prescribed for you by a doctor	0.2%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.7%	26.1%	24.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	4.9%	3.1%
25. Carried a weapon such as a gun, knife or club on school property	12.1%	4.5%	6.1%
50b. Rode with someone who was drinking alcohol	20.9%	16.0%	14.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.8%	3.8%	2.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	23.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	28.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.5%	31.2%	26.5%
26a. Were in a physical fight	17.4%	19.1%	19.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.3%	6.3%	4.9%
35. Considered suicide	9.7%	11.7%	9.9%
36. Planned suicide	6.9%	8.6%	7.7%
37. Attempted suicide	2.8%	5.0%	4.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	64.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.0%	93.2%	92.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	72.5%	81.6%	78.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.2%	92.6%	94.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.4%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	46.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.1%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	23.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.5%	8.5%	6.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.5%	14.1%	11.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Carroll County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	217	66,629	237
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	19.8%	14.8%	14.3%
2. Grade level. 7th Grade	24.3%	14.3%	23.4%
2. Grade level. 8th Grade	7.2%	15.2%	1.9%
2. Grade level. 9th Grade	18.0%	21.3%	45.5%
2. Grade level. 10th Grade	15.3%	12.2%	11.7%
2. Grade level. 11th Grade	10.8%	12.6%	0.0%
2. Grade level. 12th Grade	4.5%	9.6%	3.2%
3. Male	45.0%	47.7%	43.2%
4. Hispanic or Latino	0.9%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	1.8%	13.0%	1.9%
5. Race, alone or in combination. White	98.2%	85.5%	97.4%
5. Race, alone or in combination. Other	0.0%	1.6%	3.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	35.5%	22.7%	37.4%
48b. Used electronic cigarettes	14.4%	16.0%	n/a
49b. Used hookahs or water pipes	5.5%	11.3%	n/a
50c. Used alcohol	40.5%	33.3%	49.0%
51b. Used marijuana	3.6%	15.2%	7.7%
52a. Used inhalants	1.8%	2.9%	3.2%
53a. Used RX not prescribed for you by a doctor	7.2%	7.4%	5.2%
54a. Used `OTC` drugs for non-medical reasons	1.8%	2.9%	2.6%
56a. Used cocaine or `crack`	0.0%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	1.9%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	0.9%	1.5%	0.7%
56g. Used steroids not prescribed for you by a doctor	1.8%	0.9%	0.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.9%	26.1%	26.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.5%	4.9%	5.2%
25. Carried a weapon such as a gun, knife or club on school property	4.5%	4.5%	7.9%
50b. Rode with someone who was drinking alcohol	21.8%	16.0%	25.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.8%	3.8%	3.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.4%	31.2%	33.6%
26a. Were in a physical fight	19.8%	19.1%	26.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.0%	6.3%	7.1%
35. Considered suicide	10.8%	11.7%	11.7%
36. Planned suicide	4.5%	8.6%	7.8%
37. Attempted suicide	6.3%	5.0%	7.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	28.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	14.4%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	67.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	81.8%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.9%	93.2%	89.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	77.3%	81.6%	69.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.6%	92.6%	96.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.3%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	33.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	25.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.7%	8.5%	10.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	24.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.3%	14.1%	20.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey data are not available for this county due to small sample size.

2014 Missouri Student Survey Cass County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	989	66,629	624
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.0%	14.8%	16.3%
2. Grade level. 7th Grade	15.4%	14.3%	6.2%
2. Grade level. 8th Grade	25.3%	15.2%	25.3%
2. Grade level. 9th Grade	4.6%	21.3%	43.0%
2. Grade level. 10th Grade	12.8%	12.2%	0.5%
2. Grade level. 11th Grade	8.3%	12.6%	8.0%
2. Grade level. 12th Grade	22.7%	9.6%	0.7%
3. Male	48.2%	47.7%	45.6%
4. Hispanic or Latino	1.6%	2.5%	0.8%
5. Race, alone or in combination. Black or African Am.	3.0%	13.0%	2.8%
5. Race, alone or in combination. White	95.9%	85.5%	96.1%
5. Race, alone or in combination. Other	0.8%	1.6%	2.1%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	26.8%	22.7%	24.5%
48b. Used electronic cigarettes	20.8%	16.0%	n/a
49b. Used hookahs or water pipes	18.0%	11.3%	n/a
50c. Used alcohol	38.9%	33.3%	34.9%
51b. Used marijuana	16.7%	15.2%	8.2%
52a. Used inhalants	2.6%	2.9%	5.3%
53a. Used RX not prescribed for you by a doctor	10.0%	7.4%	7.6%
54a. Used `OTC` drugs for non-medical reasons	3.2%	2.9%	6.8%
56a. Used cocaine or `crack`	1.9%	1.1%	2.1%
56b. Used heroin or `smack`	0.5%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	5.3%	1.9%	2.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.5%	1.8%
56f. Used `club drugs` such as ecstasy	3.6%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	2.0%	0.9%	1.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	30.8%	26.1%	21.9%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.1%	4.9%	4.0%
25. Carried a weapon such as a gun, knife or club on school property	5.2%	4.5%	3.2%
50b. Rode with someone who was drinking alcohol	14.5%	16.0%	19.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.6%	3.8%	4.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	20.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	31.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	35.1%	31.2%	32.7%
26a. Were in a physical fight	20.4%	19.1%	22.2%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.4%	6.3%	7.2%
35. Considered suicide	14.8%	11.7%	10.7%
36. Planned suicide	11.6%	8.6%	8.7%
37. Attempted suicide	5.9%	5.0%	4.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	14.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	28.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	23.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	74.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.4%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	71.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.6%	93.2%	92.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	78.7%	81.6%	77.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.3%	92.6%	95.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.8%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.6%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	38.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.9%	8.5%	5.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.4%	14.1%	13.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Cedar County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	117	66,629	171
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.8%	14.8%	0.0%
2. Grade level. 7th Grade	13.1%	14.3%	22.6%
2. Grade level. 8th Grade	17.2%	15.2%	32.1%
2. Grade level. 9th Grade	13.1%	21.3%	40.3%
2. Grade level. 10th Grade	19.3%	12.2%	3.6%
2. Grade level. 11th Grade	9.7%	12.6%	1.4%
2. Grade level. 12th Grade	13.8%	9.6%	0.0%
3. Male	49.1%	47.7%	44.1%
4. Hispanic or Latino	1.2%	2.5%	0.9%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	99.4%	85.5%	98.2%
5. Race, alone or in combination. Other	0.6%	1.6%	2.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	24.1%	22.7%	44.8%
48b. Used electronic cigarettes	10.9%	16.0%	n/a
49b. Used hookahs or water pipes	15.2%	11.3%	n/a
50c. Used alcohol	33.7%	33.3%	43.9%
51b. Used marijuana	10.8%	15.2%	23.2%
52a. Used inhalants	2.4%	2.9%	11.8%
53a. Used RX not prescribed for you by a doctor	3.6%	7.4%	13.6%
54a. Used `OTC` drugs for non-medical reasons	3.6%	2.9%	10.5%
56a. Used cocaine or `crack`	2.5%	1.1%	9.6%
56b. Used heroin or `smack`	0.6%	0.3%	7.3%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.4%	1.9%	8.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.3%	0.5%	8.5%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	8.2%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	8.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.0%	26.1%	24.9%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	5.0%
25. Carried a weapon such as a gun, knife or club on school property	9.0%	4.5%	14.2%
50b. Rode with someone who was drinking alcohol	15.6%	16.0%	27.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.2%	3.8%	4.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	10.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	17.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	25.2%	31.2%	25.7%
26a. Were in a physical fight	20.0%	19.1%	30.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.1%	6.3%	10.0%
35. Considered suicide	13.5%	11.7%	21.9%
36. Planned suicide	9.3%	8.6%	15.0%
37. Attempted suicide	1.2%	5.0%	10.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	78.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	82.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	88.5%	93.2%	89.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	78.5%	81.6%	76.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	96.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.0%	92.6%	91.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	20.8%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.5%	8.5%	12.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	6.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.0%	14.1%	16.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Chariton County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	194	66,629	186
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	19.0%	14.8%	14.5%
2. Grade level. 7th Grade	13.1%	14.3%	6.8%
2. Grade level. 8th Grade	15.5%	15.2%	18.8%
2. Grade level. 9th Grade	13.1%	21.3%	31.6%
2. Grade level. 10th Grade	20.2%	12.2%	7.7%
2. Grade level. 11th Grade	9.5%	12.6%	7.7%
2. Grade level. 12th Grade	9.5%	9.6%	12.8%
3. Male	48.2%	47.7%	50.8%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	2.4%	13.0%	1.7%
5. Race, alone or in combination. White	97.6%	85.5%	97.5%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	32.5%	22.7%	33.1%
48b. Used electronic cigarettes	9.4%	16.0%	n/a
49b. Used hookahs or water pipes	4.8%	11.3%	n/a
50c. Used alcohol	38.1%	33.3%	46.6%
51b. Used marijuana	6.0%	15.2%	10.2%
52a. Used inhalants	4.7%	2.9%	5.1%
53a. Used RX not prescribed for you by a doctor	6.0%	7.4%	7.6%
54a. Used `OTC` drugs for non-medical reasons	1.2%	2.9%	4.2%
56a. Used cocaine or `crack`	0.0%	1.1%	0.9%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.2%	1.9%	0.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	0.9%
56g. Used steroids not prescribed for you by a doctor	1.2%	0.9%	0.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	21.4%	26.1%	23.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.4%	4.9%	3.4%
25. Carried a weapon such as a gun, knife or club on school property	3.6%	4.5%	8.4%
50b. Rode with someone who was drinking alcohol	16.9%	16.0%	23.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.5%	3.8%	4.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	10.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.6%	31.2%	33.6%
26a. Were in a physical fight	20.0%	19.1%	21.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.5%	6.3%	5.1%
35. Considered suicide	7.1%	11.7%	11.9%
36. Planned suicide	4.8%	8.6%	6.7%
37. Attempted suicide	1.2%	5.0%	2.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	6.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	67.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	89.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	90.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.4%	93.2%	90.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.8%	81.6%	73.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.8%	92.6%	96.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.8%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	33.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	19.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	4.8%	8.5%	6.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.5%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	13.4%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.0%	14.1%	11.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Christian County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	445	66,629	2317
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	23.6%	14.8%	23.5%
2. Grade level. 7th Grade	14.0%	14.3%	0.1%
2. Grade level. 8th Grade	5.5%	15.2%	25.4%
2. Grade level. 9th Grade	28.8%	21.3%	45.0%
2. Grade level. 10th Grade	8.0%	12.2%	0.8%
2. Grade level. 11th Grade	12.3%	12.6%	5.2%
2. Grade level. 12th Grade	7.8%	9.6%	0.1%
3. Male	47.2%	47.7%	48.4%
4. Hispanic or Latino	1.8%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	0.9%
5. Race, alone or in combination. White	98.2%	85.5%	98.2%
5. Race, alone or in combination. Other	0.9%	1.6%	2.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	20.2%	22.7%	20.1%
48b. Used electronic cigarettes	13.3%	16.0%	n/a
49b. Used hookahs or water pipes	9.5%	11.3%	n/a
50c. Used alcohol	20.9%	33.3%	25.3%
51b. Used marijuana	10.3%	15.2%	10.4%
52a. Used inhalants	2.0%	2.9%	6.2%
53a. Used RX not prescribed for you by a doctor	5.2%	7.4%	7.1%
54a. Used `OTC` drugs for non-medical reasons	2.8%	2.9%	6.4%
56a. Used cocaine or `crack`	0.1%	1.1%	1.3%
56b. Used heroin or `smack`	0.0%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.5%	1.9%	2.1%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.5%	1.0%
56f. Used `club drugs` such as ecstasy	1.4%	1.5%	1.5%
56g. Used steroids not prescribed for you by a doctor	0.4%	0.9%	1.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.5%	26.1%	21.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.5%	4.9%	3.7%
25. Carried a weapon such as a gun, knife or club on school property	3.8%	4.5%	3.7%
50b. Rode with someone who was drinking alcohol	10.5%	16.0%	12.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.3%	3.8%	2.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.9%	31.2%	32.7%
26a. Were in a physical fight	16.0%	19.1%	19.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.1%	6.3%	6.6%
35. Considered suicide	9.6%	11.7%	11.1%
36. Planned suicide	7.8%	8.6%	8.1%
37. Attempted suicide	4.0%	5.0%	5.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	13.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	13.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	81.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	83.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	86.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	94.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.7%	93.2%	95.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	87.7%	81.6%	87.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.1%	92.6%	95.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	33.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	21.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	9.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	23.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.2%	8.5%	6.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	9.1%	14.1%	10.7%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Clark County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	139	66,629	
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	2012 Data not available for this County
2. Grade level. 7th Grade	0.0%	14.3%	
2. Grade level. 8th Grade	0.0%	15.2%	
2. Grade level. 9th Grade	70.9%	21.3%	
2. Grade level. 10th Grade	25.3%	12.2%	
2. Grade level. 11th Grade	2.5%	12.6%	
2. Grade level. 12th Grade	1.3%	9.6%	
3. Male	43.6%	47.7%	
4. Hispanic or Latino	0.0%	2.5%	
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	
5. Race, alone or in combination. White	100.0%	85.5%	
5. Race, alone or in combination. Other	0.0%	1.6%	

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.3%	22.7%	
48b. Used electronic cigarettes	15.4%	16.0%	
49b. Used hookahs or water pipes	7.7%	11.3%	
50c. Used alcohol	49.4%	33.3%	
51b. Used marijuana	12.7%	15.2%	
52a. Used inhalants	3.8%	2.9%	
53a. Used RX not prescribed for you by a doctor	16.7%	7.4%	
54a. Used `OTC` drugs for non-medical reasons	6.4%	2.9%	
56a. Used cocaine or `crack`	0.0%	1.1%	
56b. Used heroin or `smack`	0.0%	0.3%	
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	5.1%	1.9%	
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.3%	26.1%	
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.5%	4.9%	
25. Carried a weapon such as a gun, knife or club on school property	3.8%	4.5%	
50b. Rode with someone who was drinking alcohol	20.8%	16.0%	
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.3%	3.8%	
22b. Posted something online or sent a text that might embarrass or hurt another student	24.1%	16.8%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.1%	24.4%	
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	22.1%	31.2%	
26a. Were in a physical fight	12.8%	19.1%	
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.8%	6.3%	
35. Considered suicide	7.7%	11.7%	
36. Planned suicide	7.6%	8.6%	
37. Attempted suicide	1.3%	5.0%	
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.2%	9.6%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	29.5%	22.7%	
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.8%	20.1%	
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	67.9%	74.2%	
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.8%	78.4%	
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	83.5%	75.9%	
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.7%	88.5%	

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	96.2%	93.2%	
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.8%	81.6%	
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.6%	
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.4%	92.6%	
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.4%	94.4%	

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	53.8%	39.7%
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.7%	28.1%
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	7.6%	14.3%
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.9%	35.6%
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	1.3%	8.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.0%	10.8%
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	29.5%	20.5%
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	5.1%	14.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Clay County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	6951	66,629	5302
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.8%	14.8%	13.8%
2. Grade level. 7th Grade	15.3%	14.3%	7.5%
2. Grade level. 8th Grade	16.5%	15.2%	21.2%
2. Grade level. 9th Grade	18.8%	21.3%	24.5%
2. Grade level. 10th Grade	14.0%	12.2%	18.7%
2. Grade level. 11th Grade	11.1%	12.6%	8.9%
2. Grade level. 12th Grade	10.5%	9.6%	5.4%
3. Male	48.2%	47.7%	47.6%
4. Hispanic or Latino	4.5%	2.5%	1.7%
5. Race, alone or in combination. Black or African Am.	5.4%	13.0%	5.3%
5. Race, alone or in combination. White	92.5%	85.5%	94.0%
5. Race, alone or in combination. Other	2.2%	1.6%	3.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	16.0%	22.7%	22.1%
48b. Used electronic cigarettes	12.2%	16.0%	n/a
49b. Used hookahs or water pipes	12.8%	11.3%	n/a
50c. Used alcohol	28.0%	33.3%	35.6%
51b. Used marijuana	12.1%	15.2%	16.2%
52a. Used inhalants	2.5%	2.9%	5.5%
53a. Used RX not prescribed for you by a doctor	6.9%	7.4%	8.7%
54a. Used `OTC` drugs for non-medical reasons	2.4%	2.9%	6.6%
56a. Used cocaine or `crack`	0.7%	1.1%	1.7%
56b. Used heroin or `smack`	0.2%	0.3%	0.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	3.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	1.1%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	2.3%
56g. Used steroids not prescribed for you by a doctor	0.8%	0.9%	1.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.8%	26.1%	24.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.3%	4.9%	4.7%
25. Carried a weapon such as a gun, knife or club on school property	2.4%	4.5%	3.3%
50b. Rode with someone who was drinking alcohol	14.5%	16.0%	19.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.5%	3.8%	2.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.3%	31.2%	32.0%
26a. Were in a physical fight	13.9%	19.1%	16.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.3%	6.3%	5.2%
35. Considered suicide	11.1%	11.7%	12.1%
36. Planned suicide	7.9%	8.6%	8.5%
37. Attempted suicide	4.7%	5.0%	4.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	19.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	79.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	82.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	77.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.7%	93.2%	93.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.8%	81.6%	80.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.4%	92.6%	93.9%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.7%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	36.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	24.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	11.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.9%	8.5%	5.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.6%	14.1%	12.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Clinton County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	751	66,629	234
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	16.4%	14.8%	37.3%
2. Grade level. 7th Grade	16.0%	14.3%	0.0%
2. Grade level. 8th Grade	15.1%	15.2%	0.0%
2. Grade level. 9th Grade	16.0%	21.3%	58.9%
2. Grade level. 10th Grade	13.9%	12.2%	3.8%
2. Grade level. 11th Grade	13.0%	12.6%	0.0%
2. Grade level. 12th Grade	9.7%	9.6%	0.1%
3. Male	48.9%	47.7%	48.0%
4. Hispanic or Latino	1.3%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	1.7%	13.0%	1.6%
5. Race, alone or in combination. White	97.5%	85.5%	98.2%
5. Race, alone or in combination. Other	0.8%	1.6%	0.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.7%	22.7%	19.3%
48b. Used electronic cigarettes	15.6%	16.0%	n/a
49b. Used hookahs or water pipes	12.2%	11.3%	n/a
50c. Used alcohol	36.7%	33.3%	34.8%
51b. Used marijuana	15.2%	15.2%	8.2%
52a. Used inhalants	5.1%	2.9%	4.2%
53a. Used RX not prescribed for you by a doctor	7.6%	7.4%	5.1%
54a. Used `OTC` drugs for non-medical reasons	3.4%	2.9%	2.2%
56a. Used cocaine or `crack`	1.3%	1.1%	0.1%
56b. Used heroin or `smack`	0.8%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.7%	1.9%	1.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.3%	0.5%	2.6%
56f. Used `club drugs` such as ecstasy	1.7%	1.5%	0.4%
56g. Used steroids not prescribed for you by a doctor	1.3%	0.9%	0.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.5%	26.1%	26.5%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.6%	4.9%	2.2%
25. Carried a weapon such as a gun, knife or club on school property	3.4%	4.5%	3.4%
50b. Rode with someone who was drinking alcohol	13.9%	16.0%	21.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.8%	3.8%	1.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	38.6%	31.2%	38.9%
26a. Were in a physical fight	19.7%	19.1%	20.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.6%	6.3%	7.2%
35. Considered suicide	12.7%	11.7%	10.5%
36. Planned suicide	9.3%	8.6%	9.9%
37. Attempted suicide	4.7%	5.0%	3.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	28.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	24.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	72.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.9%	93.2%	97.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	78.6%	81.6%	84.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.8%	92.6%	98.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	40.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	28.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.5%	8.5%	8.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.1%	14.1%	11.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Cole County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	486	66,629	1727
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	22.7%	14.8%	0.0%
2. Grade level. 7th Grade	0.0%	14.3%	7.2%
2. Grade level. 8th Grade	22.6%	15.2%	29.6%
2. Grade level. 9th Grade	11.4%	21.3%	36.7%
2. Grade level. 10th Grade	20.2%	12.2%	6.6%
2. Grade level. 11th Grade	17.8%	12.6%	19.6%
2. Grade level. 12th Grade	5.3%	9.6%	0.3%
3. Male	49.6%	47.7%	49.1%
4. Hispanic or Latino	2.1%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	12.9%	13.0%	10.3%
5. Race, alone or in combination. White	85.8%	85.5%	89.8%
5. Race, alone or in combination. Other	1.6%	1.6%	1.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	24.8%	22.7%	27.7%
48b. Used electronic cigarettes	18.4%	16.0%	n/a
49b. Used hookahs or water pipes	7.6%	11.3%	n/a
50c. Used alcohol	40.8%	33.3%	43.4%
51b. Used marijuana	18.6%	15.2%	16.8%
52a. Used inhalants	1.7%	2.9%	4.5%
53a. Used RX not prescribed for you by a doctor	8.6%	7.4%	9.6%
54a. Used `OTC` drugs for non-medical reasons	3.7%	2.9%	7.3%
56a. Used cocaine or `crack`	0.9%	1.1%	1.7%
56b. Used heroin or `smack`	0.2%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.5%	1.9%	3.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.5%	0.9%
56f. Used `club drugs` such as ecstasy	1.1%	1.5%	2.7%
56g. Used steroids not prescribed for you by a doctor	0.2%	0.9%	1.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	23.4%	26.1%	25.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.8%	4.9%	5.3%
25. Carried a weapon such as a gun, knife or club on school property	4.6%	4.5%	5.9%
50b. Rode with someone who was drinking alcohol	19.4%	16.0%	23.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.9%	3.8%	3.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	15.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.5%	31.2%	34.3%
26a. Were in a physical fight	17.8%	19.1%	18.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	9.1%	6.3%	7.0%
35. Considered suicide	13.6%	11.7%	13.8%
36. Planned suicide	9.9%	8.6%	10.4%
37. Attempted suicide	5.2%	5.0%	6.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	29.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	73.0%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	84.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.5%	93.2%	91.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.4%	81.6%	77.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.2%	92.6%	92.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.9%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	29.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.5%	8.5%	5.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	17.2%	14.1%	11.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Cooper County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	525	66,629	368
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	18.0%	14.8%	5.6%
2. Grade level. 7th Grade	10.2%	14.3%	0.4%
2. Grade level. 8th Grade	21.8%	15.2%	33.8%
2. Grade level. 9th Grade	4.4%	21.3%	35.2%
2. Grade level. 10th Grade	12.1%	12.2%	19.0%
2. Grade level. 11th Grade	19.4%	12.6%	6.0%
2. Grade level. 12th Grade	14.1%	9.6%	0.0%
3. Male	53.2%	47.7%	51.8%
4. Hispanic or Latino	1.0%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	6.4%	13.0%	7.0%
5. Race, alone or in combination. White	93.1%	85.5%	94.7%
5. Race, alone or in combination. Other	1.0%	1.6%	1.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	27.6%	22.7%	34.2%
48b. Used electronic cigarettes	13.7%	16.0%	n/a
49b. Used hookahs or water pipes	7.9%	11.3%	n/a
50c. Used alcohol	44.9%	33.3%	54.6%
51b. Used marijuana	13.2%	15.2%	22.9%
52a. Used inhalants	2.0%	2.9%	8.1%
53a. Used RX not prescribed for you by a doctor	7.9%	7.4%	12.0%
54a. Used `OTC` drugs for non-medical reasons	2.5%	2.9%	8.8%
56a. Used cocaine or `crack`	2.0%	1.1%	2.1%
56b. Used heroin or `smack`	0.5%	0.3%	0.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.5%	1.9%	4.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	1.1%
56f. Used `club drugs` such as ecstasy	1.5%	1.5%	1.8%
56g. Used steroids not prescribed for you by a doctor	1.0%	0.9%	1.1%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.0%	26.1%	26.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.4%	4.9%	4.9%
25. Carried a weapon such as a gun, knife or club on school property	5.8%	4.5%	6.7%
50b. Rode with someone who was drinking alcohol	21.1%	16.0%	24.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.9%	3.8%	5.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	15.5%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	23.5%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.8%	31.2%	36.7%
26a. Were in a physical fight	17.2%	19.1%	23.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.4%	6.3%	7.0%
35. Considered suicide	7.4%	11.7%	14.1%
36. Planned suicide	5.4%	8.6%	13.4%
37. Attempted suicide	3.4%	5.0%	5.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	30.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	18.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	68.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.0%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.1%	93.2%	91.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	73.2%	81.6%	72.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.0%	92.6%	94.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.6%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	32.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.4%	8.5%	6.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.3%	14.1%	14.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Crawford County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	371	66,629	665
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.6%	14.8%	10.9%
2. Grade level. 7th Grade	13.3%	14.3%	7.1%
2. Grade level. 8th Grade	13.7%	15.2%	31.5%
2. Grade level. 9th Grade	14.7%	21.3%	21.1%
2. Grade level. 10th Grade	15.8%	12.2%	10.4%
2. Grade level. 11th Grade	14.4%	12.6%	13.2%
2. Grade level. 12th Grade	10.4%	9.6%	5.8%
3. Male	49.3%	47.7%	46.8%
4. Hispanic or Latino	1.5%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.5%
5. Race, alone or in combination. White	98.6%	85.5%	98.5%
5. Race, alone or in combination. Other	0.7%	1.6%	1.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	30.1%	22.7%	34.7%
48b. Used electronic cigarettes	18.8%	16.0%	n/a
49b. Used hookahs or water pipes	8.5%	11.3%	n/a
50c. Used alcohol	37.8%	33.3%	46.6%
51b. Used marijuana	15.9%	15.2%	20.0%
52a. Used inhalants	3.3%	2.9%	8.6%
53a. Used RX not prescribed for you by a doctor	9.6%	7.4%	12.6%
54a. Used `OTC` drugs for non-medical reasons	2.6%	2.9%	6.8%
56a. Used cocaine or `crack`	1.1%	1.1%	2.6%
56b. Used heroin or `smack`	0.0%	0.3%	1.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.5%	1.9%	4.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.5%	2.3%
56f. Used `club drugs` such as ecstasy	0.7%	1.5%	3.3%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	32.6%	26.1%	31.3%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.7%	4.9%	5.1%
25. Carried a weapon such as a gun, knife or club on school property	7.2%	4.5%	6.6%
50b. Rode with someone who was drinking alcohol	15.4%	16.0%	20.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.3%	3.8%	5.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	19.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	28.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	36.0%	31.2%	30.8%
26a. Were in a physical fight	16.1%	19.1%	25.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.9%	6.3%	7.9%
35. Considered suicide	10.8%	11.7%	14.5%
36. Planned suicide	9.4%	8.6%	11.2%
37. Attempted suicide	5.4%	5.0%	8.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	18.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	78.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	90.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.1%	93.2%	86.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	73.3%	81.6%	74.6%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.8%	92.6%	88.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	90.0%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	39.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	35.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	18.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	34.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.3%	8.5%	9.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.8%	14.1%	17.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Dade County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	198	66,629	215
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	12.6%	14.8%	25.4%
2. Grade level. 7th Grade	18.9%	14.3%	10.1%
2. Grade level. 8th Grade	21.1%	15.2%	13.0%
2. Grade level. 9th Grade	10.5%	21.3%	21.0%
2. Grade level. 10th Grade	16.8%	12.2%	18.1%
2. Grade level. 11th Grade	12.6%	12.6%	8.7%
2. Grade level. 12th Grade	7.4%	9.6%	3.6%
3. Male	51.6%	47.7%	49.3%
4. Hispanic or Latino	1.1%	2.5%	0.7%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.7%
5. Race, alone or in combination. White	97.9%	85.5%	98.6%
5. Race, alone or in combination. Other	1.1%	1.6%	1.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	17.2%	22.7%	26.6%
48b. Used electronic cigarettes	12.9%	16.0%	n/a
49b. Used hookahs or water pipes	4.3%	11.3%	n/a
50c. Used alcohol	28.7%	33.3%	36.7%
51b. Used marijuana	7.6%	15.2%	10.8%
52a. Used inhalants	2.1%	2.9%	7.9%
53a. Used RX not prescribed for you by a doctor	10.8%	7.4%	6.5%
54a. Used `OTC` drugs for non-medical reasons	1.1%	2.9%	7.2%
56a. Used cocaine or `crack`	1.1%	1.1%	2.9%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.1%	1.9%	1.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	1.1%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	30.1%	26.1%	22.3%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.3%	4.9%	4.3%
25. Carried a weapon such as a gun, knife or club on school property	7.4%	4.5%	7.1%
50b. Rode with someone who was drinking alcohol	13.7%	16.0%	15.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	5.3%	3.8%	5.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.3%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.4%	31.2%	39.4%
26a. Were in a physical fight	19.1%	19.1%	20.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.5%	6.3%	7.9%
35. Considered suicide	10.5%	11.7%	10.8%
36. Planned suicide	8.5%	8.6%	7.9%
37. Attempted suicide	4.3%	5.0%	5.0%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	76.8%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	78.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.6%	93.2%	92.8%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.8%	81.6%	80.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.7%	92.6%	95.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.8%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	37.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	26.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.5%	8.5%	3.6%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.6%	14.1%	5.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Daviess County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	437	66,629	164
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	18.0%	14.8%	19.3%
2. Grade level. 7th Grade	15.0%	14.3%	0.0%
2. Grade level. 8th Grade	14.0%	15.2%	0.0%
2. Grade level. 9th Grade	15.0%	21.3%	49.0%
2. Grade level. 10th Grade	12.0%	12.2%	15.2%
2. Grade level. 11th Grade	14.0%	12.6%	16.6%
2. Grade level. 12th Grade	12.0%	9.6%	0.0%
3. Male	50.0%	47.7%	46.2%
4. Hispanic or Latino	1.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	99.0%	85.5%	99.3%
5. Race, alone or in combination. Other	1.0%	1.6%	0.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	31.7%	22.7%	33.6%
48b. Used electronic cigarettes	12.0%	16.0%	n/a
49b. Used hookahs or water pipes	7.0%	11.3%	n/a
50c. Used alcohol	34.7%	33.3%	31.0%
51b. Used marijuana	11.9%	15.2%	13.0%
52a. Used inhalants	5.0%	2.9%	9.6%
53a. Used RX not prescribed for you by a doctor	8.0%	7.4%	12.3%
54a. Used `OTC` drugs for non-medical reasons	3.0%	2.9%	8.3%
56a. Used cocaine or `crack`	1.0%	1.1%	2.8%
56b. Used heroin or `smack`	0.0%	0.3%	2.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.0%	1.9%	5.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	2.8%
56f. Used `club drugs` such as ecstasy	1.0%	1.5%	5.5%
56g. Used steroids not prescribed for you by a doctor	1.0%	0.9%	3.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	24.0%	26.1%	23.3%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.0%	4.9%	4.8%
25. Carried a weapon such as a gun, knife or club on school property	7.9%	4.5%	8.9%
50b. Rode with someone who was drinking alcohol	19.0%	16.0%	19.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.0%	3.8%	4.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.3%	31.2%	26.2%
26a. Were in a physical fight	16.0%	19.1%	15.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.0%	6.3%	4.8%
35. Considered suicide	9.9%	11.7%	12.6%
36. Planned suicide	8.0%	8.6%	9.7%
37. Attempted suicide	3.0%	5.0%	6.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	11.1%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	82.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.1%	93.2%	91.8%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	78.0%	81.6%	88.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.9%	92.6%	97.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.0%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	51.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	38.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	20.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	30.7%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.9%	8.5%	8.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	22.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.0%	14.1%	18.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey DeKalb County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	159	66,629	240
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	12.1%	14.8%	12.7%
2. Grade level. 7th Grade	14.5%	14.3%	17.0%
2. Grade level. 8th Grade	24.2%	15.2%	15.2%
2. Grade level. 9th Grade	18.5%	21.3%	24.8%
2. Grade level. 10th Grade	15.3%	12.2%	16.4%
2. Grade level. 11th Grade	4.8%	12.6%	13.3%
2. Grade level. 12th Grade	10.5%	9.6%	0.6%
3. Male	60.5%	47.7%	67.7%
4. Hispanic or Latino	1.6%	2.5%	1.2%
5. Race, alone or in combination. Black or African Am.	9.6%	13.0%	16.8%
5. Race, alone or in combination. White	91.2%	85.5%	90.4%
5. Race, alone or in combination. Other	2.4%	1.6%	1.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.0%	22.7%	34.1%
48b. Used electronic cigarettes	9.6%	16.0%	n/a
49b. Used hookahs or water pipes	3.2%	11.3%	n/a
50c. Used alcohol	25.8%	33.3%	39.5%
51b. Used marijuana	6.4%	15.2%	9.6%
52a. Used inhalants	3.2%	2.9%	2.4%
53a. Used RX not prescribed for you by a doctor	3.2%	7.4%	3.0%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	2.4%
56a. Used cocaine or `crack`	0.8%	1.1%	0.6%
56b. Used heroin or `smack`	0.0%	0.3%	1.2%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.8%	1.9%	1.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.6%
56f. Used `club drugs` such as ecstasy	0.8%	1.5%	0.6%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	15.3%	26.1%	26.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.6%	4.9%	6.7%
25. Carried a weapon such as a gun, knife or club on school property	3.2%	4.5%	10.2%
50b. Rode with someone who was drinking alcohol	11.1%	16.0%	19.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.2%	3.8%	7.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	12.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.1%	31.2%	32.3%
26a. Were in a physical fight	16.9%	19.1%	26.7%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.4%	6.3%	7.8%
35. Considered suicide	5.6%	11.7%	7.9%
36. Planned suicide	3.2%	8.6%	4.2%
37. Attempted suicide	0.8%	5.0%	3.0%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	12.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	17.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	5.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	81.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	78.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.0%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.9%	93.2%	93.4%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.6%	81.6%	78.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.8%	92.6%	98.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.0%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	40.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	21.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	20.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	1.6%	8.5%	12.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.0%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	13.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	6.4%	14.1%	16.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Dent County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	194	66,629	102
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	23.9%	14.8%	5.3%
2. Grade level. 7th Grade	19.5%	14.3%	22.0%
2. Grade level. 8th Grade	56.0%	15.2%	72.4%
2. Grade level. 9th Grade	0.0%	21.3%	0.0%
2. Grade level. 10th Grade	0.6%	12.2%	0.0%
2. Grade level. 11th Grade	0.0%	12.6%	0.0%
2. Grade level. 12th Grade	0.0%	9.6%	0.4%
3. Male	66.3%	47.7%	58.9%
4. Hispanic or Latino	0.0%	2.5%	0.8%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	98.8%	85.5%	97.1%
5. Race, alone or in combination. Other	3.1%	1.6%	2.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	42.0%	22.7%	28.2%
48b. Used electronic cigarettes	17.9%	16.0%	n/a
49b. Used hookahs or water pipes	12.3%	11.3%	n/a
50c. Used alcohol	12.4%	33.3%	28.2%
51b. Used marijuana	1.9%	15.2%	13.9%
52a. Used inhalants	1.8%	2.9%	12.6%
53a. Used RX not prescribed for you by a doctor	4.3%	7.4%	8.6%
54a. Used `OTC` drugs for non-medical reasons	1.2%	2.9%	9.8%
56a. Used cocaine or `crack`	0.6%	1.1%	1.2%
56b. Used heroin or `smack`	0.6%	0.3%	0.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.6%	1.9%	3.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.8%
56f. Used `club drugs` such as ecstasy	0.6%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	1.9%	0.9%	5.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	40.2%	26.1%	43.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	18.4%	4.9%	13.9%
25. Carried a weapon such as a gun, knife or club on school property	3.7%	4.5%	4.9%
50b. Rode with someone who was drinking alcohol	24.5%	16.0%	21.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	14.1%	3.8%	1.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	9.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	13.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	43.1%	31.2%	43.1%
26a. Were in a physical fight	27.3%	19.1%	32.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	9.1%	6.3%	13.5%
35. Considered suicide	1.8%	11.7%	13.5%
36. Planned suicide	1.2%	8.6%	4.9%
37. Attempted suicide	0.6%	5.0%	1.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	4.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	10.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	9.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	63.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.8%	93.2%	83.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	70.7%	81.6%	76.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	73.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.0%	92.6%	99.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.7%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	40.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.2%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.7%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.4%	8.5%	3.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	14.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	15.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	9.3%	14.1%	6.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Douglas County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	166	66,629	173
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	14.8%	14.8%	6.8%
2. Grade level. 7th Grade	10.8%	14.3%	11.1%
2. Grade level. 8th Grade	9.1%	15.2%	8.7%
2. Grade level. 9th Grade	26.7%	21.3%	43.0%
2. Grade level. 10th Grade	13.1%	12.2%	29.5%
2. Grade level. 11th Grade	10.2%	12.6%	0.5%
2. Grade level. 12th Grade	15.3%	9.6%	0.5%
3. Male	48.9%	47.7%	43.0%
4. Hispanic or Latino	0.6%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.5%
5. Race, alone or in combination. White	100.0%	85.5%	98.6%
5. Race, alone or in combination. Other	0.6%	1.6%	0.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	31.8%	22.7%	39.9%
48b. Used electronic cigarettes	17.6%	16.0%	n/a
49b. Used hookahs or water pipes	8.0%	11.3%	n/a
50c. Used alcohol	34.5%	33.3%	43.3%
51b. Used marijuana	8.0%	15.2%	14.5%
52a. Used inhalants	3.4%	2.9%	3.4%
53a. Used RX not prescribed for you by a doctor	6.3%	7.4%	7.2%
54a. Used `OTC` drugs for non-medical reasons	0.6%	2.9%	1.9%
56a. Used cocaine or `crack`	0.6%	1.1%	2.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.1%	1.9%	0.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.4%
56f. Used `club drugs` such as ecstasy	1.1%	1.5%	0.5%
56g. Used steroids not prescribed for you by a doctor	0.6%	0.9%	2.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	21.6%	26.1%	38.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.6%	4.9%	6.4%
25. Carried a weapon such as a gun, knife or club on school property	8.0%	4.5%	12.6%
50b. Rode with someone who was drinking alcohol	8.5%	16.0%	24.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.1%	3.8%	4.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	8.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	19.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	14.5%	31.2%	32.2%
26a. Were in a physical fight	13.8%	19.1%	22.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.3%	6.3%	7.2%
35. Considered suicide	7.4%	11.7%	10.6%
36. Planned suicide	6.8%	8.6%	8.7%
37. Attempted suicide	5.7%	5.0%	3.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	85.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.3%	93.2%	85.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.4%	81.6%	75.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.3%	92.6%	93.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.5%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	29.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.2%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	25.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.7%	8.5%	6.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	5.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	14.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	7.5%	14.1%	11.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Dunklin County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	151	66,629	988
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	20.7%	14.8%	18.1%
2. Grade level. 7th Grade	11.3%	14.3%	4.7%
2. Grade level. 8th Grade	13.4%	15.2%	17.1%
2. Grade level. 9th Grade	19.1%	21.3%	26.8%
2. Grade level. 10th Grade	12.8%	12.2%	15.6%
2. Grade level. 11th Grade	15.4%	12.6%	12.7%
2. Grade level. 12th Grade	7.3%	9.6%	5.0%
3. Male	47.1%	47.7%	47.0%
4. Hispanic or Latino	2.9%	2.5%	0.7%
5. Race, alone or in combination. Black or African Am.	10.8%	13.0%	9.3%
5. Race, alone or in combination. White	88.6%	85.5%	90.9%
5. Race, alone or in combination. Other	0.5%	1.6%	1.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	46.1%	22.7%	36.4%
48b. Used electronic cigarettes	20.1%	16.0%	n/a
49b. Used hookahs or water pipes	9.0%	11.3%	n/a
50c. Used alcohol	49.3%	33.3%	42.2%
51b. Used marijuana	20.5%	15.2%	17.9%
52a. Used inhalants	2.6%	2.9%	7.2%
53a. Used RX not prescribed for you by a doctor	13.9%	7.4%	12.7%
54a. Used `OTC` drugs for non-medical reasons	5.0%	2.9%	6.6%
56a. Used cocaine or `crack`	1.8%	1.1%	2.5%
56b. Used heroin or `smack`	0.5%	0.3%	1.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.8%
56f. Used `club drugs` such as ecstasy	0.8%	1.5%	2.4%
56g. Used steroids not prescribed for you by a doctor	0.8%	0.9%	2.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.1%	26.1%	28.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.6%	4.9%	4.3%
25. Carried a weapon such as a gun, knife or club on school property	6.3%	4.5%	4.1%
50b. Rode with someone who was drinking alcohol	29.4%	16.0%	21.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.0%	3.8%	2.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	27.0%	31.2%	30.8%
26a. Were in a physical fight	35.8%	19.1%	25.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.0%	6.3%	4.7%
35. Considered suicide	15.9%	11.7%	11.8%
36. Planned suicide	7.0%	8.6%	9.0%
37. Attempted suicide	6.6%	5.0%	5.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	18.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	65.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	64.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	77.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	85.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	88.7%	93.2%	90.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.5%	81.6%	82.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.4%	92.6%	94.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	44.1%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	22.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	39.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.9%	8.5%	7.1%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	13.0%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.4%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	16.8%	14.1%	13.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Franklin County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	1566	66,629	2064
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	20.6%	14.8%	17.1%
2. Grade level. 7th Grade	10.4%	14.3%	10.1%
2. Grade level. 8th Grade	21.4%	15.2%	17.6%
2. Grade level. 9th Grade	26.8%	21.3%	43.3%
2. Grade level. 10th Grade	8.3%	12.2%	3.5%
2. Grade level. 11th Grade	6.4%	12.6%	8.1%
2. Grade level. 12th Grade	6.1%	9.6%	0.2%
3. Male	46.8%	47.7%	48.2%
4. Hispanic or Latino	1.0%	2.5%	0.2%
5. Race, alone or in combination. Black or African Am.	1.5%	13.0%	1.1%
5. Race, alone or in combination. White	98.0%	85.5%	98.6%
5. Race, alone or in combination. Other	0.5%	1.6%	1.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	22.7%	22.7%	25.9%
48b. Used electronic cigarettes	17.0%	16.0%	n/a
49b. Used hookahs or water pipes	10.5%	11.3%	n/a
50c. Used alcohol	32.9%	33.3%	43.2%
51b. Used marijuana	11.7%	15.2%	13.6%
52a. Used inhalants	3.2%	2.9%	5.0%
53a. Used RX not prescribed for you by a doctor	4.9%	7.4%	8.1%
54a. Used `OTC` drugs for non-medical reasons	2.7%	2.9%	4.8%
56a. Used cocaine or `crack`	0.7%	1.1%	0.9%
56b. Used heroin or `smack`	0.3%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.7%	1.9%	2.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.5%	0.8%
56f. Used `club drugs` such as ecstasy	1.3%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	1.1%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	23.9%	26.1%	26.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.0%	4.9%	4.5%
25. Carried a weapon such as a gun, knife or club on school property	3.4%	4.5%	5.7%
50b. Rode with someone who was drinking alcohol	17.5%	16.0%	20.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.6%	3.8%	3.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.5%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	21.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.4%	31.2%	35.6%
26a. Were in a physical fight	17.8%	19.1%	21.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.5%	6.3%	6.8%
35. Considered suicide	11.8%	11.7%	11.9%
36. Planned suicide	9.6%	8.6%	9.8%
37. Attempted suicide	5.8%	5.0%	5.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	13.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	76.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.5%	93.2%	93.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.5%	81.6%	78.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.9%	92.6%	94.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.3%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	40.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	25.8%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.7%	8.5%	6.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.9%	14.1%	14.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Gasconade County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	613	66,629	484
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.2%	14.8%	24.8%
2. Grade level. 7th Grade	17.2%	14.3%	0.0%
2. Grade level. 8th Grade	15.3%	15.2%	23.1%
2. Grade level. 9th Grade	8.6%	21.3%	51.7%
2. Grade level. 10th Grade	12.9%	12.2%	0.4%
2. Grade level. 11th Grade	10.4%	12.6%	0.0%
2. Grade level. 12th Grade	18.4%	9.6%	0.0%
3. Male	45.1%	47.7%	49.2%
4. Hispanic or Latino	0.6%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	0.6%	13.0%	0.4%
5. Race, alone or in combination. White	99.4%	85.5%	99.2%
5. Race, alone or in combination. Other	0.6%	1.6%	1.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	21.6%	22.7%	26.9%
48b. Used electronic cigarettes	16.7%	16.0%	n/a
49b. Used hookahs or water pipes	5.6%	11.3%	n/a
50c. Used alcohol	39.5%	33.3%	44.7%
51b. Used marijuana	8.6%	15.2%	10.1%
52a. Used inhalants	1.8%	2.9%	6.7%
53a. Used RX not prescribed for you by a doctor	6.8%	7.4%	10.5%
54a. Used `OTC` drugs for non-medical reasons	1.8%	2.9%	5.9%
56a. Used cocaine or `crack`	0.0%	1.1%	1.7%
56b. Used heroin or `smack`	0.0%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.6%	1.9%	2.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	0.6%	1.5%	1.3%
56g. Used steroids not prescribed for you by a doctor	1.2%	0.9%	1.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.3%	26.1%	18.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.7%	4.9%	3.8%
25. Carried a weapon such as a gun, knife or club on school property	6.1%	4.5%	7.2%
50b. Rode with someone who was drinking alcohol	17.8%	16.0%	24.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.6%	3.8%	3.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.6%	31.2%	36.8%
26a. Were in a physical fight	14.8%	19.1%	24.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.1%	6.3%	8.0%
35. Considered suicide	10.4%	11.7%	13.6%
36. Planned suicide	8.0%	8.6%	10.2%
37. Attempted suicide	4.3%	5.0%	5.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	30.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	82.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	90.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.6%	93.2%	93.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	72.2%	81.6%	70.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.4%	92.6%	95.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	27.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.2%	8.5%	6.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.2%	14.1%	14.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Gentry County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	48	66,629	46
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	0.0%
2. Grade level. 7th Grade	19.8%	14.3%	0.0%
2. Grade level. 8th Grade	80.2%	15.2%	50.0%
2. Grade level. 9th Grade	0.0%	21.3%	19.8%
2. Grade level. 10th Grade	0.0%	12.2%	30.2%
2. Grade level. 11th Grade	0.0%	12.6%	0.0%
2. Grade level. 12th Grade	0.0%	9.6%	0.0%
3. Male	46.7%	47.7%	47.0%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.9%
5. Race, alone or in combination. White	98.9%	85.5%	100.0%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	28.9%	22.7%	18.1%
48b. Used electronic cigarettes	29.2%	16.0%	n/a
49b. Used hookahs or water pipes	0.0%	11.3%	n/a
50c. Used alcohol	2.2%	33.3%	29.1%
51b. Used marijuana	0.0%	15.2%	6.8%
52a. Used inhalants	0.0%	2.9%	8.5%
53a. Used RX not prescribed for you by a doctor	3.3%	7.4%	6.9%
54a. Used `OTC` drugs for non-medical reasons	28.9%	2.9%	11.1%
56a. Used cocaine or `crack`	0.0%	1.1%	3.5%
56b. Used heroin or `smack`	0.0%	0.3%	3.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	3.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	3.5%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	3.4%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	10.1%	26.1%	12.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	1.7%
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	1.7%
50b. Rode with someone who was drinking alcohol	2.2%	16.0%	17.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.0%	3.8%	0.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	3.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	7.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	12.4%	31.2%	27.9%
26a. Were in a physical fight	11.1%	19.1%	14.7%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.4%	6.3%	6.0%
35. Considered suicide	3.3%	11.7%	9.5%
36. Planned suicide	3.4%	8.6%	9.4%
37. Attempted suicide	2.2%	5.0%	3.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	1.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	2.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	30.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	98.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	98.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	71.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	71.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	100.0%	93.2%	100.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	98.9%	81.6%	85.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	100.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	100.0%	92.6%	100.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	100.0%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	17.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	11.1%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	4.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	34.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	32.2%	8.5%	12.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	33.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	36.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	6.7%	14.1%	11.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Greene County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	3395	66,629	6149
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	16.2%	14.8%	12.9%
2. Grade level. 7th Grade	11.3%	14.3%	11.4%
2. Grade level. 8th Grade	14.4%	15.2%	19.8%
2. Grade level. 9th Grade	26.0%	21.3%	26.5%
2. Grade level. 10th Grade	18.7%	12.2%	19.9%
2. Grade level. 11th Grade	4.3%	12.6%	6.8%
2. Grade level. 12th Grade	9.1%	9.6%	2.8%
3. Male	46.3%	47.7%	48.3%
4. Hispanic or Latino	1.9%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	2.8%	13.0%	2.7%
5. Race, alone or in combination. White	95.9%	85.5%	98.0%
5. Race, alone or in combination. Other	1.4%	1.6%	1.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	22.7%	22.7%	26.0%
48b. Used electronic cigarettes	15.8%	16.0%	n/a
49b. Used hookahs or water pipes	13.6%	11.3%	n/a
50c. Used alcohol	32.0%	33.3%	33.1%
51b. Used marijuana	16.5%	15.2%	18.0%
52a. Used inhalants	3.4%	2.9%	5.6%
53a. Used RX not prescribed for you by a doctor	8.7%	7.4%	9.4%
54a. Used `OTC` drugs for non-medical reasons	2.8%	2.9%	7.2%
56a. Used cocaine or `crack`	1.6%	1.1%	2.6%
56b. Used heroin or `smack`	0.5%	0.3%	1.1%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	4.0%	1.9%	4.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.5%	1.7%
56f. Used `club drugs` such as ecstasy	2.9%	1.5%	3.0%
56g. Used steroids not prescribed for you by a doctor	0.8%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.8%	26.1%	25.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.1%	4.9%	4.8%
25. Carried a weapon such as a gun, knife or club on school property	6.0%	4.5%	6.3%
50b. Rode with someone who was drinking alcohol	13.0%	16.0%	14.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.1%	3.8%	4.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.1%	31.2%	30.4%
26a. Were in a physical fight	16.4%	19.1%	18.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.7%	6.3%	6.9%
35. Considered suicide	13.3%	11.7%	13.0%
36. Planned suicide	10.0%	8.6%	9.2%
37. Attempted suicide	6.2%	5.0%	5.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	74.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	72.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.5%	93.2%	90.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	84.8%	81.6%	81.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.1%	92.6%	92.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	35.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	25.6%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.8%	8.5%	7.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.0%	14.1%	12.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Grundy County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	269	66,629	202
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	18.3%	14.8%	0.0%
2. Grade level. 7th Grade	15.1%	14.3%	0.0%
2. Grade level. 8th Grade	21.4%	15.2%	36.6%
2. Grade level. 9th Grade	16.7%	21.3%	30.4%
2. Grade level. 10th Grade	25.4%	12.2%	30.4%
2. Grade level. 11th Grade	0.0%	12.6%	0.0%
2. Grade level. 12th Grade	3.2%	9.6%	2.5%
3. Male	42.0%	47.7%	45.1%
4. Hispanic or Latino	0.8%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	1.5%	13.0%	0.6%
5. Race, alone or in combination. White	97.7%	85.5%	99.4%
5. Race, alone or in combination. Other	0.8%	1.6%	0.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	31.5%	22.7%	32.3%
48b. Used electronic cigarettes	11.7%	16.0%	n/a
49b. Used hookahs or water pipes	4.6%	11.3%	n/a
50c. Used alcohol	36.9%	33.3%	45.7%
51b. Used marijuana	13.2%	15.2%	13.4%
52a. Used inhalants	5.3%	2.9%	6.7%
53a. Used RX not prescribed for you by a doctor	9.3%	7.4%	14.6%
54a. Used `OTC` drugs for non-medical reasons	7.7%	2.9%	9.1%
56a. Used cocaine or `crack`	2.3%	1.1%	3.0%
56b. Used heroin or `smack`	0.0%	0.3%	2.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.1%	1.9%	3.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.5%	2.4%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	3.1%
56g. Used steroids not prescribed for you by a doctor	0.8%	0.9%	3.1%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	42.0%	26.1%	28.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.2%	4.9%	5.5%
25. Carried a weapon such as a gun, knife or club on school property	3.9%	4.5%	7.4%
50b. Rode with someone who was drinking alcohol	17.4%	16.0%	22.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.8%	3.8%	3.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	31.5%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.2%	31.2%	35.2%
26a. Were in a physical fight	19.1%	19.1%	25.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.7%	6.3%	5.5%
35. Considered suicide	15.3%	11.7%	14.0%
36. Planned suicide	11.5%	8.6%	10.4%
37. Attempted suicide	10.1%	5.0%	4.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	13.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	78.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	81.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	84.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.1%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.5%	93.2%	92.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.7%	81.6%	86.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	96.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.9%	92.6%	95.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.9%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	30.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.1%	8.5%	7.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.4%	14.1%	15.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Harrison County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	166	66,629	63
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	28.0%	14.8%	3.0%
2. Grade level. 7th Grade	6.0%	14.3%	23.3%
2. Grade level. 8th Grade	14.0%	15.2%	21.1%
2. Grade level. 9th Grade	9.0%	21.3%	21.1%
2. Grade level. 10th Grade	18.0%	12.2%	11.3%
2. Grade level. 11th Grade	8.0%	12.6%	12.0%
2. Grade level. 12th Grade	17.0%	9.6%	8.3%
3. Male	49.4%	47.7%	49.3%
4. Hispanic or Latino	1.0%	2.5%	0.8%
5. Race, alone or in combination. Black or African Am.	1.0%	13.0%	0.0%
5. Race, alone or in combination. White	99.0%	85.5%	99.2%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	39.2%	22.7%	41.4%
48b. Used electronic cigarettes	13.4%	16.0%	n/a
49b. Used hookahs or water pipes	5.2%	11.3%	n/a
50c. Used alcohol	40.6%	33.3%	43.6%
51b. Used marijuana	5.2%	15.2%	15.7%
52a. Used inhalants	6.3%	2.9%	3.7%
53a. Used RX not prescribed for you by a doctor	2.1%	7.4%	2.2%
54a. Used `OTC` drugs for non-medical reasons	1.0%	2.9%	0.8%
56a. Used cocaine or `crack`	1.1%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.0%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	22.0%	26.1%	29.9%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.0%	4.9%	1.5%
25. Carried a weapon such as a gun, knife or club on school property	7.0%	4.5%	9.8%
50b. Rode with someone who was drinking alcohol	17.3%	16.0%	20.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.0%	3.8%	5.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	29.7%	31.2%	26.9%
26a. Were in a physical fight	13.9%	19.1%	20.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.0%	6.3%	4.5%
35. Considered suicide	14.9%	11.7%	3.8%
36. Planned suicide	11.0%	8.6%	3.8%
37. Attempted suicide	8.9%	5.0%	1.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	3.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	18.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	4.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	74.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	75.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.6%	93.2%	82.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.1%	81.6%	69.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.7%	92.6%	95.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.9%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	11.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	19.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.9%	8.5%	8.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	9.2%	14.1%	10.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Henry County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	231	66,629	450
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	16.0%	14.8%	1.2%
2. Grade level. 7th Grade	17.2%	14.3%	10.1%
2. Grade level. 8th Grade	23.8%	15.2%	30.3%
2. Grade level. 9th Grade	7.4%	21.3%	32.3%
2. Grade level. 10th Grade	8.6%	12.2%	23.4%
2. Grade level. 11th Grade	15.6%	12.6%	1.5%
2. Grade level. 12th Grade	11.5%	9.6%	1.2%
3. Male	47.8%	47.7%	45.9%
4. Hispanic or Latino	1.2%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.8%	13.0%	1.2%
5. Race, alone or in combination. White	98.8%	85.5%	98.8%
5. Race, alone or in combination. Other	0.4%	1.6%	0.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	33.1%	22.7%	27.3%
48b. Used electronic cigarettes	9.0%	16.0%	n/a
49b. Used hookahs or water pipes	7.4%	11.3%	n/a
50c. Used alcohol	41.6%	33.3%	39.8%
51b. Used marijuana	11.9%	15.2%	11.0%
52a. Used inhalants	4.9%	2.9%	3.3%
53a. Used RX not prescribed for you by a doctor	5.3%	7.4%	7.4%
54a. Used `OTC` drugs for non-medical reasons	4.1%	2.9%	5.0%
56a. Used cocaine or `crack`	1.7%	1.1%	0.6%
56b. Used heroin or `smack`	0.4%	0.3%	0.3%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.6%	1.9%	0.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.5%	0.3%
56f. Used `club drugs` such as ecstasy	3.7%	1.5%	1.2%
56g. Used steroids not prescribed for you by a doctor	0.4%	0.9%	1.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	23.7%	26.1%	24.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.8%	4.9%	3.8%
25. Carried a weapon such as a gun, knife or club on school property	6.5%	4.5%	3.3%
50b. Rode with someone who was drinking alcohol	22.9%	16.0%	24.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.1%	3.8%	1.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	40.0%	31.2%	35.3%
26a. Were in a physical fight	24.8%	19.1%	21.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.9%	6.3%	4.8%
35. Considered suicide	14.8%	11.7%	9.8%
36. Planned suicide	10.2%	8.6%	5.3%
37. Attempted suicide	7.4%	5.0%	3.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	32.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	12.4%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	66.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.4%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	85.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	90.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.6%	93.2%	92.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.4%	81.6%	80.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.7%	92.6%	95.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.3%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	38.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.6%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	24.7%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.8%	8.5%	3.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	6.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	22.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.3%	14.1%	11.0%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Hickory County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	76	66,629	140
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	10.9%
2. Grade level. 7th Grade	0.0%	14.3%	24.0%
2. Grade level. 8th Grade	38.8%	15.2%	10.1%
2. Grade level. 9th Grade	17.6%	21.3%	25.6%
2. Grade level. 10th Grade	21.2%	12.2%	10.9%
2. Grade level. 11th Grade	22.4%	12.6%	17.8%
2. Grade level. 12th Grade	0.0%	9.6%	0.8%
3. Male	50.6%	47.7%	48.1%
4. Hispanic or Latino	1.2%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	1.2%	13.0%	0.8%
5. Race, alone or in combination. White	98.8%	85.5%	100.0%
5. Race, alone or in combination. Other	0.0%	1.6%	0.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	35.3%	22.7%	36.4%
48b. Used electronic cigarettes	10.7%	16.0%	n/a
49b. Used hookahs or water pipes	2.4%	11.3%	n/a
50c. Used alcohol	36.5%	33.3%	39.5%
51b. Used marijuana	7.1%	15.2%	6.2%
52a. Used inhalants	1.2%	2.9%	6.2%
53a. Used RX not prescribed for you by a doctor	7.1%	7.4%	7.0%
54a. Used `OTC` drugs for non-medical reasons	2.4%	2.9%	5.4%
56a. Used cocaine or `crack`	0.0%	1.1%	0.8%
56b. Used heroin or `smack`	0.0%	0.3%	0.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.2%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.0%	26.1%	21.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.4%	4.9%	2.3%
25. Carried a weapon such as a gun, knife or club on school property	13.3%	4.5%	3.1%
50b. Rode with someone who was drinking alcohol	20.5%	16.0%	20.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.8%	3.8%	0.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.0%	31.2%	23.6%
26a. Were in a physical fight	10.6%	19.1%	26.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.1%	6.3%	5.4%
35. Considered suicide	8.2%	11.7%	10.2%
36. Planned suicide	5.9%	8.6%	8.7%
37. Attempted suicide	3.6%	5.0%	3.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	28.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	9.4%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	73.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.9%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.3%	93.2%	96.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	85.7%	81.6%	81.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.2%	92.6%	96.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	35.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	4.7%	8.5%	8.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	7.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.8%	14.1%	17.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Holt County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	91	66,629	137
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	20.0%	14.8%	7.6%
2. Grade level. 7th Grade	5.0%	14.3%	10.6%
2. Grade level. 8th Grade	15.0%	15.2%	28.8%
2. Grade level. 9th Grade	25.0%	21.3%	18.2%
2. Grade level. 10th Grade	20.0%	12.2%	15.2%
2. Grade level. 11th Grade	15.0%	12.6%	10.6%
2. Grade level. 12th Grade	0.0%	9.6%	9.1%
3. Male	51.2%	47.7%	49.2%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	100.0%	85.5%	100.0%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	14.0%	22.7%	36.9%
48b. Used electronic cigarettes	0.0%	16.0%	n/a
49b. Used hookahs or water pipes	2.3%	11.3%	n/a
50c. Used alcohol	20.9%	33.3%	49.2%
51b. Used marijuana	2.3%	15.2%	13.8%
52a. Used inhalants	2.3%	2.9%	6.2%
53a. Used RX not prescribed for you by a doctor	2.3%	7.4%	13.8%
54a. Used `OTC` drugs for non-medical reasons	2.3%	2.9%	10.8%
56a. Used cocaine or `crack`	2.3%	1.1%	1.5%
56b. Used heroin or `smack`	2.3%	0.3%	1.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.3%	1.9%	1.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	2.3%	0.5%	1.6%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	4.6%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	4.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	9.1%	26.1%	26.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.5%	4.9%	3.1%
25. Carried a weapon such as a gun, knife or club on school property	2.3%	4.5%	9.4%
50b. Rode with someone who was drinking alcohol	11.6%	16.0%	29.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.0%	3.8%	1.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	11.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	13.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	23.3%	31.2%	25.4%
26a. Were in a physical fight	11.6%	19.1%	20.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	0.0%	6.3%	6.2%
35. Considered suicide	9.3%	11.7%	9.4%
36. Planned suicide	9.1%	8.6%	6.3%
37. Attempted suicide	4.5%	5.0%	4.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	0.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	4.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	0.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	88.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	97.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	100.0%	93.2%	87.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	93.2%	81.6%	71.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	97.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	100.0%	92.6%	95.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	100.0%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	27.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	23.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	9.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	9.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	4.8%	8.5%	4.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	14.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	6.8%	14.1%	10.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey

Howard County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	126	66,629	131
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	7.9%	14.8%	31.5%
2. Grade level. 7th Grade	15.9%	14.3%	0.0%
2. Grade level. 8th Grade	18.3%	15.2%	0.0%
2. Grade level. 9th Grade	15.9%	21.3%	30.3%
2. Grade level. 10th Grade	15.9%	12.2%	21.3%
2. Grade level. 11th Grade	17.5%	12.6%	16.3%
2. Grade level. 12th Grade	8.7%	9.6%	0.6%
3. Male	49.2%	47.7%	49.2%
4. Hispanic or Latino	1.6%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	6.5%	13.0%	6.1%
5. Race, alone or in combination. White	92.0%	85.5%	94.4%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.6%	22.7%	29.1%
48b. Used electronic cigarettes	11.9%	16.0%	n/a
49b. Used hookahs or water pipes	7.4%	11.3%	n/a
50c. Used alcohol	37.6%	33.3%	44.1%
51b. Used marijuana	11.2%	15.2%	15.1%
52a. Used inhalants	4.0%	2.9%	6.1%
53a. Used RX not prescribed for you by a doctor	5.6%	7.4%	7.8%
54a. Used `OTC` drugs for non-medical reasons	1.6%	2.9%	6.1%
56a. Used cocaine or `crack`	0.8%	1.1%	2.2%
56b. Used heroin or `smack`	0.8%	0.3%	1.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.2%	1.9%	1.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.6%	0.5%	1.7%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	2.4%	0.9%	2.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	19.8%	26.1%	28.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.2%	4.9%	6.2%
25. Carried a weapon such as a gun, knife or club on school property	4.0%	4.5%	6.7%
50b. Rode with someone who was drinking alcohol	22.6%	16.0%	20.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.2%	3.8%	0.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	21.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	19.5%	31.2%	19.0%
26a. Were in a physical fight	19.8%	19.1%	18.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.4%	6.3%	4.4%
35. Considered suicide	4.8%	11.7%	7.8%
36. Planned suicide	5.6%	8.6%	3.9%
37. Attempted suicide	1.6%	5.0%	2.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	9.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	84.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.3%	93.2%	93.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	73.6%	81.6%	76.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.1%	92.6%	93.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.3%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	46.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	42.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	34.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.6%	8.5%	8.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.3%	14.1%	18.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Howell County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	183	66,629	351
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	7.9%	14.8%	27.8%
2. Grade level. 7th Grade	39.1%	14.3%	3.8%
2. Grade level. 8th Grade	3.6%	15.2%	13.7%
2. Grade level. 9th Grade	6.9%	21.3%	27.2%
2. Grade level. 10th Grade	12.6%	12.2%	0.6%
2. Grade level. 11th Grade	18.0%	12.6%	1.0%
2. Grade level. 12th Grade	11.9%	9.6%	26.0%
3. Male	52.8%	47.7%	46.8%
4. Hispanic or Latino	0.9%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	0.4%	13.0%	0.6%
5. Race, alone or in combination. White	98.7%	85.5%	98.8%
5. Race, alone or in combination. Other	0.6%	1.6%	1.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	42.7%	22.7%	40.5%
48b. Used electronic cigarettes	11.5%	16.0%	n/a
49b. Used hookahs or water pipes	6.3%	11.3%	n/a
50c. Used alcohol	39.9%	33.3%	41.4%
51b. Used marijuana	7.2%	15.2%	10.4%
52a. Used inhalants	0.2%	2.9%	7.7%
53a. Used RX not prescribed for you by a doctor	2.2%	7.4%	7.7%
54a. Used `OTC` drugs for non-medical reasons	0.2%	2.9%	5.1%
56a. Used cocaine or `crack`	0.0%	1.1%	2.1%
56b. Used heroin or `smack`	0.0%	0.3%	1.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.5%
56f. Used `club drugs` such as ecstasy	0.2%	1.5%	3.4%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	2.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	33.5%	26.1%	32.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.5%	4.9%	2.9%
25. Carried a weapon such as a gun, knife or club on school property	8.2%	4.5%	7.9%
50b. Rode with someone who was drinking alcohol	13.3%	16.0%	18.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.5%	3.8%	0.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	21.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	27.1%	31.2%	33.7%
26a. Were in a physical fight	20.9%	19.1%	21.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.8%	6.3%	7.4%
35. Considered suicide	4.6%	11.7%	8.5%
36. Planned suicide	4.0%	8.6%	8.7%
37. Attempted suicide	1.1%	5.0%	4.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	18.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	7.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	66.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	66.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	85.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	94.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	82.6%	93.2%	85.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	75.8%	81.6%	76.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.7%	92.6%	96.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	48.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	40.6%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.7%	8.5%	5.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.4%	14.1%	14.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey

Iron County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	36	66,629	291
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	23.5%	14.8%	18.8%
2. Grade level. 7th Grade	14.4%	14.3%	1.2%
2. Grade level. 8th Grade	62.1%	15.2%	21.2%
2. Grade level. 9th Grade	0.0%	21.3%	37.6%
2. Grade level. 10th Grade	0.0%	12.2%	9.7%
2. Grade level. 11th Grade	0.0%	12.6%	11.5%
2. Grade level. 12th Grade	0.0%	9.6%	0.0%
3. Male	56.8%	47.7%	45.5%
4. Hispanic or Latino	0.8%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	1.8%
5. Race, alone or in combination. White	100.0%	85.5%	97.6%
5. Race, alone or in combination. Other	0.0%	1.6%	0.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	33.3%	22.7%	39.6%
48b. Used electronic cigarettes	3.8%	16.0%	n/a
49b. Used hookahs or water pipes	0.0%	11.3%	n/a
50c. Used alcohol	29.5%	33.3%	44.8%
51b. Used marijuana	1.5%	15.2%	14.6%
52a. Used inhalants	16.7%	2.9%	2.4%
53a. Used RX not prescribed for you by a doctor	3.8%	7.4%	8.5%
54a. Used `OTC` drugs for non-medical reasons	1.5%	2.9%	5.5%
56a. Used cocaine or `crack`	0.0%	1.1%	0.6%
56b. Used heroin or `smack`	0.0%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	1.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.6%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.8%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	14.4%	26.1%	32.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.5%	4.9%	6.7%
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	9.2%
50b. Rode with someone who was drinking alcohol	9.8%	16.0%	22.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.5%	3.8%	4.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	3.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	37.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	17.4%	31.2%	36.5%
26a. Were in a physical fight	6.8%	19.1%	27.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.8%	6.3%	7.8%
35. Considered suicide	3.8%	11.7%	9.8%
36. Planned suicide	1.5%	8.6%	8.5%
37. Attempted suicide	0.0%	5.0%	3.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	0.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	2.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	1.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	79.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	100.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.7%	93.2%	87.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	91.6%	81.6%	77.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	98.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.5%	92.6%	94.4%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.4%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	16.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	8.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	6.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	28.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.6%	8.5%	6.1%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	11.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	7.6%	14.1%	11.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Jackson County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	3822	66,629	6708
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	18.5%	14.8%	9.6%
2. Grade level. 7th Grade	12.2%	14.3%	9.6%
2. Grade level. 8th Grade	15.6%	15.2%	21.7%
2. Grade level. 9th Grade	19.9%	21.3%	33.5%
2. Grade level. 10th Grade	15.7%	12.2%	6.3%
2. Grade level. 11th Grade	10.8%	12.6%	3.1%
2. Grade level. 12th Grade	7.3%	9.6%	16.3%
3. Male	47.0%	47.7%	47.5%
4. Hispanic or Latino	5.3%	2.5%	1.6%
5. Race, alone or in combination. Black or African Am.	25.3%	13.0%	23.1%
5. Race, alone or in combination. White	73.4%	85.5%	77.6%
5. Race, alone or in combination. Other	2.8%	1.6%	3.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	20.0%	22.7%	23.9%
48b. Used electronic cigarettes	12.6%	16.0%	n/a
49b. Used hookahs or water pipes	13.5%	11.3%	n/a
50c. Used alcohol	30.5%	33.3%	36.7%
51b. Used marijuana	16.6%	15.2%	19.6%
52a. Used inhalants	3.4%	2.9%	5.0%
53a. Used RX not prescribed for you by a doctor	8.5%	7.4%	8.0%
54a. Used `OTC` drugs for non-medical reasons	3.7%	2.9%	5.9%
56a. Used cocaine or `crack`	1.5%	1.1%	2.1%
56b. Used heroin or `smack`	0.5%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	3.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	1.9%	1.5%	2.4%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.3%	26.1%	28.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.9%	4.9%	6.0%
25. Carried a weapon such as a gun, knife or club on school property	3.6%	4.5%	3.4%
50b. Rode with someone who was drinking alcohol	15.3%	16.0%	18.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.4%	3.8%	5.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.5%	31.2%	27.8%
26a. Were in a physical fight	18.6%	19.1%	19.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.6%	6.3%	6.5%
35. Considered suicide	13.3%	11.7%	12.5%
36. Planned suicide	9.6%	8.6%	8.8%
37. Attempted suicide	5.9%	5.0%	5.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	24.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	79.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	70.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	85.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.5%	93.2%	90.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.3%	81.6%	79.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.9%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.7%	92.6%	91.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.4%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	39.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	26.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	43.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	11.9%	8.5%	8.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	13.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	24.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	17.6%	14.1%	16.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Jasper County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	886	66,629	3772
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	29.2%	14.8%	20.0%
2. Grade level. 7th Grade	8.3%	14.3%	12.8%
2. Grade level. 8th Grade	6.9%	15.2%	11.1%
2. Grade level. 9th Grade	29.1%	21.3%	28.0%
2. Grade level. 10th Grade	7.5%	12.2%	9.2%
2. Grade level. 11th Grade	7.6%	12.6%	9.3%
2. Grade level. 12th Grade	11.4%	9.6%	9.6%
3. Male	46.4%	47.7%	47.6%
4. Hispanic or Latino	3.8%	2.5%	1.5%
5. Race, alone or in combination. Black or African Am.	1.3%	13.0%	2.2%
5. Race, alone or in combination. White	97.5%	85.5%	96.0%
5. Race, alone or in combination. Other	1.0%	1.6%	3.1%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	26.5%	22.7%	25.3%
48b. Used electronic cigarettes	15.9%	16.0%	n/a
49b. Used hookahs or water pipes	7.7%	11.3%	n/a
50c. Used alcohol	30.0%	33.3%	31.5%
51b. Used marijuana	9.6%	15.2%	13.3%
52a. Used inhalants	2.4%	2.9%	5.2%
53a. Used RX not prescribed for you by a doctor	5.5%	7.4%	6.5%
54a. Used `OTC` drugs for non-medical reasons	2.0%	2.9%	5.7%
56a. Used cocaine or `crack`	0.3%	1.1%	1.6%
56b. Used heroin or `smack`	0.5%	0.3%	0.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.8%	1.9%	2.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	1.2%
56f. Used `club drugs` such as ecstasy	1.1%	1.5%	1.6%
56g. Used steroids not prescribed for you by a doctor	0.9%	0.9%	1.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	24.5%	26.1%	24.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	4.9%	4.5%
25. Carried a weapon such as a gun, knife or club on school property	5.1%	4.5%	4.6%
50b. Rode with someone who was drinking alcohol	12.4%	16.0%	13.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.3%	3.8%	3.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	15.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	37.6%	31.2%	29.0%
26a. Were in a physical fight	17.3%	19.1%	18.7%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.4%	6.3%	6.6%
35. Considered suicide	11.8%	11.7%	9.7%
36. Planned suicide	8.1%	8.6%	7.0%
37. Attempted suicide	3.7%	5.0%	4.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	16.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	77.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	86.9%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.3%	93.2%	90.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	84.0%	81.6%	81.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.2%	92.6%	93.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	38.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	24.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	23.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.7%	8.5%	6.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	15.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.3%	14.1%	11.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Jefferson County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	3110	66,629	4329
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	6.9%	14.8%	13.0%
2. Grade level. 7th Grade	27.4%	14.3%	22.6%
2. Grade level. 8th Grade	4.6%	15.2%	8.1%
2. Grade level. 9th Grade	34.1%	21.3%	31.6%
2. Grade level. 10th Grade	1.5%	12.2%	1.9%
2. Grade level. 11th Grade	17.8%	12.6%	14.9%
2. Grade level. 12th Grade	7.7%	9.6%	7.9%
3. Male	47.9%	47.7%	48.0%
4. Hispanic or Latino	1.2%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.9%	13.0%	1.0%
5. Race, alone or in combination. White	98.3%	85.5%	98.4%
5. Race, alone or in combination. Other	0.8%	1.6%	1.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.6%	22.7%	28.6%
48b. Used electronic cigarettes	30.9%	16.0%	n/a
49b. Used hookahs or water pipes	14.4%	11.3%	n/a
50c. Used alcohol	40.0%	33.3%	43.9%
51b. Used marijuana	20.3%	15.2%	20.2%
52a. Used inhalants	3.6%	2.9%	6.1%
53a. Used RX not prescribed for you by a doctor	9.4%	7.4%	9.7%
54a. Used `OTC` drugs for non-medical reasons	3.7%	2.9%	7.2%
56a. Used cocaine or `crack`	1.5%	1.1%	2.1%
56b. Used heroin or `smack`	0.5%	0.3%	1.1%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.1%	1.9%	3.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.5%	1.2%
56f. Used `club drugs` such as ecstasy	2.1%	1.5%	2.6%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	28.2%	26.1%	28.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.3%	4.9%	4.7%
25. Carried a weapon such as a gun, knife or club on school property	3.8%	4.5%	3.3%
50b. Rode with someone who was drinking alcohol	17.1%	16.0%	18.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.3%	3.8%	2.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	20.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	28.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.7%	31.2%	31.6%
26a. Were in a physical fight	18.3%	19.1%	20.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.5%	6.3%	5.8%
35. Considered suicide	14.4%	11.7%	12.2%
36. Planned suicide	10.0%	8.6%	8.6%
37. Attempted suicide	6.0%	5.0%	5.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	27.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	66.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	85.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.6%	93.2%	91.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.4%	81.6%	77.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.0%	92.6%	92.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.5%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	28.8%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	42.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.7%	8.5%	6.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.9%	14.1%	13.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Johnson County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	807	66,629	1097
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.0%	14.8%	16.1%
2. Grade level. 7th Grade	10.3%	14.3%	1.4%
2. Grade level. 8th Grade	14.5%	15.2%	12.4%
2. Grade level. 9th Grade	25.7%	21.3%	35.0%
2. Grade level. 10th Grade	9.4%	12.2%	5.5%
2. Grade level. 11th Grade	23.5%	12.6%	29.2%
2. Grade level. 12th Grade	5.6%	9.6%	0.4%
3. Male	51.0%	47.7%	51.1%
4. Hispanic or Latino	2.4%	2.5%	1.2%
5. Race, alone or in combination. Black or African Am.	5.2%	13.0%	4.7%
5. Race, alone or in combination. White	94.2%	85.5%	94.5%
5. Race, alone or in combination. Other	1.2%	1.6%	2.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	31.4%	22.7%	26.6%
48b. Used electronic cigarettes	15.8%	16.0%	n/a
49b. Used hookahs or water pipes	14.6%	11.3%	n/a
50c. Used alcohol	39.3%	33.3%	38.3%
51b. Used marijuana	17.9%	15.2%	14.5%
52a. Used inhalants	4.0%	2.9%	5.4%
53a. Used RX not prescribed for you by a doctor	9.9%	7.4%	7.8%
54a. Used `OTC` drugs for non-medical reasons	4.0%	2.9%	4.8%
56a. Used cocaine or `crack`	2.8%	1.1%	1.2%
56b. Used heroin or `smack`	0.6%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	4.1%	1.9%	2.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.5%	0.6%
56f. Used `club drugs` such as ecstasy	3.8%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	1.6%	0.9%	0.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.2%	26.1%	22.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.9%	4.9%	3.8%
25. Carried a weapon such as a gun, knife or club on school property	7.0%	4.5%	5.0%
50b. Rode with someone who was drinking alcohol	16.1%	16.0%	15.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.9%	3.8%	2.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.4%	31.2%	26.9%
26a. Were in a physical fight	18.2%	19.1%	16.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.1%	6.3%	3.9%
35. Considered suicide	14.7%	11.7%	10.6%
36. Planned suicide	12.8%	8.6%	8.6%
37. Attempted suicide	6.5%	5.0%	4.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.3%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	18.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	74.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	82.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.1%	93.2%	92.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	76.1%	81.6%	76.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.2%	92.6%	94.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	42.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.0%	8.5%	4.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.6%	14.1%	10.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Knox County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	116	66,629	39
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.8%	14.8%	29.6%
2. Grade level. 7th Grade	13.7%	14.3%	18.3%
2. Grade level. 8th Grade	11.8%	15.2%	0.0%
2. Grade level. 9th Grade	23.5%	21.3%	52.1%
2. Grade level. 10th Grade	11.8%	12.2%	0.0%
2. Grade level. 11th Grade	15.7%	12.6%	0.0%
2. Grade level. 12th Grade	11.8%	9.6%	0.0%
3. Male	49.0%	47.7%	43.1%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	2.0%	13.0%	0.0%
5. Race, alone or in combination. White	98.0%	85.5%	97.2%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	15.7%	22.7%	23.6%
48b. Used electronic cigarettes	2.0%	16.0%	n/a
49b. Used hookahs or water pipes	2.0%	11.3%	n/a
50c. Used alcohol	31.4%	33.3%	26.8%
51b. Used marijuana	3.8%	15.2%	0.0%
52a. Used inhalants	2.0%	2.9%	0.0%
53a. Used RX not prescribed for you by a doctor	3.9%	7.4%	0.0%
54a. Used `OTC` drugs for non-medical reasons	2.0%	2.9%	0.0%
56a. Used cocaine or `crack`	0.0%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	2.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	17.6%	26.1%	21.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.8%	4.9%	4.2%
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	13.9%
50b. Rode with someone who was drinking alcohol	12.2%	16.0%	11.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.0%	3.8%	1.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	9.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.5%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	44.9%	31.2%	29.6%
26a. Were in a physical fight	15.4%	19.1%	18.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.8%	6.3%	0.0%
35. Considered suicide	13.7%	11.7%	0.0%
36. Planned suicide	7.8%	8.6%	0.0%
37. Attempted suicide	2.0%	5.0%	8.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	2.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	17.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	2.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	76.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	88.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	98.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.2%	93.2%	91.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	74.5%	81.6%	80.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	88.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.0%	92.6%	100.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.0%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	37.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	28.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	14.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.9%	8.5%	4.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	5.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	14.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	5.9%	14.1%	5.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Laclede County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	131	66,629	130
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	18.4%	14.8%	26.3%
2. Grade level. 7th Grade	31.6%	14.3%	16.3%
2. Grade level. 8th Grade	50.0%	15.2%	57.4%
2. Grade level. 9th Grade	0.0%	21.3%	0.0%
2. Grade level. 10th Grade	0.0%	12.2%	0.0%
2. Grade level. 11th Grade	0.0%	12.6%	0.0%
2. Grade level. 12th Grade	0.0%	9.6%	0.0%
3. Male	40.9%	47.7%	61.8%
4. Hispanic or Latino	0.8%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.5%
5. Race, alone or in combination. White	99.5%	85.5%	99.2%
5. Race, alone or in combination. Other	0.5%	1.6%	0.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	38.3%	22.7%	9.0%
48b. Used electronic cigarettes	1.6%	16.0%	n/a
49b. Used hookahs or water pipes	0.0%	11.3%	n/a
50c. Used alcohol	27.1%	33.3%	22.4%
51b. Used marijuana	1.0%	15.2%	0.2%
52a. Used inhalants	0.5%	2.9%	1.8%
53a. Used RX not prescribed for you by a doctor	0.5%	7.4%	0.7%
54a. Used `OTC` drugs for non-medical reasons	0.5%	2.9%	0.7%
56a. Used cocaine or `crack`	0.0%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.4%	26.1%	23.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.1%	4.9%	0.8%
25. Carried a weapon such as a gun, knife or club on school property	0.5%	4.5%	15.5%
50b. Rode with someone who was drinking alcohol	1.0%	16.0%	17.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.5%	3.8%	0.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	8.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	22.5%	31.2%	11.9%
26a. Were in a physical fight	16.6%	19.1%	25.2%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.1%	6.3%	1.1%
35. Considered suicide	14.2%	11.7%	17.2%
36. Planned suicide	3.4%	8.6%	2.5%
37. Attempted suicide	10.4%	5.0%	0.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	1.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	1.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	1.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	74.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	85.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	99.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	99.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	100.0%	93.2%	98.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	77.5%	81.6%	80.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	88.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	100.0%	92.6%	99.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	99.5%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	36.6%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	7.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	12.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.7%	8.5%	6.1%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	9.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.7%	14.1%	23.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Lafayette County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	412	66,629	1145
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.6%	14.8%	15.5%
2. Grade level. 7th Grade	23.3%	14.3%	9.3%
2. Grade level. 8th Grade	7.9%	15.2%	19.1%
2. Grade level. 9th Grade	16.9%	21.3%	31.4%
2. Grade level. 10th Grade	14.6%	12.2%	20.4%
2. Grade level. 11th Grade	12.2%	12.6%	4.2%
2. Grade level. 12th Grade	11.4%	9.6%	0.0%
3. Male	45.9%	47.7%	48.8%
4. Hispanic or Latino	1.5%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	3.3%	13.0%	2.2%
5. Race, alone or in combination. White	96.2%	85.5%	97.8%
5. Race, alone or in combination. Other	0.8%	1.6%	1.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.3%	22.7%	32.1%
48b. Used electronic cigarettes	9.0%	16.0%	n/a
49b. Used hookahs or water pipes	7.0%	11.3%	n/a
50c. Used alcohol	33.8%	33.3%	39.9%
51b. Used marijuana	12.9%	15.2%	14.2%
52a. Used inhalants	4.0%	2.9%	5.7%
53a. Used RX not prescribed for you by a doctor	4.5%	7.4%	9.1%
54a. Used `OTC` drugs for non-medical reasons	1.5%	2.9%	6.9%
56a. Used cocaine or `crack`	0.2%	1.1%	1.2%
56b. Used heroin or `smack`	0.3%	0.3%	0.3%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.7%	1.9%	1.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.5%	0.9%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	1.2%
56g. Used steroids not prescribed for you by a doctor	0.5%	0.9%	0.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	18.2%	26.1%	23.3%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.8%	4.9%	4.2%
25. Carried a weapon such as a gun, knife or club on school property	3.5%	4.5%	5.1%
50b. Rode with someone who was drinking alcohol	15.4%	16.0%	18.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.2%	3.8%	2.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	15.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	23.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	26.9%	31.2%	31.4%
26a. Were in a physical fight	18.3%	19.1%	19.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.0%	6.3%	4.9%
35. Considered suicide	7.2%	11.7%	12.4%
36. Planned suicide	5.5%	8.6%	9.7%
37. Attempted suicide	2.0%	5.0%	5.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.9%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	79.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.6%	93.2%	92.8%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.5%	81.6%	80.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.8%	92.6%	95.4%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.8%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	39.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	31.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.0%	8.5%	7.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.3%	14.1%	14.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Lawrence County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	305	66,629	582
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.2%	14.8%	20.5%
2. Grade level. 7th Grade	14.6%	14.3%	3.0%
2. Grade level. 8th Grade	25.5%	15.2%	29.8%
2. Grade level. 9th Grade	9.0%	21.3%	38.3%
2. Grade level. 10th Grade	12.7%	12.2%	5.8%
2. Grade level. 11th Grade	11.7%	12.6%	2.1%
2. Grade level. 12th Grade	13.4%	9.6%	0.6%
3. Male	48.0%	47.7%	48.4%
4. Hispanic or Latino	3.8%	2.5%	0.8%
5. Race, alone or in combination. Black or African Am.	0.6%	13.0%	0.4%
5. Race, alone or in combination. White	97.0%	85.5%	98.2%
5. Race, alone or in combination. Other	1.7%	1.6%	3.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	23.8%	22.7%	24.0%
48b. Used electronic cigarettes	10.7%	16.0%	n/a
49b. Used hookahs or water pipes	11.2%	11.3%	n/a
50c. Used alcohol	35.4%	33.3%	27.3%
51b. Used marijuana	10.4%	15.2%	10.2%
52a. Used inhalants	0.2%	2.9%	3.8%
53a. Used RX not prescribed for you by a doctor	6.7%	7.4%	6.8%
54a. Used `OTC` drugs for non-medical reasons	2.9%	2.9%	5.2%
56a. Used cocaine or `crack`	0.0%	1.1%	1.1%
56b. Used heroin or `smack`	0.2%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.1%	1.9%	3.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.5%	1.6%
56f. Used `club drugs` such as ecstasy	1.1%	1.5%	1.9%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.9%	26.1%	28.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.5%	4.9%	4.0%
25. Carried a weapon such as a gun, knife or club on school property	4.8%	4.5%	7.3%
50b. Rode with someone who was drinking alcohol	14.3%	16.0%	15.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.8%	3.8%	2.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	27.6%	31.2%	26.4%
26a. Were in a physical fight	13.8%	19.1%	17.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.6%	6.3%	7.7%
35. Considered suicide	11.1%	11.7%	9.8%
36. Planned suicide	8.4%	8.6%	7.4%
37. Attempted suicide	4.8%	5.0%	5.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	24.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	12.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	78.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.9%	93.2%	94.4%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.0%	81.6%	87.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.6%	92.6%	96.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.8%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	18.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	11.6%	8.5%	5.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	23.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.0%	14.1%	12.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey

Lewis County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	209	66,629	250
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.6%	14.8%	14.3%
2. Grade level. 7th Grade	11.2%	14.3%	14.3%
2. Grade level. 8th Grade	16.0%	15.2%	11.3%
2. Grade level. 9th Grade	19.2%	21.3%	35.1%
2. Grade level. 10th Grade	22.4%	12.2%	1.2%
2. Grade level. 11th Grade	16.8%	12.6%	23.2%
2. Grade level. 12th Grade	0.8%	9.6%	0.6%
3. Male	49.2%	47.7%	48.5%
4. Hispanic or Latino	1.6%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	3.2%	13.0%	4.2%
5. Race, alone or in combination. White	96.0%	85.5%	95.8%
5. Race, alone or in combination. Other	0.8%	1.6%	1.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	21.0%	22.7%	22.6%
48b. Used electronic cigarettes	9.8%	16.0%	n/a
49b. Used hookahs or water pipes	6.5%	11.3%	n/a
50c. Used alcohol	39.3%	33.3%	38.3%
51b. Used marijuana	5.6%	15.2%	7.2%
52a. Used inhalants	3.3%	2.9%	3.6%
53a. Used RX not prescribed for you by a doctor	4.0%	7.4%	6.0%
54a. Used `OTC` drugs for non-medical reasons	1.6%	2.9%	6.0%
56a. Used cocaine or `crack`	0.8%	1.1%	1.2%
56b. Used heroin or `smack`	0.0%	0.3%	1.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.8%	1.9%	1.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.6%
56f. Used `club drugs` such as ecstasy	0.8%	1.5%	0.6%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.0%	26.1%	22.9%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.2%	4.9%	9.0%
25. Carried a weapon such as a gun, knife or club on school property	4.0%	4.5%	2.4%
50b. Rode with someone who was drinking alcohol	22.6%	16.0%	22.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.0%	3.8%	5.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	21.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	26.8%	31.2%	25.5%
26a. Were in a physical fight	16.1%	19.1%	21.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.0%	6.3%	9.0%
35. Considered suicide	8.8%	11.7%	10.8%
36. Planned suicide	7.3%	8.6%	8.4%
37. Attempted suicide	4.0%	5.0%	6.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	18.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	7.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	68.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	83.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	85.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.2%	93.2%	92.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.7%	81.6%	79.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.6%	92.6%	96.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.4%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	35.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	4.1%	8.5%	7.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	5.7%	14.1%	12.0%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Linn County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	337	66,629	389
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	6.8%	14.8%	13.9%
2. Grade level. 7th Grade	15.0%	14.3%	0.0%
2. Grade level. 8th Grade	19.7%	15.2%	29.2%
2. Grade level. 9th Grade	30.6%	21.3%	28.2%
2. Grade level. 10th Grade	19.0%	12.2%	12.9%
2. Grade level. 11th Grade	4.1%	12.6%	3.0%
2. Grade level. 12th Grade	4.8%	9.6%	12.9%
3. Male	46.3%	47.7%	46.8%
4. Hispanic or Latino	1.4%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	0.5%
5. Race, alone or in combination. White	98.6%	85.5%	99.0%
5. Race, alone or in combination. Other	0.7%	1.6%	2.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	38.2%	22.7%	41.2%
48b. Used electronic cigarettes	15.6%	16.0%	n/a
49b. Used hookahs or water pipes	7.6%	11.3%	n/a
50c. Used alcohol	46.2%	33.3%	51.5%
51b. Used marijuana	15.2%	15.2%	15.3%
52a. Used inhalants	4.1%	2.9%	4.4%
53a. Used RX not prescribed for you by a doctor	9.0%	7.4%	9.8%
54a. Used `OTC` drugs for non-medical reasons	5.6%	2.9%	6.9%
56a. Used cocaine or `crack`	0.0%	1.1%	1.5%
56b. Used heroin or `smack`	0.0%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.1%	1.9%	2.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.4%	0.5%	1.0%
56f. Used `club drugs` such as ecstasy	1.4%	1.5%	1.5%
56g. Used steroids not prescribed for you by a doctor	2.1%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.2%	26.1%	24.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.2%	4.9%	3.9%
25. Carried a weapon such as a gun, knife or club on school property	5.4%	4.5%	6.4%
50b. Rode with someone who was drinking alcohol	20.5%	16.0%	24.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.4%	3.8%	3.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	21.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	29.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	41.1%	31.2%	35.5%
26a. Were in a physical fight	19.0%	19.1%	20.7%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.2%	6.3%	5.4%
35. Considered suicide	12.3%	11.7%	13.2%
36. Planned suicide	11.0%	8.6%	10.3%
37. Attempted suicide	4.1%	5.0%	5.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	19.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	39.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	20.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	61.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	65.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.1%	93.2%	90.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	71.5%	81.6%	72.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.1%	92.6%	93.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.8%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	52.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	18.6%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	32.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.5%	8.5%	5.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	17.8%	14.1%	13.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Livingston County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	98	66,629	366
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.4%	14.8%	3.3%
2. Grade level. 7th Grade	14.8%	14.3%	0.5%
2. Grade level. 8th Grade	18.8%	15.2%	41.7%
2. Grade level. 9th Grade	17.4%	21.3%	30.8%
2. Grade level. 10th Grade	20.1%	12.2%	3.3%
2. Grade level. 11th Grade	12.8%	12.6%	20.4%
2. Grade level. 12th Grade	4.7%	9.6%	0.0%
3. Male	44.2%	47.7%	43.9%
4. Hispanic or Latino	0.0%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	2.7%	13.0%	2.4%
5. Race, alone or in combination. White	96.6%	85.5%	98.6%
5. Race, alone or in combination. Other	1.3%	1.6%	0.9%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	32.9%	22.7%	35.8%
48b. Used electronic cigarettes	9.5%	16.0%	n/a
49b. Used hookahs or water pipes	6.0%	11.3%	n/a
50c. Used alcohol	41.5%	33.3%	46.7%
51b. Used marijuana	6.8%	15.2%	15.1%
52a. Used inhalants	5.4%	2.9%	5.7%
53a. Used RX not prescribed for you by a doctor	3.4%	7.4%	8.0%
54a. Used `OTC` drugs for non-medical reasons	1.4%	2.9%	6.6%
56a. Used cocaine or `crack`	1.4%	1.1%	1.4%
56b. Used heroin or `smack`	1.4%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.4%
56f. Used `club drugs` such as ecstasy	1.4%	1.5%	0.9%
56g. Used steroids not prescribed for you by a doctor	2.7%	0.9%	1.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	30.6%	26.1%	25.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.7%	4.9%	4.7%
25. Carried a weapon such as a gun, knife or club on school property	13.5%	4.5%	7.1%
50b. Rode with someone who was drinking alcohol	21.5%	16.0%	25.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.0%	3.8%	1.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	17.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.6%	31.2%	32.5%
26a. Were in a physical fight	21.1%	19.1%	19.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.4%	6.3%	10.9%
35. Considered suicide	9.5%	11.7%	11.8%
36. Planned suicide	6.8%	8.6%	8.1%
37. Attempted suicide	4.1%	5.0%	5.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	4.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	73.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	83.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	98.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.3%	93.2%	90.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	72.8%	81.6%	79.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.1%	92.6%	95.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	50.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	38.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	19.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.3%	8.5%	8.1%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.2%	14.1%	11.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Macon County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	44	66,629	345
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	23.5%	14.8%	10.6%
2. Grade level. 7th Grade	27.4%	14.3%	17.9%
2. Grade level. 8th Grade	8.9%	15.2%	1.6%
2. Grade level. 9th Grade	14.5%	21.3%	39.0%
2. Grade level. 10th Grade	25.7%	12.2%	15.9%
2. Grade level. 11th Grade	0.0%	12.6%	14.6%
2. Grade level. 12th Grade	0.0%	9.6%	0.4%
3. Male	42.8%	47.7%	44.1%
4. Hispanic or Latino	0.6%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	2.8%
5. Race, alone or in combination. White	100.0%	85.5%	96.8%
5. Race, alone or in combination. Other	1.7%	1.6%	2.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	24.0%	22.7%	40.5%
48b. Used electronic cigarettes	8.4%	16.0%	n/a
49b. Used hookahs or water pipes	9.7%	11.3%	n/a
50c. Used alcohol	36.0%	33.3%	50.8%
51b. Used marijuana	11.4%	15.2%	15.0%
52a. Used inhalants	2.8%	2.9%	4.9%
53a. Used RX not prescribed for you by a doctor	5.0%	7.4%	10.5%
54a. Used `OTC` drugs for non-medical reasons	5.0%	2.9%	5.7%
56a. Used cocaine or `crack`	0.0%	1.1%	1.6%
56b. Used heroin or `smack`	0.0%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	1.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.2%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.2%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	21.8%	26.1%	33.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.4%	4.9%	3.7%
25. Carried a weapon such as a gun, knife or club on school property	2.2%	4.5%	7.8%
50b. Rode with someone who was drinking alcohol	19.2%	16.0%	20.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.5%	3.8%	4.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	26.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	19.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.7%	31.2%	32.2%
26a. Were in a physical fight	19.6%	19.1%	28.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	10.6%	6.3%	6.5%
35. Considered suicide	6.7%	11.7%	14.8%
36. Planned suicide	4.0%	8.6%	11.4%
37. Attempted suicide	2.8%	5.0%	6.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	31.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	18.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	64.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	78.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	81.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.1%	93.2%	86.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	86.9%	81.6%	68.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	96.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.2%	92.6%	93.4%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	90.3%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	50.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	42.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.6%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	36.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	14.7%	8.5%	7.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	44.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	18.1%	14.1%	12.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Madison County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	158	66,629	362
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	7.7%	14.8%	4.6%
2. Grade level. 7th Grade	10.5%	14.3%	4.6%
2. Grade level. 8th Grade	28.7%	15.2%	34.5%
2. Grade level. 9th Grade	16.1%	21.3%	26.8%
2. Grade level. 10th Grade	21.0%	12.2%	24.7%
2. Grade level. 11th Grade	11.9%	12.6%	3.1%
2. Grade level. 12th Grade	4.2%	9.6%	1.5%
3. Male	49.0%	47.7%	50.0%
4. Hispanic or Latino	1.4%	2.5%	1.0%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	0.5%
5. Race, alone or in combination. White	98.6%	85.5%	99.0%
5. Race, alone or in combination. Other	0.7%	1.6%	2.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	39.2%	22.7%	37.1%
48b. Used electronic cigarettes	26.1%	16.0%	n/a
49b. Used hookahs or water pipes	6.3%	11.3%	n/a
50c. Used alcohol	34.0%	33.3%	37.1%
51b. Used marijuana	11.1%	15.2%	11.3%
52a. Used inhalants	4.2%	2.9%	4.1%
53a. Used RX not prescribed for you by a doctor	4.3%	7.4%	6.7%
54a. Used `OTC` drugs for non-medical reasons	2.1%	2.9%	4.6%
56a. Used cocaine or `crack`	0.7%	1.1%	1.0%
56b. Used heroin or `smack`	0.7%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.1%	1.9%	2.1%
56d. Used methamphetamine (meth, crank, crystal, ice)	2.8%	0.5%	2.1%
56f. Used `club drugs` such as ecstasy	2.8%	1.5%	0.5%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	2.1%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	29.6%	26.1%	24.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	4.9%	3.1%
25. Carried a weapon such as a gun, knife or club on school property	11.8%	4.5%	8.2%
50b. Rode with someone who was drinking alcohol	16.0%	16.0%	17.4%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.5%	3.8%	3.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	21.5%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	20.7%	31.2%	19.5%
26a. Were in a physical fight	24.3%	19.1%	17.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.5%	6.3%	5.7%
35. Considered suicide	10.5%	11.7%	10.4%
36. Planned suicide	12.0%	8.6%	9.3%
37. Attempted suicide	4.9%	5.0%	4.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	15.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	27.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	64.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	63.8%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	78.0%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.7%	93.2%	87.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	75.0%	81.6%	79.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.0%	92.6%	95.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.4%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	45.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	34.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.6%	8.5%	7.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	5.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	9.9%	14.1%	14.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Marion County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	161	66,629	276
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	21.3%
2. Grade level. 7th Grade	0.0%	14.3%	4.5%
2. Grade level. 8th Grade	38.3%	15.2%	23.4%
2. Grade level. 9th Grade	60.2%	21.3%	40.2%
2. Grade level. 10th Grade	1.5%	12.2%	9.9%
2. Grade level. 11th Grade	0.0%	12.6%	0.0%
2. Grade level. 12th Grade	0.0%	9.6%	0.7%
3. Male	51.0%	47.7%	48.2%
4. Hispanic or Latino	1.5%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	7.6%	13.0%	4.4%
5. Race, alone or in combination. White	91.8%	85.5%	96.4%
5. Race, alone or in combination. Other	0.6%	1.6%	2.9%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	16.5%	22.7%	21.8%
48b. Used electronic cigarettes	7.6%	16.0%	n/a
49b. Used hookahs or water pipes	2.4%	11.3%	n/a
50c. Used alcohol	38.0%	33.3%	34.0%
51b. Used marijuana	4.6%	15.2%	7.3%
52a. Used inhalants	2.3%	2.9%	3.6%
53a. Used RX not prescribed for you by a doctor	5.3%	7.4%	6.0%
54a. Used `OTC` drugs for non-medical reasons	1.7%	2.9%	6.0%
56a. Used cocaine or `crack`	0.9%	1.1%	1.4%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	2.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	0.9%	1.5%	1.4%
56g. Used steroids not prescribed for you by a doctor	1.7%	0.9%	0.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	10.2%	26.1%	14.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.2%	4.9%	3.1%
25. Carried a weapon such as a gun, knife or club on school property	10.1%	4.5%	8.2%
50b. Rode with someone who was drinking alcohol	16.8%	16.0%	22.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.9%	3.8%	1.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	25.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	29.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	28.7%	31.2%	32.7%
26a. Were in a physical fight	13.7%	19.1%	18.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.5%	6.3%	8.7%
35. Considered suicide	14.2%	11.7%	15.1%
36. Planned suicide	6.4%	8.6%	13.8%
37. Attempted suicide	7.3%	5.0%	7.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	24.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	9.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	77.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	85.4%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.8%	93.2%	91.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	85.5%	81.6%	84.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.7%	92.6%	96.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.2%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	42.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	23.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.7%	8.5%	7.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.3%	14.1%	10.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Mercer County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	88	66,629	104
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	15.0%	14.8%	32.8%
2. Grade level. 7th Grade	20.0%	14.3%	6.0%
2. Grade level. 8th Grade	17.5%	15.2%	3.0%
2. Grade level. 9th Grade	20.0%	21.3%	25.4%
2. Grade level. 10th Grade	15.0%	12.2%	4.5%
2. Grade level. 11th Grade	12.5%	12.6%	9.0%
2. Grade level. 12th Grade	0.0%	9.6%	19.4%
3. Male	51.2%	47.7%	48.5%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	100.0%	85.5%	100.0%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	27.5%	22.7%	35.3%
48b. Used electronic cigarettes	4.9%	16.0%	n/a
49b. Used hookahs or water pipes	0.0%	11.3%	n/a
50c. Used alcohol	32.5%	33.3%	43.3%
51b. Used marijuana	0.0%	15.2%	7.4%
52a. Used inhalants	2.5%	2.9%	6.0%
53a. Used RX not prescribed for you by a doctor	4.9%	7.4%	7.4%
54a. Used `OTC` drugs for non-medical reasons	2.5%	2.9%	5.9%
56a. Used cocaine or `crack`	0.0%	1.1%	1.5%
56b. Used heroin or `smack`	0.0%	0.3%	1.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	1.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.5%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.8%	26.1%	17.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	3.0%
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	5.9%
50b. Rode with someone who was drinking alcohol	15.4%	16.0%	21.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.5%	3.8%	1.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	30.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	37.5%	31.2%	26.2%
26a. Were in a physical fight	26.8%	19.1%	20.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	15.0%	6.3%	7.6%
35. Considered suicide	9.8%	11.7%	10.4%
36. Planned suicide	9.8%	8.6%	4.5%
37. Attempted suicide	2.5%	5.0%	4.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	15.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	22.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	7.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	73.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	94.9%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.1%	93.2%	90.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.5%	81.6%	81.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.4%	92.6%	98.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	100.0%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	53.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	35.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	17.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.7%	8.5%	11.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.0%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	15.0%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	7.5%	14.1%	11.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Miller County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	893	66,629	1037
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.5%	14.8%	13.6%
2. Grade level. 7th Grade	16.8%	14.3%	8.6%
2. Grade level. 8th Grade	19.4%	15.2%	24.9%
2. Grade level. 9th Grade	13.6%	21.3%	21.7%
2. Grade level. 10th Grade	15.8%	12.2%	21.7%
2. Grade level. 11th Grade	13.6%	12.6%	6.9%
2. Grade level. 12th Grade	9.3%	9.6%	2.5%
3. Male	48.7%	47.7%	48.5%
4. Hispanic or Latino	1.1%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	0.7%
5. Race, alone or in combination. White	98.6%	85.5%	98.8%
5. Race, alone or in combination. Other	0.7%	1.6%	1.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	29.3%	22.7%	26.8%
48b. Used electronic cigarettes	17.0%	16.0%	n/a
49b. Used hookahs or water pipes	5.4%	11.3%	n/a
50c. Used alcohol	34.7%	33.3%	34.6%
51b. Used marijuana	8.6%	15.2%	9.6%
52a. Used inhalants	3.3%	2.9%	4.9%
53a. Used RX not prescribed for you by a doctor	6.5%	7.4%	7.6%
54a. Used `OTC` drugs for non-medical reasons	2.5%	2.9%	4.4%
56a. Used cocaine or `crack`	0.7%	1.1%	1.5%
56b. Used heroin or `smack`	0.4%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.1%	1.9%	2.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.5%	1.0%
56f. Used `club drugs` such as ecstasy	0.7%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	24.8%	26.1%	24.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	4.9%	3.5%
25. Carried a weapon such as a gun, knife or club on school property	7.1%	4.5%	4.2%
50b. Rode with someone who was drinking alcohol	15.9%	16.0%	16.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.9%	3.8%	1.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.3%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.6%	31.2%	31.8%
26a. Were in a physical fight	19.2%	19.1%	20.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.8%	6.3%	5.9%
35. Considered suicide	11.1%	11.7%	10.1%
36. Planned suicide	7.6%	8.6%	8.1%
37. Attempted suicide	5.0%	5.0%	5.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	11.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	74.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	75.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	91.7%	93.2%	93.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.2%	81.6%	81.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.9%	92.6%	94.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.3%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	32.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.6%	8.5%	7.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.3%	14.1%	13.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Mississippi County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	283	66,629	140
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	4.6%	14.8%	25.9%
2. Grade level. 7th Grade	10.5%	14.3%	26.9%
2. Grade level. 8th Grade	25.7%	15.2%	0.0%
2. Grade level. 9th Grade	15.1%	21.3%	34.0%
2. Grade level. 10th Grade	16.4%	12.2%	6.6%
2. Grade level. 11th Grade	10.5%	12.6%	6.1%
2. Grade level. 12th Grade	17.1%	9.6%	0.5%
3. Male	55.0%	47.7%	60.9%
4. Hispanic or Latino	2.0%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	25.0%	13.0%	20.3%
5. Race, alone or in combination. White	75.7%	85.5%	80.6%
5. Race, alone or in combination. Other	0.7%	1.6%	0.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	40.1%	22.7%	44.9%
48b. Used electronic cigarettes	17.2%	16.0%	n/a
49b. Used hookahs or water pipes	10.5%	11.3%	n/a
50c. Used alcohol	46.7%	33.3%	39.3%
51b. Used marijuana	23.3%	15.2%	27.0%
52a. Used inhalants	3.3%	2.9%	9.6%
53a. Used RX not prescribed for you by a doctor	7.2%	7.4%	17.9%
54a. Used `OTC` drugs for non-medical reasons	2.6%	2.9%	5.1%
56a. Used cocaine or `crack`	0.7%	1.1%	4.1%
56b. Used heroin or `smack`	2.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.0%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	2.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	2.0%	1.5%	0.5%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	1.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.8%	26.1%	23.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.4%	4.9%	5.1%
25. Carried a weapon such as a gun, knife or club on school property	3.9%	4.5%	7.1%
50b. Rode with someone who was drinking alcohol	16.7%	16.0%	17.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	5.8%	3.8%	2.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	37.5%	31.2%	42.9%
26a. Were in a physical fight	23.5%	19.1%	31.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	14.5%	6.3%	8.9%
35. Considered suicide	15.8%	11.7%	19.4%
36. Planned suicide	11.8%	8.6%	21.5%
37. Attempted suicide	8.5%	5.0%	12.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	12.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	29.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	63.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	64.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	60.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.0%	93.2%	84.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.5%	81.6%	76.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.7%	92.6%	88.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.7%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	37.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.2%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	44.7%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.6%	8.5%	13.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	15.4%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.2%	14.1%	14.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Moniteau County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	331	66,629	251
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.4%	14.8%	0.0%
2. Grade level. 7th Grade	21.4%	14.3%	21.2%
2. Grade level. 8th Grade	21.4%	15.2%	25.8%
2. Grade level. 9th Grade	12.8%	21.3%	53.0%
2. Grade level. 10th Grade	0.0%	12.2%	0.0%
2. Grade level. 11th Grade	16.0%	12.6%	0.0%
2. Grade level. 12th Grade	15.0%	9.6%	0.0%
3. Male	59.6%	47.7%	54.1%
4. Hispanic or Latino	2.1%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	2.1%	13.0%	2.6%
5. Race, alone or in combination. White	96.8%	85.5%	98.5%
5. Race, alone or in combination. Other	1.1%	1.6%	1.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	35.3%	22.7%	30.0%
48b. Used electronic cigarettes	17.6%	16.0%	n/a
49b. Used hookahs or water pipes	9.6%	11.3%	n/a
50c. Used alcohol	43.9%	33.3%	47.7%
51b. Used marijuana	17.6%	15.2%	11.3%
52a. Used inhalants	2.1%	2.9%	4.5%
53a. Used RX not prescribed for you by a doctor	3.7%	7.4%	6.4%
54a. Used `OTC` drugs for non-medical reasons	2.1%	2.9%	4.9%
56a. Used cocaine or `crack`	4.3%	1.1%	1.1%
56b. Used heroin or `smack`	0.0%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.7%	1.9%	0.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.6%	0.5%	1.2%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.5%
56g. Used steroids not prescribed for you by a doctor	1.1%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	23.1%	26.1%	21.3%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.8%	4.9%	3.4%
25. Carried a weapon such as a gun, knife or club on school property	10.6%	4.5%	6.7%
50b. Rode with someone who was drinking alcohol	24.6%	16.0%	26.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.1%	3.8%	1.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	17.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	36.9%	31.2%	36.5%
26a. Were in a physical fight	18.2%	19.1%	25.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.9%	6.3%	8.3%
35. Considered suicide	9.0%	11.7%	12.8%
36. Planned suicide	7.0%	8.6%	8.6%
37. Attempted suicide	4.3%	5.0%	6.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	15.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	37.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	23.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.4%	93.2%	95.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	74.3%	81.6%	73.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	88.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.8%	92.6%	97.4%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	45.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	18.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	27.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.4%	8.5%	7.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.6%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	22.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.3%	14.1%	16.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Monroe County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	172	66,629	246
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	24.3%	14.8%	14.2%
2. Grade level. 7th Grade	15.5%	14.3%	10.4%
2. Grade level. 8th Grade	3.9%	15.2%	15.7%
2. Grade level. 9th Grade	13.6%	21.3%	41.8%
2. Grade level. 10th Grade	10.7%	12.2%	6.0%
2. Grade level. 11th Grade	12.6%	12.6%	0.0%
2. Grade level. 12th Grade	19.4%	9.6%	11.9%
3. Male	52.4%	47.7%	49.3%
4. Hispanic or Latino	1.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	3.9%	13.0%	3.0%
5. Race, alone or in combination. White	95.1%	85.5%	97.0%
5. Race, alone or in combination. Other	1.0%	1.6%	0.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	34.3%	22.7%	38.5%
48b. Used electronic cigarettes	13.7%	16.0%	n/a
49b. Used hookahs or water pipes	3.0%	11.3%	n/a
50c. Used alcohol	37.9%	33.3%	52.2%
51b. Used marijuana	6.8%	15.2%	14.1%
52a. Used inhalants	2.9%	2.9%	3.7%
53a. Used RX not prescribed for you by a doctor	10.8%	7.4%	7.4%
54a. Used `OTC` drugs for non-medical reasons	1.9%	2.9%	5.2%
56a. Used cocaine or `crack`	1.0%	1.1%	0.7%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.0%	1.9%	0.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.5%	0.8%
56f. Used `club drugs` such as ecstasy	1.0%	1.5%	0.7%
56g. Used steroids not prescribed for you by a doctor	1.9%	0.9%	0.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.4%	26.1%	25.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	4.9%	3.0%
25. Carried a weapon such as a gun, knife or club on school property	13.7%	4.5%	7.5%
50b. Rode with someone who was drinking alcohol	11.8%	16.0%	17.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.9%	3.8%	2.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	11.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.4%	31.2%	32.6%
26a. Were in a physical fight	15.5%	19.1%	22.2%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.8%	6.3%	3.7%
35. Considered suicide	5.9%	11.7%	11.2%
36. Planned suicide	4.9%	8.6%	9.0%
37. Attempted suicide	3.9%	5.0%	4.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	6.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	79.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.1%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	84.3%	93.2%	88.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	72.5%	81.6%	69.6%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.1%	92.6%	94.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	48.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	22.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	23.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.9%	8.5%	6.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	23.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.7%	14.1%	13.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Montgomery County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	127	66,629	358
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.4%	14.8%	21.3%
2. Grade level. 7th Grade	16.7%	14.3%	13.3%
2. Grade level. 8th Grade	16.0%	15.2%	14.4%
2. Grade level. 9th Grade	9.0%	21.3%	20.2%
2. Grade level. 10th Grade	13.2%	12.2%	12.2%
2. Grade level. 11th Grade	9.0%	12.6%	10.6%
2. Grade level. 12th Grade	18.8%	9.6%	8.0%
3. Male	50.0%	47.7%	50.0%
4. Hispanic or Latino	1.4%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	0.7%	13.0%	1.6%
5. Race, alone or in combination. White	98.6%	85.5%	97.3%
5. Race, alone or in combination. Other	1.4%	1.6%	1.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	26.1%	22.7%	33.0%
48b. Used electronic cigarettes	15.4%	16.0%	n/a
49b. Used hookahs or water pipes	4.2%	11.3%	n/a
50c. Used alcohol	39.6%	33.3%	48.9%
51b. Used marijuana	11.9%	15.2%	13.9%
52a. Used inhalants	0.0%	2.9%	3.7%
53a. Used RX not prescribed for you by a doctor	3.5%	7.4%	9.0%
54a. Used `OTC` drugs for non-medical reasons	2.1%	2.9%	6.9%
56a. Used cocaine or `crack`	0.7%	1.1%	1.6%
56b. Used heroin or `smack`	0.0%	0.3%	1.1%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	3.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.1%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	0.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	28.0%	26.1%	29.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.5%	4.9%	4.3%
25. Carried a weapon such as a gun, knife or club on school property	2.8%	4.5%	8.1%
50b. Rode with someone who was drinking alcohol	17.5%	16.0%	19.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.1%	3.8%	3.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	12.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.5%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.5%	31.2%	33.2%
26a. Were in a physical fight	19.7%	19.1%	15.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.5%	6.3%	4.3%
35. Considered suicide	10.5%	11.7%	8.6%
36. Planned suicide	8.5%	8.6%	3.8%
37. Attempted suicide	4.9%	5.0%	3.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	30.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	20.4%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	75.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.9%	93.2%	89.8%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	70.6%	81.6%	70.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.9%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.3%	92.6%	95.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.4%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	28.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	12.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.6%	8.5%	7.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.4%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.5%	14.1%	18.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Morgan County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	302	66,629	264
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.5%	14.8%	0.3%
2. Grade level. 7th Grade	27.8%	14.3%	0.0%
2. Grade level. 8th Grade	5.6%	15.2%	39.7%
2. Grade level. 9th Grade	23.7%	21.3%	35.8%
2. Grade level. 10th Grade	4.0%	12.2%	0.0%
2. Grade level. 11th Grade	35.4%	12.6%	23.5%
2. Grade level. 12th Grade	3.0%	9.6%	0.6%
3. Male	47.0%	47.7%	47.1%
4. Hispanic or Latino	1.0%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.5%	13.0%	1.0%
5. Race, alone or in combination. White	98.5%	85.5%	99.0%
5. Race, alone or in combination. Other	0.0%	1.6%	1.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	38.4%	22.7%	39.7%
48b. Used electronic cigarettes	15.6%	16.0%	n/a
49b. Used hookahs or water pipes	8.6%	11.3%	n/a
50c. Used alcohol	42.4%	33.3%	51.6%
51b. Used marijuana	16.2%	15.2%	22.4%
52a. Used inhalants	2.0%	2.9%	6.7%
53a. Used RX not prescribed for you by a doctor	11.2%	7.4%	10.6%
54a. Used `OTC` drugs for non-medical reasons	6.1%	2.9%	9.3%
56a. Used cocaine or `crack`	1.5%	1.1%	2.3%
56b. Used heroin or `smack`	1.0%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.6%	1.9%	5.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	2.6%	0.5%	2.0%
56f. Used `club drugs` such as ecstasy	3.6%	1.5%	1.9%
56g. Used steroids not prescribed for you by a doctor	1.0%	0.9%	1.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	29.6%	26.1%	34.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.6%	4.9%	4.8%
25. Carried a weapon such as a gun, knife or club on school property	6.5%	4.5%	7.1%
50b. Rode with someone who was drinking alcohol	16.7%	16.0%	19.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	6.1%	3.8%	6.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.4%	31.2%	39.4%
26a. Were in a physical fight	22.7%	19.1%	28.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	9.1%	6.3%	7.1%
35. Considered suicide	13.1%	11.7%	15.4%
36. Planned suicide	8.6%	8.6%	14.1%
37. Attempted suicide	6.1%	5.0%	4.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	25.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	22.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	63.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	69.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	71.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	83.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.9%	93.2%	91.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	74.7%	81.6%	74.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.7%	92.6%	91.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.3%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	46.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.9%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	40.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.7%	8.5%	10.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	27.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	17.8%	14.1%	17.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey New Madrid County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	369	66,629	572
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.0%	14.8%	16.0%
2. Grade level. 7th Grade	17.7%	14.3%	3.8%
2. Grade level. 8th Grade	17.2%	15.2%	22.0%
2. Grade level. 9th Grade	14.8%	21.3%	25.4%
2. Grade level. 10th Grade	19.1%	12.2%	16.0%
2. Grade level. 11th Grade	12.0%	12.6%	11.5%
2. Grade level. 12th Grade	8.1%	9.6%	5.2%
3. Male	47.4%	47.7%	46.4%
4. Hispanic or Latino	1.0%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	16.0%	13.0%	14.3%
5. Race, alone or in combination. White	84.0%	85.5%	86.0%
5. Race, alone or in combination. Other	0.5%	1.6%	1.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	36.7%	22.7%	37.9%
48b. Used electronic cigarettes	18.1%	16.0%	n/a
49b. Used hookahs or water pipes	5.3%	11.3%	n/a
50c. Used alcohol	44.0%	33.3%	46.4%
51b. Used marijuana	14.0%	15.2%	17.7%
52a. Used inhalants	5.7%	2.9%	6.5%
53a. Used RX not prescribed for you by a doctor	7.2%	7.4%	10.2%
54a. Used `OTC` drugs for non-medical reasons	4.8%	2.9%	3.1%
56a. Used cocaine or `crack`	1.4%	1.1%	1.7%
56b. Used heroin or `smack`	0.5%	0.3%	0.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.0%	1.9%	1.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.4%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.7%
56g. Used steroids not prescribed for you by a doctor	1.9%	0.9%	1.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	34.6%	26.1%	32.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.3%	4.9%	6.9%
25. Carried a weapon such as a gun, knife or club on school property	4.8%	4.5%	2.4%
50b. Rode with someone who was drinking alcohol	21.1%	16.0%	26.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.3%	3.8%	2.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	21.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	26.0%	31.2%	25.1%
26a. Were in a physical fight	23.8%	19.1%	22.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.7%	6.3%	4.5%
35. Considered suicide	15.2%	11.7%	8.2%
36. Planned suicide	8.6%	8.6%	6.2%
37. Attempted suicide	6.7%	5.0%	2.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	15.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	29.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	20.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	60.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	67.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.1%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.5%	93.2%	90.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	77.0%	81.6%	81.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.8%	92.6%	96.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.7%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	51.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	33.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	18.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	32.7%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.4%	8.5%	4.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	7.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.0%	14.1%	13.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Newton County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	888	66,629	1349
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	16.8%	14.8%	7.9%
2. Grade level. 7th Grade	1.6%	14.3%	19.6%
2. Grade level. 8th Grade	29.0%	15.2%	21.1%
2. Grade level. 9th Grade	28.7%	21.3%	50.2%
2. Grade level. 10th Grade	6.8%	12.2%	0.5%
2. Grade level. 11th Grade	9.8%	12.6%	0.3%
2. Grade level. 12th Grade	7.3%	9.6%	0.4%
3. Male	48.5%	47.7%	48.9%
4. Hispanic or Latino	2.8%	2.5%	1.2%
5. Race, alone or in combination. Black or African Am.	1.2%	13.0%	1.1%
5. Race, alone or in combination. White	95.0%	85.5%	95.2%
5. Race, alone or in combination. Other	1.4%	1.6%	3.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	29.1%	22.7%	31.0%
48b. Used electronic cigarettes	20.1%	16.0%	n/a
49b. Used hookahs or water pipes	6.0%	11.3%	n/a
50c. Used alcohol	31.8%	33.3%	32.3%
51b. Used marijuana	12.9%	15.2%	10.9%
52a. Used inhalants	3.9%	2.9%	5.9%
53a. Used RX not prescribed for you by a doctor	6.8%	7.4%	7.8%
54a. Used `OTC` drugs for non-medical reasons	2.3%	2.9%	6.3%
56a. Used cocaine or `crack`	0.9%	1.1%	1.2%
56b. Used heroin or `smack`	0.1%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.2%	1.9%	2.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	0.9%
56f. Used `club drugs` such as ecstasy	1.6%	1.5%	1.3%
56g. Used steroids not prescribed for you by a doctor	1.4%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	29.1%	26.1%	30.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.8%	4.9%	3.9%
25. Carried a weapon such as a gun, knife or club on school property	6.7%	4.5%	5.7%
50b. Rode with someone who was drinking alcohol	12.4%	16.0%	14.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.0%	3.8%	3.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	11.1%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.5%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	36.4%	31.2%	32.1%
26a. Were in a physical fight	19.3%	19.1%	19.7%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.6%	6.3%	4.8%
35. Considered suicide	15.6%	11.7%	11.4%
36. Planned suicide	12.4%	8.6%	7.7%
37. Attempted suicide	6.9%	5.0%	4.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	76.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.8%	93.2%	94.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.1%	81.6%	85.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.6%	92.6%	96.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.3%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	32.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.3%	8.5%	4.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	7.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.9%	14.1%	12.0%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Nodaway County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	546	66,629	438
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	11.4%	14.8%	2.8%
2. Grade level. 7th Grade	1.5%	14.3%	3.8%
2. Grade level. 8th Grade	12.6%	15.2%	10.2%
2. Grade level. 9th Grade	12.3%	21.3%	32.9%
2. Grade level. 10th Grade	20.2%	12.2%	9.8%
2. Grade level. 11th Grade	23.4%	12.6%	29.5%
2. Grade level. 12th Grade	18.7%	9.6%	11.0%
3. Male	50.1%	47.7%	48.5%
4. Hispanic or Latino	2.0%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	2.9%	13.0%	2.6%
5. Race, alone or in combination. White	96.5%	85.5%	98.5%
5. Race, alone or in combination. Other	0.6%	1.6%	0.9%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.5%	22.7%	31.3%
48b. Used electronic cigarettes	10.0%	16.0%	n/a
49b. Used hookahs or water pipes	13.9%	11.3%	n/a
50c. Used alcohol	42.4%	33.3%	46.8%
51b. Used marijuana	12.9%	15.2%	10.0%
52a. Used inhalants	2.1%	2.9%	3.0%
53a. Used RX not prescribed for you by a doctor	7.0%	7.4%	7.4%
54a. Used `OTC` drugs for non-medical reasons	1.8%	2.9%	4.7%
56a. Used cocaine or `crack`	2.1%	1.1%	0.6%
56b. Used heroin or `smack`	0.3%	0.3%	0.4%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.0%	1.9%	2.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.5%	0.9%
56f. Used `club drugs` such as ecstasy	3.2%	1.5%	1.5%
56g. Used steroids not prescribed for you by a doctor	2.1%	0.9%	1.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	19.5%	26.1%	19.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.6%	4.9%	3.2%
25. Carried a weapon such as a gun, knife or club on school property	9.4%	4.5%	6.8%
50b. Rode with someone who was drinking alcohol	18.5%	16.0%	19.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.2%	3.8%	2.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.8%	31.2%	25.2%
26a. Were in a physical fight	17.3%	19.1%	13.9%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.8%	6.3%	3.6%
35. Considered suicide	7.9%	11.7%	6.4%
36. Planned suicide	6.7%	8.6%	4.7%
37. Attempted suicide	3.8%	5.0%	2.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	34.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	64.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	74.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.9%	93.2%	88.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	73.2%	81.6%	71.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	88.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	89.4%	92.6%	95.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.3%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	45.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	35.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.1%	8.5%	6.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.0%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	23.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.0%	14.1%	11.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Osage County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	116	66,629	177
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	22.5%	14.8%	14.7%
2. Grade level. 7th Grade	8.8%	14.3%	4.2%
2. Grade level. 8th Grade	8.2%	15.2%	24.4%
2. Grade level. 9th Grade	56.0%	21.3%	31.1%
2. Grade level. 10th Grade	4.4%	12.2%	8.4%
2. Grade level. 11th Grade	0.0%	12.6%	8.0%
2. Grade level. 12th Grade	0.0%	9.6%	9.2%
3. Male	49.7%	47.7%	50.2%
4. Hispanic or Latino	0.6%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.5%	13.0%	0.0%
5. Race, alone or in combination. White	99.5%	85.5%	99.2%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	27.1%	22.7%	25.7%
48b. Used electronic cigarettes	9.3%	16.0%	n/a
49b. Used hookahs or water pipes	1.7%	11.3%	n/a
50c. Used alcohol	42.5%	33.3%	47.9%
51b. Used marijuana	6.8%	15.2%	5.5%
52a. Used inhalants	2.8%	2.9%	3.8%
53a. Used RX not prescribed for you by a doctor	4.4%	7.4%	9.7%
54a. Used `OTC` drugs for non-medical reasons	1.6%	2.9%	5.1%
56a. Used cocaine or `crack`	1.7%	1.1%	0.8%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.7%	1.9%	0.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.7%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	1.7%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	23.5%	26.1%	20.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.8%	4.9%	3.8%
25. Carried a weapon such as a gun, knife or club on school property	12.0%	4.5%	8.0%
50b. Rode with someone who was drinking alcohol	13.7%	16.0%	24.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.9%	3.8%	2.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	10.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	14.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.2%	31.2%	34.2%
26a. Were in a physical fight	16.5%	19.1%	21.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.2%	6.3%	3.8%
35. Considered suicide	12.1%	11.7%	12.4%
36. Planned suicide	9.8%	8.6%	10.2%
37. Attempted suicide	4.5%	5.0%	4.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	7.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	81.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	86.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.7%	93.2%	89.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.0%	81.6%	69.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.1%	92.6%	97.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.2%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	36.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	23.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	18.5%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.8%	8.5%	8.1%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	15.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.9%	14.1%	11.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Ozark County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	106	66,629	142
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	20.4%	14.8%	0.0%
2. Grade level. 7th Grade	15.3%	14.3%	23.3%
2. Grade level. 8th Grade	16.3%	15.2%	10.5%
2. Grade level. 9th Grade	14.3%	21.3%	41.4%
2. Grade level. 10th Grade	8.2%	12.2%	24.8%
2. Grade level. 11th Grade	16.3%	12.6%	0.0%
2. Grade level. 12th Grade	9.2%	9.6%	0.0%
3. Male	47.5%	47.7%	49.6%
4. Hispanic or Latino	1.0%	2.5%	0.8%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	99.0%	85.5%	99.2%
5. Race, alone or in combination. Other	1.0%	1.6%	1.5%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	32.0%	22.7%	30.8%
48b. Used electronic cigarettes	10.0%	16.0%	n/a
49b. Used hookahs or water pipes	4.0%	11.3%	n/a
50c. Used alcohol	36.4%	33.3%	33.8%
51b. Used marijuana	14.3%	15.2%	16.5%
52a. Used inhalants	3.1%	2.9%	3.0%
53a. Used RX not prescribed for you by a doctor	5.2%	7.4%	4.5%
54a. Used `OTC` drugs for non-medical reasons	1.1%	2.9%	5.3%
56a. Used cocaine or `crack`	1.0%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	3.1%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	0.8%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.3%	26.1%	28.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.0%	4.9%	5.3%
25. Carried a weapon such as a gun, knife or club on school property	5.0%	4.5%	9.9%
50b. Rode with someone who was drinking alcohol	13.3%	16.0%	15.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.0%	3.8%	1.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	22.9%	31.2%	34.4%
26a. Were in a physical fight	13.0%	19.1%	23.1%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.0%	6.3%	11.3%
35. Considered suicide	12.0%	11.7%	9.0%
36. Planned suicide	7.0%	8.6%	6.1%
37. Attempted suicide	4.0%	5.0%	3.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.0%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	71.7%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	75.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.8%	93.2%	94.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.4%	81.6%	86.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.4%	92.6%	94.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	89.7%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	42.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.3%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	28.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	3.1%	8.5%	7.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	6.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	9.4%	14.1%	14.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Pemiscot County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	470	66,629	452
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.1%	14.8%	3.8%
2. Grade level. 7th Grade	17.1%	14.3%	5.1%
2. Grade level. 8th Grade	24.4%	15.2%	27.0%
2. Grade level. 9th Grade	14.1%	21.3%	26.3%
2. Grade level. 10th Grade	14.1%	12.2%	18.1%
2. Grade level. 11th Grade	8.1%	12.6%	14.0%
2. Grade level. 12th Grade	5.1%	9.6%	5.7%
3. Male	42.2%	47.7%	45.4%
4. Hispanic or Latino	1.3%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	25.9%	13.0%	26.1%
5. Race, alone or in combination. White	74.0%	85.5%	74.2%
5. Race, alone or in combination. Other	0.4%	1.6%	3.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	24.6%	22.7%	33.3%
48b. Used electronic cigarettes	15.4%	16.0%	n/a
49b. Used hookahs or water pipes	4.4%	11.3%	n/a
50c. Used alcohol	27.6%	33.3%	44.1%
51b. Used marijuana	11.5%	15.2%	15.3%
52a. Used inhalants	3.5%	2.9%	5.7%
53a. Used RX not prescribed for you by a doctor	9.2%	7.4%	14.6%
54a. Used `OTC` drugs for non-medical reasons	3.5%	2.9%	8.0%
56a. Used cocaine or `crack`	0.4%	1.1%	1.3%
56b. Used heroin or `smack`	0.4%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.3%	1.9%	1.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	0.4%	1.5%	1.0%
56g. Used steroids not prescribed for you by a doctor	1.8%	0.9%	1.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	37.8%	26.1%	35.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.5%	4.9%	8.6%
25. Carried a weapon such as a gun, knife or club on school property	3.9%	4.5%	3.8%
50b. Rode with someone who was drinking alcohol	19.2%	16.0%	22.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.0%	3.8%	3.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	19.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	27.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	38.5%	31.2%	26.9%
26a. Were in a physical fight	25.9%	19.1%	28.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	9.4%	6.3%	6.4%
35. Considered suicide	12.5%	11.7%	13.0%
36. Planned suicide	10.8%	8.6%	11.3%
37. Attempted suicide	7.0%	5.0%	7.6%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.9%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	20.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	77.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	78.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	81.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	90.1%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.2%	93.2%	90.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	89.8%	81.6%	85.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.5%	92.6%	95.8%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.6%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	50.2%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	37.1%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	29.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	40.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	20.3%	8.5%	7.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	24.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	30.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	28.9%	14.1%	16.2%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Perry County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	78	66,629	325
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	18.5%	14.8%	45.1%
2. Grade level. 7th Grade	15.9%	14.3%	0.0%
2. Grade level. 8th Grade	13.4%	15.2%	0.0%
2. Grade level. 9th Grade	28.0%	21.3%	22.9%
2. Grade level. 10th Grade	3.0%	12.2%	1.0%
2. Grade level. 11th Grade	0.0%	12.6%	28.3%
2. Grade level. 12th Grade	21.1%	9.6%	2.7%
3. Male	42.1%	47.7%	47.2%
4. Hispanic or Latino	1.7%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.9%	13.0%	0.0%
5. Race, alone or in combination. White	98.7%	85.5%	99.3%
5. Race, alone or in combination. Other	0.0%	1.6%	2.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.6%	22.7%	33.4%
48b. Used electronic cigarettes	4.8%	16.0%	n/a
49b. Used hookahs or water pipes	4.8%	11.3%	n/a
50c. Used alcohol	36.4%	33.3%	44.1%
51b. Used marijuana	9.3%	15.2%	12.7%
52a. Used inhalants	2.6%	2.9%	4.0%
53a. Used RX not prescribed for you by a doctor	7.8%	7.4%	5.4%
54a. Used `OTC` drugs for non-medical reasons	1.3%	2.9%	5.0%
56a. Used cocaine or `crack`	0.0%	1.1%	1.4%
56b. Used heroin or `smack`	0.0%	0.3%	0.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.4%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.3%	0.5%	2.0%
56f. Used `club drugs` such as ecstasy	1.3%	1.5%	2.4%
56g. Used steroids not prescribed for you by a doctor	1.3%	0.9%	1.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	18.2%	26.1%	28.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.9%	4.9%	6.8%
25. Carried a weapon such as a gun, knife or club on school property	3.1%	4.5%	5.0%
50b. Rode with someone who was drinking alcohol	12.4%	16.0%	24.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.4%	3.8%	5.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	16.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	23.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	27.5%	31.2%	32.6%
26a. Were in a physical fight	10.7%	19.1%	17.2%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	1.7%	6.3%	6.0%
35. Considered suicide	9.4%	11.7%	12.4%
36. Planned suicide	6.0%	8.6%	7.5%
37. Attempted suicide	1.3%	5.0%	5.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	77.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	85.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	85.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.9%	93.2%	89.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	75.7%	81.6%	71.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.1%	92.6%	94.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.0%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	35.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	28.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.6%	8.5%	11.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	14.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.7%	14.1%	17.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Pettis County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	664	66,629	933
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	28.3%	14.8%	27.9%
2. Grade level. 7th Grade	8.3%	14.3%	5.4%
2. Grade level. 8th Grade	8.5%	15.2%	2.2%
2. Grade level. 9th Grade	16.5%	21.3%	38.5%
2. Grade level. 10th Grade	12.0%	12.2%	0.0%
2. Grade level. 11th Grade	15.1%	12.6%	25.1%
2. Grade level. 12th Grade	11.1%	9.6%	1.0%
3. Male	49.7%	47.7%	46.6%
4. Hispanic or Latino	3.5%	2.5%	1.1%
5. Race, alone or in combination. Black or African Am.	3.0%	13.0%	3.5%
5. Race, alone or in combination. White	95.3%	85.5%	95.7%
5. Race, alone or in combination. Other	2.6%	1.6%	1.9%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	22.4%	22.7%	28.0%
48b. Used electronic cigarettes	12.7%	16.0%	n/a
49b. Used hookahs or water pipes	10.1%	11.3%	n/a
50c. Used alcohol	36.1%	33.3%	39.6%
51b. Used marijuana	12.0%	15.2%	16.5%
52a. Used inhalants	5.1%	2.9%	6.5%
53a. Used RX not prescribed for you by a doctor	10.4%	7.4%	10.9%
54a. Used `OTC` drugs for non-medical reasons	4.7%	2.9%	6.9%
56a. Used cocaine or `crack`	1.8%	1.1%	2.6%
56b. Used heroin or `smack`	0.6%	0.3%	0.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.0%	1.9%	2.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.5%	1.6%
56f. Used `club drugs` such as ecstasy	1.6%	1.5%	2.8%
56g. Used steroids not prescribed for you by a doctor	1.9%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.9%	26.1%	24.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.3%	4.9%	3.7%
25. Carried a weapon such as a gun, knife or club on school property	5.0%	4.5%	5.8%
50b. Rode with someone who was drinking alcohol	16.1%	16.0%	16.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.4%	3.8%	3.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.6%	31.2%	30.7%
26a. Were in a physical fight	17.5%	19.1%	21.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.0%	6.3%	6.2%
35. Considered suicide	11.0%	11.7%	11.4%
36. Planned suicide	8.3%	8.6%	8.9%
37. Attempted suicide	5.0%	5.0%	4.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	12.1%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	75.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	79.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.2%	93.2%	91.9%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.6%	81.6%	80.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.9%	92.6%	93.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.7%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	37.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	28.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.8%	8.5%	6.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.1%	14.1%	16.0%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Phelps County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	368	66,629	994
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	0.0%	14.8%	2.1%
2. Grade level. 7th Grade	27.6%	14.3%	26.9%
2. Grade level. 8th Grade	19.9%	15.2%	1.7%
2. Grade level. 9th Grade	0.0%	21.3%	33.0%
2. Grade level. 10th Grade	22.1%	12.2%	29.6%
2. Grade level. 11th Grade	9.4%	12.6%	4.2%
2. Grade level. 12th Grade	20.9%	9.6%	2.5%
3. Male	54.4%	47.7%	50.8%
4. Hispanic or Latino	1.7%	2.5%	0.9%
5. Race, alone or in combination. Black or African Am.	2.2%	13.0%	2.6%
5. Race, alone or in combination. White	95.4%	85.5%	95.2%
5. Race, alone or in combination. Other	0.7%	1.6%	2.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	30.4%	22.7%	30.2%
48b. Used electronic cigarettes	25.3%	16.0%	n/a
49b. Used hookahs or water pipes	23.7%	11.3%	n/a
50c. Used alcohol	41.7%	33.3%	41.0%
51b. Used marijuana	19.4%	15.2%	15.7%
52a. Used inhalants	3.9%	2.9%	4.5%
53a. Used RX not prescribed for you by a doctor	14.1%	7.4%	8.7%
54a. Used `OTC` drugs for non-medical reasons	4.3%	2.9%	5.9%
56a. Used cocaine or `crack`	1.5%	1.1%	1.7%
56b. Used heroin or `smack`	0.2%	0.3%	0.9%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.4%	1.9%	2.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.5%	1.0%
56f. Used `club drugs` such as ecstasy	3.8%	1.5%	1.9%
56g. Used steroids not prescribed for you by a doctor	0.9%	0.9%	1.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	27.8%	26.1%	24.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.4%	4.9%	4.7%
25. Carried a weapon such as a gun, knife or club on school property	2.0%	4.5%	5.7%
50b. Rode with someone who was drinking alcohol	16.2%	16.0%	18.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.0%	3.8%	3.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	29.6%	31.2%	27.1%
26a. Were in a physical fight	11.5%	19.1%	19.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.0%	6.3%	5.9%
35. Considered suicide	16.1%	11.7%	11.3%
36. Planned suicide	11.5%	8.6%	8.3%
37. Attempted suicide	5.2%	5.0%	3.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	26.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	23.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	63.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	70.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	62.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	84.8%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.7%	93.2%	91.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	73.4%	81.6%	78.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.8%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.5%	92.6%	93.9%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	90.3%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	33.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	11.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	39.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.7%	8.5%	5.1%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	9.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.4%	14.1%	10.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Pike County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	117	66,629	376
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	16.1%	14.8%	12.4%
2. Grade level. 7th Grade	10.6%	14.3%	5.1%
2. Grade level. 8th Grade	12.9%	15.2%	30.2%
2. Grade level. 9th Grade	14.3%	21.3%	33.8%
2. Grade level. 10th Grade	10.1%	12.2%	0.0%
2. Grade level. 11th Grade	21.2%	12.6%	18.5%
2. Grade level. 12th Grade	14.7%	9.6%	0.0%
3. Male	52.3%	47.7%	58.8%
4. Hispanic or Latino	0.9%	2.5%	0.4%
5. Race, alone or in combination. Black or African Am.	7.4%	13.0%	7.6%
5. Race, alone or in combination. White	92.1%	85.5%	93.8%
5. Race, alone or in combination. Other	1.4%	1.6%	1.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	31.2%	22.7%	30.9%
48b. Used electronic cigarettes	11.5%	16.0%	n/a
49b. Used hookahs or water pipes	10.6%	11.3%	n/a
50c. Used alcohol	45.9%	33.3%	50.0%
51b. Used marijuana	18.1%	15.2%	14.5%
52a. Used inhalants	2.8%	2.9%	8.4%
53a. Used RX not prescribed for you by a doctor	7.8%	7.4%	9.1%
54a. Used `OTC` drugs for non-medical reasons	3.8%	2.9%	8.0%
56a. Used cocaine or `crack`	1.8%	1.1%	2.6%
56b. Used heroin or `smack`	0.9%	0.3%	2.2%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	3.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.9%	0.5%	3.0%
56f. Used `club drugs` such as ecstasy	0.9%	1.5%	3.3%
56g. Used steroids not prescribed for you by a doctor	2.3%	0.9%	3.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.1%	26.1%	25.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	4.9%	6.6%
25. Carried a weapon such as a gun, knife or club on school property	6.0%	4.5%	11.6%
50b. Rode with someone who was drinking alcohol	24.0%	16.0%	30.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.2%	3.8%	5.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	24.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	28.2%	31.2%	31.9%
26a. Were in a physical fight	24.8%	19.1%	27.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.6%	6.3%	11.0%
35. Considered suicide	5.1%	11.7%	10.2%
36. Planned suicide	3.8%	8.6%	8.4%
37. Attempted suicide	2.8%	5.0%	6.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.9%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	57.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	63.8%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	65.8%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	83.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	97.2%	93.2%	90.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	74.5%	81.6%	73.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.6%	92.6%	94.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.3%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	47.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	39.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	25.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	45.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.6%	8.5%	11.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	14.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	23.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	16.1%	14.1%	20.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Platte County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	4181	66,629	3669
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	8.9%	14.8%	0.1%
2. Grade level. 7th Grade	15.9%	14.3%	2.4%
2. Grade level. 8th Grade	20.2%	15.2%	37.8%
2. Grade level. 9th Grade	18.6%	21.3%	23.9%
2. Grade level. 10th Grade	16.8%	12.2%	16.6%
2. Grade level. 11th Grade	8.7%	12.6%	8.8%
2. Grade level. 12th Grade	10.8%	9.6%	10.5%
3. Male	47.7%	47.7%	47.3%
4. Hispanic or Latino	3.3%	2.5%	1.2%
5. Race, alone or in combination. Black or African Am.	6.5%	13.0%	6.0%
5. Race, alone or in combination. White	91.9%	85.5%	92.9%
5. Race, alone or in combination. Other	1.8%	1.6%	3.1%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	15.3%	22.7%	21.5%
48b. Used electronic cigarettes	10.0%	16.0%	n/a
49b. Used hookahs or water pipes	11.5%	11.3%	n/a
50c. Used alcohol	29.9%	33.3%	37.1%
51b. Used marijuana	13.2%	15.2%	17.9%
52a. Used inhalants	2.2%	2.9%	4.3%
53a. Used RX not prescribed for you by a doctor	7.0%	7.4%	8.3%
54a. Used `OTC` drugs for non-medical reasons	2.1%	2.9%	6.5%
56a. Used cocaine or `crack`	0.9%	1.1%	2.0%
56b. Used heroin or `smack`	0.3%	0.3%	0.9%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.4%	1.9%	3.6%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	1.1%	1.5%	2.5%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	1.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	21.0%	26.1%	25.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.6%	4.9%	3.9%
25. Carried a weapon such as a gun, knife or club on school property	1.7%	4.5%	3.0%
50b. Rode with someone who was drinking alcohol	16.0%	16.0%	20.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.7%	3.8%	2.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	19.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	23.0%	31.2%	25.5%
26a. Were in a physical fight	10.7%	19.1%	13.5%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.4%	6.3%	5.4%
35. Considered suicide	12.4%	11.7%	11.6%
36. Planned suicide	9.1%	8.6%	9.3%
37. Attempted suicide	5.6%	5.0%	5.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	19.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	78.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	81.8%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	73.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.8%	93.2%	92.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.3%	81.6%	79.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.2%	92.6%	92.9%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.8%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	33.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	23.1%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.9%	8.5%	6.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	19.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.4%	14.1%	13.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Polk County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	343	66,629	302
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	7.7%	14.8%	13.8%
2. Grade level. 7th Grade	11.8%	14.3%	16.2%
2. Grade level. 8th Grade	20.8%	15.2%	8.8%
2. Grade level. 9th Grade	20.8%	21.3%	38.7%
2. Grade level. 10th Grade	13.1%	12.2%	6.0%
2. Grade level. 11th Grade	17.9%	12.6%	6.0%
2. Grade level. 12th Grade	7.9%	9.6%	10.5%
3. Male	50.0%	47.7%	48.3%
4. Hispanic or Latino	1.0%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.8%	13.0%	1.2%
5. Race, alone or in combination. White	98.2%	85.5%	98.7%
5. Race, alone or in combination. Other	0.8%	1.6%	1.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	22.5%	22.7%	34.3%
48b. Used electronic cigarettes	6.7%	16.0%	n/a
49b. Used hookahs or water pipes	5.7%	11.3%	n/a
50c. Used alcohol	25.4%	33.3%	36.5%
51b. Used marijuana	6.9%	15.2%	10.6%
52a. Used inhalants	3.6%	2.9%	8.7%
53a. Used RX not prescribed for you by a doctor	4.1%	7.4%	9.5%
54a. Used `OTC` drugs for non-medical reasons	0.8%	2.9%	5.8%
56a. Used cocaine or `crack`	0.5%	1.1%	1.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.8%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.5%	1.9%	3.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	2.2%
56f. Used `club drugs` such as ecstasy	0.8%	1.5%	2.2%
56g. Used steroids not prescribed for you by a doctor	0.5%	0.9%	1.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.2%	26.1%	27.8%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.0%	4.9%	4.0%
25. Carried a weapon such as a gun, knife or club on school property	9.5%	4.5%	10.2%
50b. Rode with someone who was drinking alcohol	6.4%	16.0%	16.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.3%	3.8%	5.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	11.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	28.8%	31.2%	33.1%
26a. Were in a physical fight	14.6%	19.1%	21.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.9%	6.3%	6.0%
35. Considered suicide	8.4%	11.7%	10.8%
36. Planned suicide	5.4%	8.6%	9.2%
37. Attempted suicide	4.6%	5.0%	7.0%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	14.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	11.1%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	78.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	84.9%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	93.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.6%	93.2%	87.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	87.2%	81.6%	80.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.1%	92.6%	92.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.7%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	42.6%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	7.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.3%	14.1%	17.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Ralls County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	86	66,629	
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	14.3%	14.8%	2012 Data not available for this County
2. Grade level. 7th Grade	14.3%	14.3%	
2. Grade level. 8th Grade	20.4%	15.2%	
2. Grade level. 9th Grade	14.3%	21.3%	
2. Grade level. 10th Grade	8.2%	12.2%	
2. Grade level. 11th Grade	18.4%	12.6%	
2. Grade level. 12th Grade	10.2%	9.6%	
3. Male	53.1%	47.7%	
4. Hispanic or Latino	0.0%	2.5%	
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	
5. Race, alone or in combination. White	100.0%	85.5%	
5. Race, alone or in combination. Other	2.0%	1.6%	

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	29.8%	22.7%	
48b. Used electronic cigarettes	12.2%	16.0%	
49b. Used hookahs or water pipes	6.3%	11.3%	
50c. Used alcohol	47.9%	33.3%	
51b. Used marijuana	8.3%	15.2%	
52a. Used inhalants	2.0%	2.9%	
53a. Used RX not prescribed for you by a doctor	6.3%	7.4%	
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	
56a. Used cocaine or `crack`	0.0%	1.1%	
56b. Used heroin or `smack`	0.0%	0.3%	
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	
56f. Used `club drugs` such as ecstasy	2.1%	1.5%	
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	19.1%	26.1%	
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.1%	4.9%	
25. Carried a weapon such as a gun, knife or club on school property	10.2%	4.5%	
50b. Rode with someone who was drinking alcohol	22.9%	16.0%	
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.0%	3.8%	
22b. Posted something online or sent a text that might embarrass or hurt another student	16.7%	16.8%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.8%	24.4%	
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.3%	31.2%	
26a. Were in a physical fight	24.5%	19.1%	
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.2%	6.3%	
35. Considered suicide	8.2%	11.7%	
36. Planned suicide	8.2%	8.6%	
37. Attempted suicide	4.2%	5.0%	
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.2%	9.6%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	30.6%	22.7%	
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	12.5%	20.1%	
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.4%	74.2%	
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.1%	78.4%	
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.2%	75.9%	
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.6%	88.5%	

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.8%	93.2%	
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.2%	81.6%	
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.8%	93.6%	
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.7%	92.6%	
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.8%	94.4%	

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	45.8%	39.7%
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.7%	28.1%
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	23.4%	14.3%
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.2%	35.6%
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	12.2%	8.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.2%	10.8%
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.4%	20.5%
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.3%	14.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Randolph County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	492	66,629	565
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.3%	14.8%	23.7%
2. Grade level. 7th Grade	18.3%	14.3%	4.3%
2. Grade level. 8th Grade	18.0%	15.2%	20.5%
2. Grade level. 9th Grade	10.5%	21.3%	26.7%
2. Grade level. 10th Grade	13.2%	12.2%	11.9%
2. Grade level. 11th Grade	10.8%	12.6%	12.9%
2. Grade level. 12th Grade	11.9%	9.6%	0.0%
3. Male	53.4%	47.7%	48.8%
4. Hispanic or Latino	1.0%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	3.8%	13.0%	6.2%
5. Race, alone or in combination. White	95.6%	85.5%	94.9%
5. Race, alone or in combination. Other	0.3%	1.6%	2.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	30.1%	22.7%	27.1%
48b. Used electronic cigarettes	17.0%	16.0%	n/a
49b. Used hookahs or water pipes	11.0%	11.3%	n/a
50c. Used alcohol	36.2%	33.3%	37.8%
51b. Used marijuana	7.7%	15.2%	13.4%
52a. Used inhalants	3.9%	2.9%	8.3%
53a. Used RX not prescribed for you by a doctor	4.2%	7.4%	9.4%
54a. Used `OTC` drugs for non-medical reasons	2.8%	2.9%	8.0%
56a. Used cocaine or `crack`	1.1%	1.1%	1.6%
56b. Used heroin or `smack`	0.4%	0.3%	0.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.1%	1.9%	2.7%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.4%	0.5%	1.6%
56f. Used `club drugs` such as ecstasy	1.4%	1.5%	2.4%
56g. Used steroids not prescribed for you by a doctor	0.4%	0.9%	1.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	29.0%	26.1%	33.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	4.9%	5.9%
25. Carried a weapon such as a gun, knife or club on school property	12.2%	4.5%	5.4%
50b. Rode with someone who was drinking alcohol	15.5%	16.0%	17.7%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.4%	3.8%	6.8%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.8%	31.2%	32.7%
26a. Were in a physical fight	28.1%	19.1%	24.2%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.5%	6.3%	7.8%
35. Considered suicide	8.5%	11.7%	13.7%
36. Planned suicide	6.5%	8.6%	10.9%
37. Attempted suicide	2.4%	5.0%	9.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	17.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	11.3%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	67.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	68.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	88.7%	93.2%	90.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	77.8%	81.6%	78.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.7%	92.6%	94.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.2%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	52.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	39.6%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	20.2%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.2%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	11.7%	8.5%	10.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	14.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	27.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.0%	14.1%	18.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Ray County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	200	66,629	646
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	31.3%	14.8%	2.9%
2. Grade level. 7th Grade	3.0%	14.3%	2.4%
2. Grade level. 8th Grade	20.7%	15.2%	34.5%
2. Grade level. 9th Grade	16.7%	21.3%	31.9%
2. Grade level. 10th Grade	13.0%	12.2%	17.3%
2. Grade level. 11th Grade	0.0%	12.6%	2.2%
2. Grade level. 12th Grade	15.3%	9.6%	8.9%
3. Male	43.1%	47.7%	47.7%
4. Hispanic or Latino	1.7%	2.5%	0.2%
5. Race, alone or in combination. Black or African Am.	2.3%	13.0%	1.7%
5. Race, alone or in combination. White	97.0%	85.5%	97.9%
5. Race, alone or in combination. Other	0.3%	1.6%	2.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	30.3%	22.7%	32.6%
48b. Used electronic cigarettes	17.8%	16.0%	n/a
49b. Used hookahs or water pipes	6.7%	11.3%	n/a
50c. Used alcohol	34.7%	33.3%	41.3%
51b. Used marijuana	11.0%	15.2%	15.0%
52a. Used inhalants	3.7%	2.9%	7.4%
53a. Used RX not prescribed for you by a doctor	7.3%	7.4%	12.1%
54a. Used `OTC` drugs for non-medical reasons	0.7%	2.9%	8.6%
56a. Used cocaine or `crack`	0.7%	1.1%	3.6%
56b. Used heroin or `smack`	0.3%	0.3%	1.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.3%	1.9%	4.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.5%	2.4%
56f. Used `club drugs` such as ecstasy	0.7%	1.5%	2.9%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	34.7%	26.1%	23.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.0%	4.9%	4.8%
25. Carried a weapon such as a gun, knife or club on school property	1.7%	4.5%	6.2%
50b. Rode with someone who was drinking alcohol	14.7%	16.0%	21.2%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.3%	3.8%	2.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.7%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	28.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.5%	31.2%	32.9%
26a. Were in a physical fight	15.1%	19.1%	20.7%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.0%	6.3%	7.4%
35. Considered suicide	7.7%	11.7%	14.6%
36. Planned suicide	7.0%	8.6%	11.5%
37. Attempted suicide	2.3%	5.0%	4.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	15.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	77.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	76.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	84.5%	93.2%	90.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.2%	81.6%	79.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.2%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.6%	92.6%	94.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.0%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	38.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	29.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	13.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	24.9%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.0%	8.5%	5.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.4%	14.1%	11.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Reynolds



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	246	66,629	53
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	22.1%	14.8%	41.1%
2. Grade level. 7th Grade	19.1%	14.3%	0.0%
2. Grade level. 8th Grade	11.8%	15.2%	0.0%
2. Grade level. 9th Grade	14.7%	21.3%	31.3%
2. Grade level. 10th Grade	14.7%	12.2%	27.7%
2. Grade level. 11th Grade	8.8%	12.6%	0.0%
2. Grade level. 12th Grade	8.8%	9.6%	0.0%
3. Male	50.0%	47.7%	51.8%
4. Hispanic or Latino	1.5%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	1.4%	13.0%	0.9%
5. Race, alone or in combination. White	98.6%	85.5%	98.2%
5. Race, alone or in combination. Other	0.0%	1.6%	2.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	27.9%	22.7%	19.6%
48b. Used electronic cigarettes	20.3%	16.0%	n/a
49b. Used hookahs or water pipes	4.4%	11.3%	n/a
50c. Used alcohol	33.3%	33.3%	17.0%
51b. Used marijuana	10.3%	15.2%	0.0%
52a. Used inhalants	1.5%	2.9%	1.8%
53a. Used RX not prescribed for you by a doctor	7.4%	7.4%	1.8%
54a. Used `OTC` drugs for non-medical reasons	2.9%	2.9%	1.8%
56a. Used cocaine or `crack`	1.5%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.5%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.5%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	1.5%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	1.4%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.3%	26.1%	16.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.4%	4.9%	0.0%
25. Carried a weapon such as a gun, knife or club on school property	5.9%	4.5%	0.0%
50b. Rode with someone who was drinking alcohol	16.2%	16.0%	9.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.4%	3.8%	5.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.4%	31.2%	15.2%
26a. Were in a physical fight	23.2%	19.1%	8.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.9%	6.3%	0.0%
35. Considered suicide	8.8%	11.7%	5.4%
36. Planned suicide	5.8%	8.6%	4.4%
37. Attempted suicide	5.8%	5.0%	6.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.1%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	72.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	83.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.1%	93.2%	95.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.4%	81.6%	89.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.8%	92.6%	100.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.5%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	45.6%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	39.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	32.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	5.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	14.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	20.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.7%	14.1%	19.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey St. Charles



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	4879	66,629	4005
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	3.6%	14.8%	12.3%
2. Grade level. 7th Grade	23.2%	14.3%	31.6%
2. Grade level. 8th Grade	15.6%	15.2%	0.0%
2. Grade level. 9th Grade	25.3%	21.3%	27.4%
2. Grade level. 10th Grade	7.3%	12.2%	25.8%
2. Grade level. 11th Grade	21.2%	12.6%	1.8%
2. Grade level. 12th Grade	3.7%	9.6%	1.1%
3. Male	47.9%	47.7%	47.3%
4. Hispanic or Latino	1.8%	2.5%	0.8%
5. Race, alone or in combination. Black or African Am.	5.2%	13.0%	4.3%
5. Race, alone or in combination. White	93.8%	85.5%	94.3%
5. Race, alone or in combination. Other	1.1%	1.6%	2.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	17.7%	22.7%	15.6%
48b. Used electronic cigarettes	25.1%	16.0%	n/a
49b. Used hookahs or water pipes	13.5%	11.3%	n/a
50c. Used alcohol	33.2%	33.3%	32.1%
51b. Used marijuana	15.4%	15.2%	11.9%
52a. Used inhalants	3.2%	2.9%	4.5%
53a. Used RX not prescribed for you by a doctor	8.2%	7.4%	7.0%
54a. Used `OTC` drugs for non-medical reasons	3.1%	2.9%	5.7%
56a. Used cocaine or `crack`	1.3%	1.1%	1.2%
56b. Used heroin or `smack`	0.5%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.6%	1.9%	2.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	0.9%
56f. Used `club drugs` such as ecstasy	1.9%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	0.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.1%	26.1%	23.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	4.9%	4.0%
25. Carried a weapon such as a gun, knife or club on school property	1.9%	4.5%	2.1%
50b. Rode with someone who was drinking alcohol	16.3%	16.0%	19.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.5%	3.8%	2.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	19.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	26.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.6%	31.2%	30.0%
26a. Were in a physical fight	14.5%	19.1%	15.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.2%	6.3%	5.3%
35. Considered suicide	11.5%	11.7%	9.6%
36. Planned suicide	8.0%	8.6%	7.2%
37. Attempted suicide	4.4%	5.0%	4.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	20.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	73.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.3%	93.2%	94.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.3%	81.6%	82.6%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.5%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.5%	92.6%	95.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.6%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	35.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	23.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.1%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.7%	8.5%	4.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.6%	14.1%	10.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Ste. Genevieve County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	266	66,629	357
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	19.3%	14.8%	0.0%
2. Grade level. 7th Grade	12.3%	14.3%	35.6%
2. Grade level. 8th Grade	15.1%	15.2%	0.0%
2. Grade level. 9th Grade	19.3%	21.3%	33.9%
2. Grade level. 10th Grade	7.5%	12.2%	29.8%
2. Grade level. 11th Grade	8.5%	12.6%	0.7%
2. Grade level. 12th Grade	17.9%	9.6%	0.0%
3. Male	48.6%	47.7%	48.6%
4. Hispanic or Latino	0.9%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.9%	13.0%	0.7%
5. Race, alone or in combination. White	99.0%	85.5%	99.0%
5. Race, alone or in combination. Other	0.5%	1.6%	1.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	20.5%	22.7%	29.0%
48b. Used electronic cigarettes	18.2%	16.0%	n/a
49b. Used hookahs or water pipes	7.1%	11.3%	n/a
50c. Used alcohol	41.8%	33.3%	40.7%
51b. Used marijuana	15.0%	15.2%	12.8%
52a. Used inhalants	3.7%	2.9%	6.6%
53a. Used RX not prescribed for you by a doctor	8.5%	7.4%	8.9%
54a. Used `OTC` drugs for non-medical reasons	3.3%	2.9%	5.9%
56a. Used cocaine or `crack`	0.9%	1.1%	1.4%
56b. Used heroin or `smack`	0.5%	0.3%	1.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.9%	1.9%	1.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.5%	0.3%
56f. Used `club drugs` such as ecstasy	2.4%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	0.9%	0.9%	1.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	24.3%	26.1%	24.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.8%	4.9%	2.8%
25. Carried a weapon such as a gun, knife or club on school property	2.3%	4.5%	1.7%
50b. Rode with someone who was drinking alcohol	18.7%	16.0%	25.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	0.9%	3.8%	1.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	9.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.1%	31.2%	38.0%
26a. Were in a physical fight	15.4%	19.1%	18.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.0%	6.3%	5.2%
35. Considered suicide	14.6%	11.7%	9.7%
36. Planned suicide	9.9%	8.6%	7.3%
37. Attempted suicide	6.1%	5.0%	4.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	15.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	72.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	81.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	78.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.7%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.9%	93.2%	92.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	76.9%	81.6%	74.4%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.9%	92.6%	96.2%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.9%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	41.0%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	25.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	27.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.1%	8.5%	4.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.5%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.3%	14.1%	10.7%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey St.Francois County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	736	66,629	1255
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	34.5%	14.8%	11.2%
2. Grade level. 7th Grade	6.1%	14.3%	0.0%
2. Grade level. 8th Grade	4.0%	15.2%	32.3%
2. Grade level. 9th Grade	14.5%	21.3%	36.3%
2. Grade level. 10th Grade	16.9%	12.2%	1.5%
2. Grade level. 11th Grade	15.1%	12.6%	14.3%
2. Grade level. 12th Grade	9.0%	9.6%	4.4%
3. Male	54.1%	47.7%	51.7%
4. Hispanic or Latino	0.9%	2.5%	0.2%
5. Race, alone or in combination. Black or African Am.	4.6%	13.0%	4.2%
5. Race, alone or in combination. White	94.8%	85.5%	96.3%
5. Race, alone or in combination. Other	0.3%	1.6%	1.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	35.5%	22.7%	36.3%
48b. Used electronic cigarettes	24.6%	16.0%	n/a
49b. Used hookahs or water pipes	11.1%	11.3%	n/a
50c. Used alcohol	37.3%	33.3%	44.5%
51b. Used marijuana	19.5%	15.2%	19.0%
52a. Used inhalants	2.2%	2.9%	7.7%
53a. Used RX not prescribed for you by a doctor	9.0%	7.4%	11.8%
54a. Used `OTC` drugs for non-medical reasons	3.2%	2.9%	8.0%
56a. Used cocaine or `crack`	0.8%	1.1%	2.3%
56b. Used heroin or `smack`	0.6%	0.3%	1.5%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	3.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.5%	1.4%
56f. Used `club drugs` such as ecstasy	2.0%	1.5%	2.6%
56g. Used steroids not prescribed for you by a doctor	1.8%	0.9%	2.1%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	32.1%	26.1%	37.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.3%	4.9%	5.9%
25. Carried a weapon such as a gun, knife or club on school property	4.2%	4.5%	5.5%
50b. Rode with someone who was drinking alcohol	14.6%	16.0%	19.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.8%	3.8%	4.0%
22b. Posted something online or sent a text that might embarrass or hurt another student	15.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	25.8%	31.2%	31.0%
26a. Were in a physical fight	21.6%	19.1%	21.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.2%	6.3%	5.1%
35. Considered suicide	12.4%	11.7%	15.2%
36. Planned suicide	8.5%	8.6%	11.9%
37. Attempted suicide	5.2%	5.0%	7.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.7%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	19.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	16.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	72.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	71.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	75.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.9%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.3%	93.2%	88.0%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	81.3%	81.6%	74.9%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.9%	92.6%	92.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	32.8%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	37.7%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	6.1%	8.5%	5.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.1%	14.1%	11.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey St. Louis County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	8867	66,629	12213
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.6%	14.8%	8.9%
2. Grade level. 7th Grade	17.1%	14.3%	21.9%
2. Grade level. 8th Grade	12.1%	15.2%	9.9%
2. Grade level. 9th Grade	19.3%	21.3%	26.5%
2. Grade level. 10th Grade	13.3%	12.2%	14.6%
2. Grade level. 11th Grade	12.9%	12.6%	9.4%
2. Grade level. 12th Grade	11.8%	9.6%	8.8%
3. Male	43.6%	47.7%	46.4%
4. Hispanic or Latino	1.6%	2.5%	0.6%
5. Race, alone or in combination. Black or African Am.	23.6%	13.0%	21.5%
5. Race, alone or in combination. White	75.7%	85.5%	77.3%
5. Race, alone or in combination. Other	0.5%	1.6%	3.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	13.4%	22.7%	19.9%
48b. Used electronic cigarettes	15.3%	16.0%	n/a
49b. Used hookahs or water pipes	15.6%	11.3%	n/a
50c. Used alcohol	30.0%	33.3%	36.9%
51b. Used marijuana	15.9%	15.2%	19.7%
52a. Used inhalants	2.0%	2.9%	4.4%
53a. Used RX not prescribed for you by a doctor	6.7%	7.4%	8.1%
54a. Used `OTC` drugs for non-medical reasons	3.0%	2.9%	5.3%
56a. Used cocaine or `crack`	1.0%	1.1%	1.8%
56b. Used heroin or `smack`	0.3%	0.3%	0.9%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.9%	1.9%	3.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.5%	1.0%
56f. Used `club drugs` such as ecstasy	1.4%	1.5%	2.4%
56g. Used steroids not prescribed for you by a doctor	0.9%	0.9%	1.2%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	23.4%	26.1%	24.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	4.9%	4.6%
25. Carried a weapon such as a gun, knife or club on school property	1.7%	4.5%	3.2%
50b. Rode with someone who was drinking alcohol	17.9%	16.0%	21.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.4%	3.8%	5.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.1%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	27.4%	31.2%	27.1%
26a. Were in a physical fight	14.9%	19.1%	20.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.4%	6.3%	5.8%
35. Considered suicide	11.5%	11.7%	12.3%
36. Planned suicide	8.3%	8.6%	8.4%
37. Attempted suicide	4.8%	5.0%	5.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	7.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	22.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	21.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	79.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	84.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	73.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.4%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.4%	93.2%	92.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	84.1%	81.6%	80.6%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.9%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.2%	92.6%	92.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.9%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	29.6%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	19.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	10.6%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	34.0%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.6%	8.5%	7.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.3%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.9%	14.1%	13.4%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Saline County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	170	66,629	92
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	17.2%	14.8%	11.6%
2. Grade level. 7th Grade	11.6%	14.3%	15.3%
2. Grade level. 8th Grade	16.5%	15.2%	26.4%
2. Grade level. 9th Grade	15.1%	21.3%	46.6%
2. Grade level. 10th Grade	12.6%	12.2%	0.0%
2. Grade level. 11th Grade	13.3%	12.6%	0.0%
2. Grade level. 12th Grade	13.7%	9.6%	0.0%
3. Male	50.4%	47.7%	50.5%
4. Hispanic or Latino	7.2%	2.5%	4.3%
5. Race, alone or in combination. Black or African Am.	5.4%	13.0%	5.4%
5. Race, alone or in combination. White	91.4%	85.5%	91.3%
5. Race, alone or in combination. Other	2.2%	1.6%	6.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	27.9%	22.7%	28.0%
48b. Used electronic cigarettes	10.2%	16.0%	n/a
49b. Used hookahs or water pipes	7.1%	11.3%	n/a
50c. Used alcohol	45.6%	33.3%	35.6%
51b. Used marijuana	16.9%	15.2%	8.7%
52a. Used inhalants	3.9%	2.9%	1.6%
53a. Used RX not prescribed for you by a doctor	8.8%	7.4%	5.7%
54a. Used `OTC` drugs for non-medical reasons	2.9%	2.9%	2.2%
56a. Used cocaine or `crack`	1.4%	1.1%	2.2%
56b. Used heroin or `smack`	0.7%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.1%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	2.2%
56f. Used `club drugs` such as ecstasy	0.7%	1.5%	0.5%
56g. Used steroids not prescribed for you by a doctor	1.4%	0.9%	0.5%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	29.3%	26.1%	25.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.7%	4.9%	6.4%
25. Carried a weapon such as a gun, knife or club on school property	7.3%	4.5%	1.6%
50b. Rode with someone who was drinking alcohol	21.2%	16.0%	21.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.9%	3.8%	3.5%
22b. Posted something online or sent a text that might embarrass or hurt another student	22.6%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	36.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.9%	31.2%	31.9%
26a. Were in a physical fight	20.7%	19.1%	34.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.5%	6.3%	3.6%
35. Considered suicide	15.0%	11.7%	8.2%
36. Planned suicide	10.9%	8.6%	5.2%
37. Attempted suicide	7.4%	5.0%	6.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	23.4%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.4%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	68.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	80.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	96.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	93.3%	93.2%	95.8%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.0%	81.6%	83.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	87.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.2%	92.6%	95.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.9%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	48.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	32.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	12.2%	8.5%	8.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.1%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.8%	14.1%	16.7%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Schuyler County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	178	66,629	124
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	7.0%	14.8%	0.0%
2. Grade level. 7th Grade	22.8%	14.3%	0.0%
2. Grade level. 8th Grade	21.1%	15.2%	0.0%
2. Grade level. 9th Grade	21.1%	21.3%	60.8%
2. Grade level. 10th Grade	10.5%	12.2%	16.2%
2. Grade level. 11th Grade	5.3%	12.6%	23.0%
2. Grade level. 12th Grade	12.3%	9.6%	0.0%
3. Male	45.6%	47.7%	44.0%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	100.0%	85.5%	98.6%
5. Race, alone or in combination. Other	0.0%	1.6%	1.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	45.6%	22.7%	60.0%
48b. Used electronic cigarettes	24.6%	16.0%	n/a
49b. Used hookahs or water pipes	7.0%	11.3%	n/a
50c. Used alcohol	45.6%	33.3%	66.2%
51b. Used marijuana	10.7%	15.2%	18.7%
52a. Used inhalants	5.3%	2.9%	17.3%
53a. Used RX not prescribed for you by a doctor	10.5%	7.4%	12.0%
54a. Used `OTC` drugs for non-medical reasons	1.8%	2.9%	8.0%
56a. Used cocaine or `crack`	0.0%	1.1%	5.4%
56b. Used heroin or `smack`	0.0%	0.3%	2.7%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	5.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.8%	0.5%	5.3%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	2.7%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	6.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	35.1%	26.1%	32.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	6.6%
25. Carried a weapon such as a gun, knife or club on school property	12.3%	4.5%	13.5%
50b. Rode with someone who was drinking alcohol	24.1%	16.0%	31.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	7.0%	3.8%	9.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	40.4%	31.2%	49.3%
26a. Were in a physical fight	26.3%	19.1%	29.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.5%	6.3%	6.8%
35. Considered suicide	8.8%	11.7%	9.5%
36. Planned suicide	8.8%	8.6%	9.3%
37. Attempted suicide	3.5%	5.0%	1.4%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	15.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	34.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.5%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	57.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	57.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	82.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.9%	93.2%	81.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	70.7%	81.6%	58.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.5%	92.6%	97.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.4%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	51.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	42.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	23.2%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	5.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	15.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.5%	14.1%	17.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Scott County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	409	66,629	259
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	23.9%	14.8%	16.0%
2. Grade level. 7th Grade	10.8%	14.3%	5.0%
2. Grade level. 8th Grade	12.4%	15.2%	22.0%
2. Grade level. 9th Grade	44.0%	21.3%	55.6%
2. Grade level. 10th Grade	2.4%	12.2%	1.5%
2. Grade level. 11th Grade	2.0%	12.6%	0.0%
2. Grade level. 12th Grade	4.6%	9.6%	0.0%
3. Male	48.7%	47.7%	52.7%
4. Hispanic or Latino	2.0%	2.5%	1.2%
5. Race, alone or in combination. Black or African Am.	13.3%	13.0%	8.7%
5. Race, alone or in combination. White	86.3%	85.5%	93.8%
5. Race, alone or in combination. Other	0.4%	1.6%	6.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	24.9%	22.7%	36.5%
48b. Used electronic cigarettes	10.4%	16.0%	n/a
49b. Used hookahs or water pipes	6.3%	11.3%	n/a
50c. Used alcohol	32.4%	33.3%	37.8%
51b. Used marijuana	11.3%	15.2%	7.7%
52a. Used inhalants	4.3%	2.9%	9.0%
53a. Used RX not prescribed for you by a doctor	9.0%	7.4%	7.2%
54a. Used `OTC` drugs for non-medical reasons	4.6%	2.9%	5.3%
56a. Used cocaine or `crack`	1.5%	1.1%	2.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.7%	1.9%	1.9%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.5%	0.7%
56f. Used `club drugs` such as ecstasy	1.7%	1.5%	1.2%
56g. Used steroids not prescribed for you by a doctor	0.7%	0.9%	0.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	25.0%	26.1%	32.0%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.6%	4.9%	5.0%
25. Carried a weapon such as a gun, knife or club on school property	3.9%	4.5%	3.5%
50b. Rode with someone who was drinking alcohol	15.4%	16.0%	19.9%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.9%	3.8%	3.2%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	27.3%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	35.8%	31.2%	31.8%
26a. Were in a physical fight	23.1%	19.1%	23.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	6.3%	6.3%	5.5%
35. Considered suicide	12.1%	11.7%	12.5%
36. Planned suicide	7.6%	8.6%	7.2%
37. Attempted suicide	2.2%	5.0%	5.2%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	9.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	20.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.4%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.2%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	81.6%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	81.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	95.2%	93.2%	87.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	88.0%	81.6%	77.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	97.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.5%	92.6%	89.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	46.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	30.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	17.6%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	33.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	4.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.4%	14.1%	12.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Shannon County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	47	66,629	77
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	30.0%	14.8%	0.0%
2. Grade level. 7th Grade	16.3%	14.3%	0.0%
2. Grade level. 8th Grade	0.0%	15.2%	45.4%
2. Grade level. 9th Grade	52.5%	21.3%	30.5%
2. Grade level. 10th Grade	1.3%	12.2%	24.1%
2. Grade level. 11th Grade	0.0%	12.6%	0.0%
2. Grade level. 12th Grade	0.0%	9.6%	0.0%
3. Male	38.3%	47.7%	46.1%
4. Hispanic or Latino	1.2%	2.5%	0.7%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	100.0%	85.5%	99.3%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	54.1%	22.7%	57.4%
48b. Used electronic cigarettes	24.3%	16.0%	n/a
49b. Used hookahs or water pipes	12.7%	11.3%	n/a
50c. Used alcohol	52.5%	33.3%	61.0%
51b. Used marijuana	30.4%	15.2%	17.0%
52a. Used inhalants	1.2%	2.9%	9.2%
53a. Used RX not prescribed for you by a doctor	25.0%	7.4%	21.3%
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	6.4%
56a. Used cocaine or `crack`	0.0%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	5.0%	1.9%	2.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	5.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	7.4%	1.5%	1.4%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	51.3%	26.1%	46.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.3%	4.9%	4.3%
25. Carried a weapon such as a gun, knife or club on school property	19.8%	4.5%	9.4%
50b. Rode with someone who was drinking alcohol	7.4%	16.0%	23.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	6.3%	3.8%	2.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	11.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.2%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	30.7%	31.2%	28.8%
26a. Were in a physical fight	24.1%	19.1%	20.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	11.8%	6.3%	4.3%
35. Considered suicide	10.0%	11.7%	17.7%
36. Planned suicide	10.7%	8.6%	12.2%
37. Attempted suicide	1.3%	5.0%	7.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	27.5%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	33.8%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	38.8%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.3%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	67.5%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	81.3%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	90.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	83.8%	93.2%	88.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	91.4%	81.6%	81.6%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	90.0%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.0%	92.6%	97.9%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.7%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	57.5%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	47.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	24.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	50.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.0%	8.5%	1.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.5%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	16.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	22.5%	14.1%	5.8%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Shelby County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	33	66,629	
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	32.6%	14.8%	2012 Data not available for this County
2. Grade level. 7th Grade	0.0%	14.3%	
2. Grade level. 8th Grade	67.4%	15.2%	
2. Grade level. 9th Grade	0.0%	21.3%	
2. Grade level. 10th Grade	0.0%	12.2%	
2. Grade level. 11th Grade	0.0%	12.6%	
2. Grade level. 12th Grade	0.0%	9.6%	
3. Male	54.3%	47.7%	
4. Hispanic or Latino	13.0%	2.5%	
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	
5. Race, alone or in combination. White	100.0%	85.5%	
5. Race, alone or in combination. Other	0.0%	1.6%	

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	13.0%	22.7%	
48b. Used electronic cigarettes	17.0%	16.0%	
49b. Used hookahs or water pipes	0.0%	11.3%	
50c. Used alcohol	26.1%	33.3%	
51b. Used marijuana	0.0%	15.2%	
52a. Used inhalants	0.0%	2.9%	
53a. Used RX not prescribed for you by a doctor	0.0%	7.4%	
54a. Used `OTC` drugs for non-medical reasons	17.0%	2.9%	
56a. Used cocaine or `crack`	2.2%	1.1%	
56b. Used heroin or `smack`	0.0%	0.3%	
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	13.0%	1.9%	
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	21.7%	26.1%	
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	15.2%	4.9%	
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	
50b. Rode with someone who was drinking alcohol	26.1%	16.0%	
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	13.0%	3.8%	
22b. Posted something online or sent a text that might embarrass or hurt another student	23.9%	16.8%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you	37.0%	24.4%	
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	35.6%	31.2%	
26a. Were in a physical fight	34.8%	19.1%	
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.2%	6.3%	
35. Considered suicide	26.1%	11.7%	
36. Planned suicide	2.2%	8.6%	
37. Attempted suicide	13.0%	5.0%	
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	4.3%	9.6%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	17.0%	22.7%	
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	4.3%	20.1%	
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	83.0%	74.2%	
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.9%	78.4%	
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.0%	75.9%	
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.0%	88.5%	

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	84.8%	93.2%	
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	71.1%	81.6%	
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	82.6%	93.6%	
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	86.4%	92.6%	
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	100.0%	94.4%	

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	48.9%	39.7%
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.8%	28.1%
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	4.9%	14.3%
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.1%	35.6%
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	17.4%	8.5%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.8%	10.8%
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	13.3%	20.5%
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	6.5%	14.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Stoddard County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	348	66,629	177
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	15.2%	14.8%	0.0%
2. Grade level. 7th Grade	8.8%	14.3%	0.0%
2. Grade level. 8th Grade	9.4%	15.2%	34.9%
2. Grade level. 9th Grade	26.1%	21.3%	41.8%
2. Grade level. 10th Grade	20.6%	12.2%	22.9%
2. Grade level. 11th Grade	8.2%	12.6%	0.4%
2. Grade level. 12th Grade	11.8%	9.6%	0.0%
3. Male	47.0%	47.7%	47.7%
4. Hispanic or Latino	0.6%	2.5%	0.2%
5. Race, alone or in combination. Black or African Am.	1.2%	13.0%	1.1%
5. Race, alone or in combination. White	98.8%	85.5%	99.4%
5. Race, alone or in combination. Other	0.3%	1.6%	0.2%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	38.0%	22.7%	43.3%
48b. Used electronic cigarettes	18.7%	16.0%	n/a
49b. Used hookahs or water pipes	7.5%	11.3%	n/a
50c. Used alcohol	43.3%	33.3%	49.4%
51b. Used marijuana	16.0%	15.2%	16.0%
52a. Used inhalants	4.3%	2.9%	6.1%
53a. Used RX not prescribed for you by a doctor	12.6%	7.4%	12.2%
54a. Used `OTC` drugs for non-medical reasons	3.7%	2.9%	9.7%
56a. Used cocaine or `crack`	1.9%	1.1%	3.6%
56b. Used heroin or `smack`	0.6%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.1%	1.9%	1.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	1.5%	1.5%	1.9%
56g. Used steroids not prescribed for you by a doctor	2.1%	0.9%	2.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	22.1%	26.1%	18.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.0%	4.9%	2.7%
25. Carried a weapon such as a gun, knife or club on school property	5.7%	4.5%	7.8%
50b. Rode with someone who was drinking alcohol	13.8%	16.0%	22.5%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.3%	3.8%	2.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	20.3%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	21.9%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	34.6%	31.2%	38.1%
26a. Were in a physical fight	23.7%	19.1%	27.2%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	5.4%	6.3%	5.9%
35. Considered suicide	8.8%	11.7%	10.4%
36. Planned suicide	7.9%	8.6%	5.5%
37. Attempted suicide	4.2%	5.0%	5.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	19.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	34.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	17.9%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	62.8%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	67.9%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	76.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	86.1%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	85.9%	93.2%	91.8%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	77.9%	81.6%	82.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	88.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.2%	92.6%	97.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.2%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	51.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	43.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	22.5%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.6%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.0%	8.5%	6.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	14.2%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	28.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	23.2%	14.1%	9.0%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Stone County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	601	66,629	282
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	21.8%	14.8%	12.5%
2. Grade level. 7th Grade	14.0%	14.3%	8.8%
2. Grade level. 8th Grade	16.3%	15.2%	24.2%
2. Grade level. 9th Grade	6.8%	21.3%	22.0%
2. Grade level. 10th Grade	14.7%	12.2%	11.5%
2. Grade level. 11th Grade	18.6%	12.6%	12.2%
2. Grade level. 12th Grade	7.8%	9.6%	8.8%
3. Male	47.9%	47.7%	47.2%
4. Hispanic or Latino	1.3%	2.5%	0.2%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.2%
5. Race, alone or in combination. White	96.1%	85.5%	99.0%
5. Race, alone or in combination. Other	1.3%	1.6%	0.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	34.4%	22.7%	31.8%
48b. Used electronic cigarettes	19.9%	16.0%	n/a
49b. Used hookahs or water pipes	13.4%	11.3%	n/a
50c. Used alcohol	39.0%	33.3%	40.2%
51b. Used marijuana	16.0%	15.2%	14.2%
52a. Used inhalants	7.5%	2.9%	6.1%
53a. Used RX not prescribed for you by a doctor	11.9%	7.4%	9.5%
54a. Used `OTC` drugs for non-medical reasons	5.2%	2.9%	6.9%
56a. Used cocaine or `crack`	2.6%	1.1%	3.3%
56b. Used heroin or `smack`	0.0%	0.3%	2.1%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	4.6%	1.9%	3.1%
56d. Used methamphetamine (meth, crank, crystal, ice)	2.0%	0.5%	2.9%
56f. Used `club drugs` such as ecstasy	3.6%	1.5%	4.1%
56g. Used steroids not prescribed for you by a doctor	0.3%	0.9%	2.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	28.0%	26.1%	30.9%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	4.9%	7.1%
25. Carried a weapon such as a gun, knife or club on school property	10.0%	4.5%	11.0%
50b. Rode with someone who was drinking alcohol	13.1%	16.0%	16.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.3%	3.8%	3.4%
22b. Posted something online or sent a text that might embarrass or hurt another student	18.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	30.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	38.7%	31.2%	36.5%
26a. Were in a physical fight	23.9%	19.1%	19.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.5%	6.3%	6.9%
35. Considered suicide	11.4%	11.7%	9.4%
36. Planned suicide	10.2%	8.6%	7.6%
37. Attempted suicide	7.9%	5.0%	4.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	6.2%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	16.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	11.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	71.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	73.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	81.0%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	88.4%	93.2%	91.2%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	76.5%	81.6%	83.2%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.4%	92.6%	95.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.3%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.7%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	35.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	10.5%	8.5%	4.9%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.4%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.7%	14.1%	8.9%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Sullivan County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	105	66,629	256
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	10.3%	14.8%	10.9%
2. Grade level. 7th Grade	16.2%	14.3%	15.5%
2. Grade level. 8th Grade	29.4%	15.2%	21.8%
2. Grade level. 9th Grade	17.6%	21.3%	14.5%
2. Grade level. 10th Grade	14.7%	12.2%	13.6%
2. Grade level. 11th Grade	11.8%	12.6%	14.5%
2. Grade level. 12th Grade	0.0%	9.6%	9.1%
3. Male	55.2%	47.7%	50.5%
4. Hispanic or Latino	19.1%	2.5%	0.9%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.9%
5. Race, alone or in combination. White	98.5%	85.5%	98.2%
5. Race, alone or in combination. Other	1.5%	1.6%	1.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	35.3%	22.7%	47.3%
48b. Used electronic cigarettes	19.4%	16.0%	n/a
49b. Used hookahs or water pipes	3.0%	11.3%	n/a
50c. Used alcohol	38.2%	33.3%	55.5%
51b. Used marijuana	8.8%	15.2%	17.4%
52a. Used inhalants	1.5%	2.9%	5.5%
53a. Used RX not prescribed for you by a doctor	10.4%	7.4%	8.3%
54a. Used `OTC` drugs for non-medical reasons	1.5%	2.9%	5.5%
56a. Used cocaine or `crack`	0.0%	1.1%	1.9%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	2.8%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	16.2%	26.1%	31.2%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.5%	4.9%	1.8%
25. Carried a weapon such as a gun, knife or club on school property	4.5%	4.5%	7.4%
50b. Rode with someone who was drinking alcohol	14.7%	16.0%	21.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.5%	3.8%	0.9%
22b. Posted something online or sent a text that might embarrass or hurt another student	20.0%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	17.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.3%	31.2%	30.2%
26a. Were in a physical fight	13.2%	19.1%	26.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.4%	6.3%	7.3%
35. Considered suicide	6.0%	11.7%	8.3%
36. Planned suicide	1.5%	8.6%	8.3%
37. Attempted suicide	1.5%	5.0%	3.7%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	23.9%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	38.2%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	20.6%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	64.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	63.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	84.1%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.6%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	85.3%	93.2%	84.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	74.6%	81.6%	70.8%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	92.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	94.1%	92.6%	91.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	94.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	44.1%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	37.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	22.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	28.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	9.1%	8.5%	8.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	15.9%	14.1%	18.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Taney County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	1246	66,629	1035
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	19.2%	14.8%	15.6%
2. Grade level. 7th Grade	4.3%	14.3%	7.0%
2. Grade level. 8th Grade	22.9%	15.2%	22.9%
2. Grade level. 9th Grade	31.6%	21.3%	54.2%
2. Grade level. 10th Grade	2.2%	12.2%	0.3%
2. Grade level. 11th Grade	7.6%	12.6%	0.0%
2. Grade level. 12th Grade	12.1%	9.6%	0.0%
3. Male	47.8%	47.7%	48.7%
4. Hispanic or Latino	2.7%	2.5%	0.7%
5. Race, alone or in combination. Black or African Am.	1.0%	13.0%	1.3%
5. Race, alone or in combination. White	97.9%	85.5%	97.3%
5. Race, alone or in combination. Other	1.3%	1.6%	2.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	25.5%	22.7%	24.0%
48b. Used electronic cigarettes	20.7%	16.0%	n/a
49b. Used hookahs or water pipes	15.4%	11.3%	n/a
50c. Used alcohol	33.3%	33.3%	30.5%
51b. Used marijuana	17.3%	15.2%	12.2%
52a. Used inhalants	4.8%	2.9%	6.1%
53a. Used RX not prescribed for you by a doctor	8.8%	7.4%	7.9%
54a. Used `OTC` drugs for non-medical reasons	4.7%	2.9%	5.7%
56a. Used cocaine or `crack`	1.3%	1.1%	2.0%
56b. Used heroin or `smack`	0.7%	0.3%	1.3%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.4%	1.9%	2.9%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.5%	1.3%
56f. Used `club drugs` such as ecstasy	2.3%	1.5%	1.7%
56g. Used steroids not prescribed for you by a doctor	1.0%	0.9%	0.8%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	28.0%	26.1%	23.9%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	4.9%	4.1%
25. Carried a weapon such as a gun, knife or club on school property	5.9%	4.5%	5.2%
50b. Rode with someone who was drinking alcohol	11.4%	16.0%	13.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.9%	3.8%	3.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.4%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	27.8%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	39.6%	31.2%	36.6%
26a. Were in a physical fight	17.8%	19.1%	20.6%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.6%	6.3%	7.4%
35. Considered suicide	14.3%	11.7%	13.1%
36. Planned suicide	10.5%	8.6%	11.0%
37. Attempted suicide	5.9%	5.0%	6.1%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	11.0%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.3%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	23.1%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	75.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.0%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	74.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.9%	93.2%	95.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	84.4%	81.6%	86.0%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	89.8%	92.6%	93.5%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	92.4%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	40.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.0%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	11.8%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	37.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	5.9%	8.5%	3.0%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	7.5%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	17.7%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.8%	14.1%	9.1%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Texas County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	120	66,629	317
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	16.5%	14.8%	18.4%
2. Grade level. 7th Grade	10.2%	14.3%	10.6%
2. Grade level. 8th Grade	19.2%	15.2%	12.2%
2. Grade level. 9th Grade	18.4%	21.3%	51.8%
2. Grade level. 10th Grade	14.3%	12.2%	1.0%
2. Grade level. 11th Grade	11.7%	12.6%	6.0%
2. Grade level. 12th Grade	9.8%	9.6%	0.0%
3. Male	52.5%	47.7%	52.3%
4. Hispanic or Latino	1.5%	2.5%	0.5%
5. Race, alone or in combination. Black or African Am.	2.6%	13.0%	2.6%
5. Race, alone or in combination. White	96.2%	85.5%	97.2%
5. Race, alone or in combination. Other	1.1%	1.6%	1.8%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	33.2%	22.7%	35.9%
48b. Used electronic cigarettes	19.9%	16.0%	n/a
49b. Used hookahs or water pipes	6.1%	11.3%	n/a
50c. Used alcohol	30.3%	33.3%	36.9%
51b. Used marijuana	4.9%	15.2%	8.8%
52a. Used inhalants	3.4%	2.9%	5.9%
53a. Used RX not prescribed for you by a doctor	10.2%	7.4%	8.5%
54a. Used `OTC` drugs for non-medical reasons	0.8%	2.9%	5.2%
56a. Used cocaine or `crack`	0.0%	1.1%	0.5%
56b. Used heroin or `smack`	0.0%	0.3%	0.3%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	2.7%	1.9%	3.1%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.1%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	2.1%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	1.3%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	32.2%	26.1%	30.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.4%	4.9%	3.6%
25. Carried a weapon such as a gun, knife or club on school property	3.8%	4.5%	7.0%
50b. Rode with someone who was drinking alcohol	9.8%	16.0%	16.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.1%	3.8%	2.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	9.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	23.7%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.3%	31.2%	28.4%
26a. Were in a physical fight	15.8%	19.1%	21.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.7%	6.3%	3.9%
35. Considered suicide	6.0%	11.7%	10.8%
36. Planned suicide	1.1%	8.6%	7.3%
37. Attempted suicide	0.8%	5.0%	6.5%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	12.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	28.9%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	8.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.5%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	75.2%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	90.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	94.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	86.7%	93.2%	90.3%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.4%	81.6%	77.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.1%	92.6%	94.7%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.1%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	52.3%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	45.5%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	21.3%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.7%	8.5%	9.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.8%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.3%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.0%	14.1%	16.7%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Vernon County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	194	66,629	330
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	40.1%	14.8%	26.6%
2. Grade level. 7th Grade	4.4%	14.3%	0.0%
2. Grade level. 8th Grade	4.0%	15.2%	4.2%
2. Grade level. 9th Grade	5.8%	21.3%	42.7%
2. Grade level. 10th Grade	12.4%	12.2%	0.3%
2. Grade level. 11th Grade	18.6%	12.6%	0.0%
2. Grade level. 12th Grade	14.6%	9.6%	26.3%
3. Male	51.8%	47.7%	46.4%
4. Hispanic or Latino	0.7%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.4%	13.0%	0.6%
5. Race, alone or in combination. White	98.2%	85.5%	98.6%
5. Race, alone or in combination. Other	0.4%	1.6%	1.4%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	23.3%	22.7%	37.5%
48b. Used electronic cigarettes	13.0%	16.0%	n/a
49b. Used hookahs or water pipes	3.3%	11.3%	n/a
50c. Used alcohol	35.4%	33.3%	45.9%
51b. Used marijuana	5.6%	15.2%	15.7%
52a. Used inhalants	2.6%	2.9%	4.5%
53a. Used RX not prescribed for you by a doctor	3.7%	7.4%	10.6%
54a. Used `OTC` drugs for non-medical reasons	5.6%	2.9%	6.2%
56a. Used cocaine or `crack`	0.0%	1.1%	0.9%
56b. Used heroin or `smack`	0.0%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	2.2%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	1.1%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.1%
56g. Used steroids not prescribed for you by a doctor	0.8%	0.9%	1.4%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	30.5%	26.1%	33.7%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.3%	4.9%	4.2%
25. Carried a weapon such as a gun, knife or club on school property	5.1%	4.5%	5.9%
50b. Rode with someone who was drinking alcohol	15.9%	16.0%	24.1%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	1.5%	3.8%	3.6%
22b. Posted something online or sent a text that might embarrass or hurt another student	6.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	13.6%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	26.5%	31.2%	37.5%
26a. Were in a physical fight	16.6%	19.1%	21.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.3%	6.3%	7.3%
35. Considered suicide	5.5%	11.7%	12.5%
36. Planned suicide	4.0%	8.6%	10.5%
37. Attempted suicide	2.2%	5.0%	3.9%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.6%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	27.0%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	6.2%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	70.4%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	76.4%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	88.4%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.3%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	90.6%	93.2%	86.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	80.2%	81.6%	73.3%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.3%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	97.3%	92.6%	94.6%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	97.2%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	50.7%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	32.4%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	21.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.9%	8.5%	8.2%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	10.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	21.5%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	12.4%	14.1%	15.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Webster County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	140	66,629	139
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	14.8%	14.8%	6.6%
2. Grade level. 7th Grade	14.6%	14.3%	0.0%
2. Grade level. 8th Grade	22.8%	15.2%	35.9%
2. Grade level. 9th Grade	11.7%	21.3%	35.5%
2. Grade level. 10th Grade	10.4%	12.2%	20.8%
2. Grade level. 11th Grade	15.2%	12.6%	0.4%
2. Grade level. 12th Grade	10.4%	9.6%	0.7%
3. Male	48.4%	47.7%	51.8%
4. Hispanic or Latino	1.1%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	1.7%	13.0%	0.9%
5. Race, alone or in combination. White	98.0%	85.5%	98.0%
5. Race, alone or in combination. Other	0.7%	1.6%	0.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	29.8%	22.7%	34.5%
48b. Used electronic cigarettes	17.7%	16.0%	n/a
49b. Used hookahs or water pipes	13.4%	11.3%	n/a
50c. Used alcohol	34.3%	33.3%	38.2%
51b. Used marijuana	21.1%	15.2%	15.8%
52a. Used inhalants	4.8%	2.9%	9.1%
53a. Used RX not prescribed for you by a doctor	9.5%	7.4%	11.2%
54a. Used `OTC` drugs for non-medical reasons	3.7%	2.9%	4.8%
56a. Used cocaine or `crack`	1.1%	1.1%	0.0%
56b. Used heroin or `smack`	1.1%	0.3%	0.0%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	3.9%	1.9%	1.5%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	2.8%	1.5%	0.9%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.9%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	30.1%	26.1%	29.6%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.3%	4.9%	1.6%
25. Carried a weapon such as a gun, knife or club on school property	5.2%	4.5%	13.6%
50b. Rode with someone who was drinking alcohol	12.8%	16.0%	20.0%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.9%	3.8%	3.7%
22b. Posted something online or sent a text that might embarrass or hurt another student	14.8%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	18.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	23.5%	31.2%	31.0%
26a. Were in a physical fight	23.7%	19.1%	23.8%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	4.6%	6.3%	8.5%
35. Considered suicide	12.0%	11.7%	14.5%
36. Planned suicide	8.5%	8.6%	9.9%
37. Attempted suicide	5.2%	5.0%	7.3%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	13.4%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	17.6%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	13.7%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	58.6%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	74.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	73.7%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	88.0%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	92.4%	93.2%	94.7%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	83.3%	81.6%	84.5%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.6%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	93.9%	92.6%	92.4%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.7%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all)			
NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk			
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	35.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	21.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	14.4%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	28.3%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.0%	8.5%	6.8%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	6.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	10.9%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	7.9%	14.1%	14.3%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.

2014 Missouri Student Survey Wright County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	358	66,629	448
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	13.5%	14.8%	11.5%
2. Grade level. 7th Grade	24.0%	14.3%	26.8%
2. Grade level. 8th Grade	13.1%	15.2%	6.7%
2. Grade level. 9th Grade	11.8%	21.3%	27.8%
2. Grade level. 10th Grade	12.7%	12.2%	18.5%
2. Grade level. 11th Grade	12.7%	12.6%	8.6%
2. Grade level. 12th Grade	12.2%	9.6%	0.0%
3. Male	50.2%	47.7%	47.3%
4. Hispanic or Latino	0.9%	2.5%	0.3%
5. Race, alone or in combination. Black or African Am.	0.4%	13.0%	0.6%
5. Race, alone or in combination. White	98.7%	85.5%	98.7%
5. Race, alone or in combination. Other	0.9%	1.6%	1.6%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	33.0%	22.7%	31.2%
48b. Used electronic cigarettes	14.5%	16.0%	n/a
49b. Used hookahs or water pipes	4.9%	11.3%	n/a
50c. Used alcohol	32.1%	33.3%	30.4%
51b. Used marijuana	10.6%	15.2%	8.0%
52a. Used inhalants	3.1%	2.9%	5.4%
53a. Used RX not prescribed for you by a doctor	8.8%	7.4%	8.0%
54a. Used `OTC` drugs for non-medical reasons	4.8%	2.9%	4.8%
56a. Used cocaine or `crack`	0.0%	1.1%	0.6%
56b. Used heroin or `smack`	0.9%	0.3%	0.6%
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	0.9%	1.9%	1.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.6%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	1.3%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	0.6%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	26.6%	26.1%	26.5%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	4.9%	4.2%
25. Carried a weapon such as a gun, knife or club on school property	12.3%	4.5%	7.3%
50b. Rode with someone who was drinking alcohol	10.2%	16.0%	16.3%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	3.1%	3.8%	4.1%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	31.4%	31.2%	35.5%
26a. Were in a physical fight	21.6%	19.1%	20.4%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	7.0%	6.3%	5.7%
35. Considered suicide	8.8%	11.7%	12.2%
36. Planned suicide	5.8%	8.6%	10.6%
37. Attempted suicide	3.5%	5.0%	5.8%
Friends' perception of coolness (% reflects pretty cool + very cool)			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	5.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	18.1%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	8.0%	20.1%	n/a
Friends' perception of wrongness (% reflects wrong + very wrong)			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	73.7%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	76.3%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	83.2%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	92.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + very wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.0%	93.2%	92.6%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	82.8%	81.6%	84.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	93.4%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	95.1%	92.6%	96.1%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.0%	94.4%	n/a

Perception of Harm (% reflects slight risk + no risk at all)

NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	46.9%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	27.8%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	15.0%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	7.6%	8.5%	6.7%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	11.1%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	18.2%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	13.7%	14.1%	13.7%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.